

## LIST OF PUBLICATIONS

Heikki Hämäläinen, prof.

**Citations (Web of Science), h-index 32  
(5/2017)**

### **A. Peer reviewed scientific articles**

1. Järvilehto, T., Hämäläinen, H., and Laurinen, P. (1976). Characteristics of single mechanoreceptive fibres innervating hairy skin of the human hand. *Exp. Brain Res.* 25: 45-61.
2. Järvilehto, T., Hämäläinen, H., and Kekoni, J. Mechanoreceptive unit activity correlated with touch and vibratory sensations. In: *Sensory functions of the skin*, ed. by Y. Zotterman, Oxford, Pergamon, pp. 215-230, 1976.
3. Järvilehto, T., and Hämäläinen, H. Single unit recordings from afferent cutaneous nerve fibres in man. *Activ. Nerv. Sup. (Prague)*, 1977, 19, Suppl. 2.
4. Järvilehto, T. and Hämäläinen, H. Touch and thermal sensations: Psychophysical observations and unit activity in human skin nerves. In: D.R. Kenshalo (Ed.), *Sensory functions of the skin of humans*, Plenum, pp. 279-297, 1979.
5. Hämäläinen, H. and Järvilehto, T. (1981). Peripheral neural basis of tactile sensations in man: I. Effect of frequency and probe area on sensations elicited by single mechanical pulses on hairy and glabrous skin of the hand. *Brain Res.* 219: 1-12.
6. Järvilehto, T., Hämäläinen, H., and Soininen, K. (1981). Peripheral neural basis of tactile sensations in man: II. Characteristics of human mechanoreceptors in the hairy skin and correlations of their activity with tactile sensations. *Brain Res.* 219: 13-27.
7. Pertovaara, A., and Hämäläinen, H. (1981). Vibrotactile thresholds during background vibration of long duration. *Scand. J. Psychol.* 22: 41-45.
8. Hämäläinen, H., Pertovaara, A., Soininen, K., and Järvilehto, T. (1981). Is there low-frequency vibrotactile temporal summation? *Scand. J. Psychol.* 22: 203-206.
9. Pertovaara, A. and Hämäläinen, H. (1982). Vibrotactile thresholds in non-Pacinian mechanoreceptive afferents: the importance of temporal parameters. *Acta Physiol. Scand.* 1981, 113: 519-522.
10. Soininen, K., Hämäläinen, H., and Järvilehto, T. (1982). Dependence of somatosensory evoked potentials on intensity and velocity of short tactile pulses during different tasks. *Studia Psychologica*, 1982, 24, 313.
11. Hämäläinen, H., Vartiainen, M., Karvanen, L., and Järvilehto, T. (1982). Paradoxical heat sensations during moderate cooling of the skin. *Brain Res.* 251: 77-81.

12. Hämäläinen, H., Vilhonen, S., and Järvilehto, T. (1982). Atonal interval as a function of vibration frequency on hairy and glabrous skin of the human hand. *Acta Psychol. Fenn.* IX, pp. 3-10.
13. Pertovaara, A. and Hämäläinen, H. (1982). Vibrotactile threshold elevation produced by high-frequency transcutaneous electrical nerve stimulation. *Arch. Phys. Med. Rehabilitation* 1982, 63: 597-600.
14. Hämäläinen, H. (1983). Kosketus- ja värinätunnon neuropsykologinen tutkimus (Neuropsychological studies on tactile and vibrotactile sense) . *Psykologia* 5:336-340.
15. Hämäläinen, H. (1989). Korvaavat aistit: Jatkuva haaste tutkimukselle. (Sensory substitution: A continuous demand for research). Julkaisussa "Kieli, Kognitio, Tekoäly", Kompleksi ry., pp. 19-23.
16. Hämäläinen, H. and Pertovaara, A. (1984). Vibrotactile thresholds in mechanoreceptive afferents innervating the foot pad of the cat: The importance of stimulus frequency and duration. *Acta Physiol. Scand.* 120: 321-327.
17. Hämäläinen, H., and Pertovaara, A. (1983). Liminal and supraliminal response characteristics of mechanoreceptors of the hairy and foot pad skin of cat determined with short tactile pulses. *Quart. J. Exp. Physiol.* 1983, 68: 619-627.
18. Gardner, E. P., Hämäläinen, H.A., Warren, S., Davis, J., and Young, W. (1984). Somatosensory evoked potentials (SEPs) and cortical single unit responses elicited by mechanical tactile stimuli in awake monkeys. *Electroencephalogr. Clin. Neurophysiol.* 58: 537-552.
19. Hämäläinen, H., Järvilehto, T., and Soininen, K. (1985). Vibrotactile atonal interval correlated with activity in peripheral mechanoreceptive units innervating the human hand. *Brain Res.* 333: 311-324.
20. Hämäläinen, H.A., Warren, S., and Gardner, E.P. (1985). Differential sensitivity to airpuffs on human hairy and glabrous skin. *Somatosensory Research*, 2: 281-302.
21. Gardner, E.P., Costanzo, R.M., Hämäläinen, H.A., Warren, S., and Young, W.: Facilitation and inhibition in somatosensory cortex: Comparison of single unit responses and somatosensory evoked potentials (SEPs). In Cracco, R.Q., and Bodis-Wollner, I. (Eds.), *Frontiers of Clinical Neuroscience*, Vol. 3. Evoked Potentials. Alan R. Liss, Inc., New York, 1986: 190-199.
22. Åstrand, K., Hämäläinen, H., Aleksandrov, Y.I. and Järvilehto, T. (1986). Response characteristics of the peripheral mechanoreceptive units in man: Relation to the sensation magnitude and to the subject's task. *Electroenceph. Clin. Neurophysiol.* 1986, 64: 438-446.

23. Warren, S., Hämäläinen, H.A., and Gardner, E.P. (1986). Objective classification of motion and direction sensitive neurons in primary somatosensory cortex of awake monkeys. *J. Neurophysiol.* 56: 598-622.
24. Warren, S., Hämäläinen, H.A., and Gardner, E.P. (1986). Coding of the spatial period of gratings rolled across the receptive fields of somatosensory cortical neurons in awake monkeys. *J. Neurophysiol.* 56: 623-639.
25. Kekoni, J., Pertovaara, A., and Hämäläinen, H. (1987). Vibrotactile masking effects on airpuff-elicited sensations vary with skin region in the human hand. *Somatosensory Res.* 5: 93-105.
26. Hämäläinen, H., Sams, M., Pertovaara, A., Carlson, S., Reinikainen, K., and Näätänen, R. (1988). Different functional roles of SI and SII somatosensory cortices as reflected by evoked potentials and multiple-unit responses to mechanical stimulation in awake monkey. *Neurosci. Res. Communications* 2: 143-150.
27. Antervo, A. and Hämäläinen, H. (1988). Motorinen apraksia - kliinistä ja kokeellista näkökulmaa neuropsykologiaan. *Psykologia* (1): 16-21.
28. Hämäläinen, H., Kekoni, J., and Antervo, A. (1988). Peruspiirteitä kosketustunnosta ja sen hermostollisesta organisaatiosta - optaconista taktiiliseen muistiin. *Psykologia* (1): 22-29.
29. Rautio, J., Kekoni, J., Hämäläinen, H., Härmä, M., and Asko-Seljavaara, S. (1989). Mechanical sensibility in free and island flaps of the foot. *J. Reconstructive Microsurg.* 5: 119-125.
30. Gardner, E.P., Hämäläinen, H.A., Palmer, C.I., and Warren, S. Touching the outside world: Representation of motion and direction within primary somatosensory cortex. In: J.S. Lund (Ed.), *Sensory processing in the mammalian brain: Neural substrates and experimental strategies.* New York, Oxford University Press, 1989. Pp. 49-66.
31. Hämäläinen, H., Kekoni, J., Sams, M., Reinikainen, K., and Näätänen, R. (1990). Human somatosensory evoked potentials to mechanical pulses and vibration: Contributions of SI and SII somatosensory cortices to P50 and P100 components. *Electroenceph. clin. Neurophysiol.*, 75: 13-21.
32. Kekoni, J., Hämäläinen, H., Rautio, J., and Tukeva, T. (1989). Mechanical sensibility of the sole of the foot determined with vibratory stimuli of varying frequency. *Exp. Brain Res.*, 1989, 78: 419-424.
33. Waris, T., Åstrand, K., Hämäläinen, H., Piironen, J., Valtimo, J., and Järvilehto, T. (1989). Regeneration of cold, warm, and heat pain sensibility in human skin grafts. *Brit. J. Plastic Surg.* 42: 576-580.

34. Kekoni, J., Tikkala, I., Pertovaara, A., and Hämäläinen, H. (1990). Spatial features of vibrotactile masking effects on airpuff-elicited sensations in the human hand. *Somatosensory and Motor Research* 1990, 7: 353-363.
35. Hari, R., Hämäläinen, H., Hämäläinen, M., Kekoni, J., Sams, M., and Tiihonen, J. (1990). Separate finger representations at the human second somatosensory cortex. *Neuroscience* 37: 245-249.
36. Hämäläinen, H., Kekoni, J., Gröhn, J., Lähteenmäki, A., Reinikainen, K., and Näätänen, R.: Decrement of somatosensory evoked potentials with stimulus repetition: Comparison of human SEPs with cortical responses in monkey. In Brunia, C.H.M., Gaillard, A.W.K., and Kok, A. (Eds.): *Psychophysiological Brain Research*, vol. 1., pp. 40-45. Tilburg Univ. Press, 1990.
37. Warren, S., Hämäläinen, H.A., Palmer, C.I., and Gardner, E.P. Transformation of spatio-temporal information by somatosensory neural networks. In: Franzen, O. and Westman, J. (Eds.): *Information processing in the somatosensory system*. Wenner-Gren symposium Series, London: Macmillan Press, 1991.
38. Hämäläinen, H., Kekoni, J., Rautio, J., Matikainen, E., and Juntunen, J. (1992). Effect of unilateral sensory impairment of the sole of the foot on postural control in man: Implications for the role of mechanoreception in postural control. *Human Movement Science* 11: 549-561.
39. Gardner, E.P., Hämäläinen, H.A., Palmer, C.I., and Warren, S. (1992). Simulation of motion on the skin. V. Effect of stimulus temporal frequency on the representation of moving bar patterns in primary somatosensory cortex of monkeys. *J. Neurophysiol.* 67: 37-63.
40. Kekoni, J., Tiihonen, J., and Hämäläinen, H. (1992). Fast decrement with stimulus repetition in ERPs generated by neuronal networks involving somatosensory SI and SII cortices: Electric and magnetic response recordings in humans. *Int. J. Psychophysiology* 12: 281-288.
41. Rautio, J., Hämäläinen, H. & Kekoni, J. (1992). Deckung der Fußsohle und Ferse mit gestielten und freien transplanten. *Handchirurgie, Mikrochirurgie, Plastische Chirurgie* 24: 182-186.
42. Kaarela, O., Kaisanlahti, S., Hämäläinen, H., Lähteenmäki, T., Asko-Seljavaara, S., Järvilehto, T. & Waris, T. Psychophysical study on the recovery of thermal sensitivity on muculocutaneous latissimus dorsi flaps. In: *Plastic Surgery 1992*, Hinderer, U.T. (Ed.), Excerpta Medica, Amsterdam, pp.129-130.
43. Kujala, T., Alho, K., Kekoni, J., Hämäläinen, H., Reinikainen, K., Salonen, O, Standertskjöld-Nordenstam, C.-G., and Näätänen, R. (1995). Auditory and somatosensory event-related brain potentials in early blind humans. *Experimental Brain Research* 104: 519-526.

44. Rämä, P., Carlson, S., Kekoni, J., and Hämäläinen, H. (1995). A spatial oculomotor memory-task performance produces a task-related slow shift in human electroencephalography. *Electroenceph. clin Neurophysiol.* 94: 371-380.
45. Kekoni, J., Hämäläinen, H., McCloud, V., Reinikainen, K., and Näätänen, R. (1996). Is the somatosensory N250 related to deviance discrimination or conscious target detection? *Electroenceph. clin. Neurophysiol.* 100: 115-125.
46. Kekoni, J., Hämäläinen, H., Saarinen, M., Gröhn, J., Reinikainen, K., and Näätänen, R. (1997). Rate effect and mismatch responses in the somatosensory system: ERP-recordings in humans. *Biol. Psychol.* 46: 125-142.
47. Rämä, P., Kesseli, K., Reinikainen, K., Kekoni, J., Hämäläinen, H., and Carlson, S. (1997). Visuospatial mnemonic load modulates event-related slow potentials. *Neuroreport* 8: 871-876.
48. Kallio, S., Revonsuo, A., Lauerma, H., Hämäläinen, H. and Lang, H. (1999). The MMN amplitude increases in hypnosis: a case study. *Neuroreport* 10: 3579-3582.
49. Niemi, P. and Hämäläinen, H. (1999). Networking psychology in Finland: New collaboration between research and profession. *Int. J. Psychol.* 34: 469-472.
50. Koivisto, M., Revonsuo, A., Krause, C., Haarala, C., Sillanmäki, L., Laine, M. and Hämäläinen, H. (2000). Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans. *Neuroreport* 11: 413-415.
51. Krause, C., Sillanmäki, L., Koivisto, M., Häggqvist, A., Saarela, C., Revonsuo, A., Laine, M. and Hämäläinen, H. (2000). Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task. *Neuroreport* 11: 761-764.
52. Koivisto, M., Krause, C., Revonsuo, A., Laine, M. and Hämäläinen, H. (2000). The effects of electromagnetic field emitted by GSM phones on working memory. *Neuroreport* 11: 1641-1643.
53. Krause, C.M., Sillanmäki, L., Koivisto, M., Saarela, C., Häggqvist, A., Laine, M. Hämäläinen, H. (2000). The effects of memory load on event-related EEG desynchronization and synchronization. *Clin. Neurophysiol.* 111: 2071-2078.
54. Kallio, S., Revonsuo, A., Hämäläinen, H., Markela, J., and Cruzelier, J. (2001). Anterior brain functions and hypnosis - test of the frontal hypothesis. *Int. J. Exp. Hypn.* 49:95-108.
55. Hämäläinen, H., Hiltunen, J. and Titievskaja, I. (2000). fMRI activations of SI and and SII cortices depend on attention. *Neuroreport* 11: 1673-1676.
56. Deouell. L.Y., Hämäläinen, H. and Bentin, S. (2000). Unilateral neglect following right hemisphere damage: Contributions from event- related potentials. *Audiol. Neuro-otol.* 5: 225-234.

57. Krause, C., Sillanmäki, L., Koivisto, M., Häggqvist, A., Saarela, C., Revonsuo, A., Laine, M., Hämäläinen, H. (2000). Effects of electromagnetic field emitted by cellular phones on the electroencephalogram during a visual working memory task. *Int. J. Radiation Biol.* 76: 1659-1667.
58. Müller, K. ja Hämäläinen, H. (2000). Aivot ja tietoympäristö. Teoksessa Härmä, M., Laitinen, H. ja Leppänen, A. (toim.) *Työ ja Ihminen. Työympäristötutkimuksen aikakauskirja 2/2000.* 14. vuosikerta. Katsauksia tietointensiiviseen työhön. ss 152-160.
59. Koivisto, M., Haarala, C., Krause, C., Revonsuo, A., Laine, M. and Hämäläinen, H. (2001). GSM phone signal does not produce subjective symptoms. *Bioelectromagnetics* 22: 212-215.
60. Munck, P., Laine, M. ja Hämäläinen, H. (2001). Aivovaurion jälkeinen kognitiivis-hermostollinen kuntoutuvuus: haaste psykologialle ja aivokuvantamiselle. *Psykologia* 4/2001 (36. vuosikerta): 230-238.
61. Jalas, M., Lindell, A.B., Brunila, T., Tenovuo, O. and Hämäläinen, H. (2002). Initial rightward orienting bias in clinical tasks: normal subjects and right hemispheric stroke patients with and without neglect. *J. Clinical and Exp. Neuropsychology* 24: 479-490.
62. Brunila, T., Lincoln, N., Lindell, A., Hämäläinen, H., and Tenovuo, O. (2002). Experiences of combined visual treatment and arm activation in rehabilitation of unilateral visual neglect: a clinical study. *Neuropsychological Rehabilitation* 12: 27-40.
63. Koivisto, M. and Hämäläinen, H. (2002). Hemispheric semantic priming in the single word presentation task. *Neuropsychologia* 40: 978-985.
64. Cheour, M., Martynova, O., Nääätänen, R., Erkkola, R., Sillanpää, M., Kero, P., Raz, A., Kaipio, M.-L., Hiltunen, J., Aaltonen, O., Savela, J., Hämäläinen, H. (2002). Sleeping newborns distinguish speech. *Nature* 415: 599-600.
65. Hämäläinen, H., Hiltunen, J., Titievskaja, I. (2002). Activation of somatosensory cortical areas varies with attentional state: An fMRI study. *Behavioral Brain Research* 135: 159-165.
66. Ruusuvirta, T., Hämäläinen, H. (2002). Human event-related potentials to higher-order acoustic spatial changes. *J. Psychophysiol.* 16: 114-118.
67. Haarala, C., Björnberg, L., Ek, M., Laine, M., Revonsuo, A., Koivisto, Hämäläinen, H. (2003). Effect of a 902 MHz electromagnetic field emitted by mobile phones on human cognitive function: a replication study. *Bioelectromagnetics* 24:283-288.
68. Hämäläinen, H. (2003). Neglectin taustamekanismien metsästystä aivojen herätevasteilla. *Psykologia* (4): 250-255.

69. Julkunen, L., Tenovuo, O., Jääskeläinen, S., Hämäläinen H. (2003). Rehabilitation of chronic post-stroke visual field defect with computer-assisted training - A clinical and neurophysiological study. *Restorative Neurology and Neuroscience* 21: 19-28.
70. Brunila, T., Jalas, M., Lindell, A., Tenovuo, O. and Hämäläinen, H. (2003). Picture material in the assessment of visuospatial neglect: impact of structure and content. *Clinical Neuropsychologist* 17: 45-53.
71. Hugdahl, K., Ek, M., Takio, F., Rintee, T., Tuomainen, J., Haarala, C. and Hämäläinen, H.(2004). Congenitally and early blind individuals show enhanced perceptual and attentional sensitivity to simple speech sounds. *Cognitive Brain Res.* 19: 28-32.
72. Haarala, C., Aalto, S., Hautzel, H., Julkunen, L., Rinne, J.O., Laine, M., Krause, B., Hämäläinen, H. (2003). Effects of a 902 MHz mobile phone on cerebral blood flow in humans: *Neuroreport* 14: 2019-2023.
73. Bliss, I., Kujala, T. and Hämäläinen, H. (2004). Comparison of blind and sighted participants' performance in a letter recognition working memory task. *Cognitive Brain Res.* 18: 273-277.
74. Hämäläinen, H. and Julkunen, L. (2004). Treatment of visual field defects after stroke. *Advances in Clinical Neuroscience & Rehabilitation* 3: 17-18.
75. Haarala, C., Ek, M., Björnberg, L., Laine, M., Revonsuo, A., Koivisto, M., Hämäläinen, H. (2004). 902 MHz mobile phone does not affect short term memory in humans. *Bioelectromagnetics* 25: 452-456.
76. Krause, C.M., Haarala, C., Sillanmäki, L., Koivisto, M., Alanko, K., Revonsuo, A., Laine, M., Hämäläinen, H. (2004). Effects of electromagnetic field emitted by cellular phones on the EEG during an auditory memory task: a double blind replication study. *Bioelectromagnetics*, 25: 33-40.
77. Heikki Hämäläinen, Irina Bliss and Teija Kujala:  
Working memory task via different modalities: comparison of sighted and blind subjects. In Ballesteros, S. and Heller, M.A: *Touch, Blindness, and Neuroscience*. UNED Ediciones, Varia, 2004.
78. Bliss, I. and Hämäläinen, H. (2005):  
Different explorative skills of normal young adults in the visual and tactile letter recognition task. *Scand. J. Psychol.* 46: 247-251.
79. Julkunen, L., Tenovuo, O., Jääskeläinen, S.K., Hämäläinen, H. (2005). Recovery of somatosensory deficits in acute stroke. *Acta Neurol. Scand.* 111: 366-372.
80. Haarala, C., Bergman, M., Laine, M., Revonsuo, A., Koivisto, M., Hämäläinen, H. (2005). Electromagnetic field emitted by 902 Hz mobile phones shows no effects on childrens cognitive function. *Bioelectromagnetics* 26: 1-7.

81. Peltola, M.S., Kuntola, M., Tamminen, H., Hämäläinen, H., Aaltonen, O. (2005): Early exposure to non-native language alters preattentive vowel discrimination. *Neurosci. Lett.* 388: 121-125.
82. Aalto, S., Haarala, C. Brück, A., Sipilä, H., Hämäläinen, H., Rinne, J. (2006). Mobile phone affects cerebral blood flow in humans. *J. Cerebral Blood Flow & Metabolism* 00: 1-6
83. Pesonen, M., Haarala Björnberg, C., Hämäläinen, H., and Krause, C.M. (2006). Brain oscillatory 1-30 Hz EEG ERD/ERS responses during the different stages of an auditory memory search task. *Neurosci. Lett.* 399: 45-50.
84. Julkunen, L., Tenovuo, O., Vorobyev, V., Hiltunen, J., Teräs, M., Jääskeläinen, S.K., Hämäläinen, H. (2006). Functional brain imaging, clinical and neurophysiological outcome of visual rehabilitation in a chronic stroke patient. *Restorative Neurology and Neuroscience* 24: 123-132.
85. Hietanen, J.K., Nummenmaa, L., Hyman, M.J., Parkkola, R., Hämäläinen, H. (2006). Automatic attention orienting by social and symbolic cues activates different neural networks: An fMRI study. *Neuroimage* 33: 406-413.
86. Krause, C.M., Haarala Björnberg, C., Pesonen, M., Hulten, A., Liesivuori, T., Koivisto, M., Revonsuo, A., Laine, M. & Hämäläinen, H. (2006). Mobile phone effects on children's event-related oscillatory EEG during an auditory memory task. *Int. J. Radiat. Biol.* 82: 443-450.
87. Krause, C.M., Pesonen, M., Hämäläinen, H. (2007). Brain oscillatory responses during the different stages of an auditory memory search task in children. *NeuroReport* 18: 213-216.
88. Lindell, A.B., Jalas, M., Tenovuo, O., Brunila, T., Voeten, M., Hämäläinen, H. (2007). Clinical assessment of hemispatial neglect: Evaluation of different measures and dimensions. *Clinical Neuropsychologist* 21: 479-497.
89. Pesonen, M., Hämäläinen, H., Krause, C.M. (2007). Brain oscillatory 4-30 Hz responses during a visual n-back memory task with varying memory load. *Brain Research* 1138: 171-177.
90. Krause, C.M., Pesonen, M., Haarala Björnberg, C., Hämäläinen, H. (2007). Effects of pulsed and continuous wave 902 MHz mobile phone exposure on brain oscillatory activity during cognitive processing. *Bioelectromagnetics* 28: 296-308.
91. Haarala, C., Takio, F., Rintee, T., Laine, M., Koivisto, M., Revonsuo, A., Hämäläinen, H. (2007). Pulsed and continuous wave mobile phone exposure over left versus right hemisphere: Effects on human cognitive function. *Bioelectromagnetics* 28: 289-295.
92. Kronholm, E., Virkkala, J., Kärki, T., Karjalainen, P., Lang, H., Hämäläinen, H. (2007). Spectral power and fractal dimension: methodological comparison in a sample

of normal sleepers and chronic insomniacs. *Sleep and Biological Rhythms* 5: 240-251.

93. Milovanov, R., Tervaniemi, M., Takio, F., Hämäläinen, H. (2007). Modification of dichotic listening (DL) performance by musico-linguistic abilities and age. *Brain Research*. 1156: 168-173.

94. Laine, M., Kwon, M.S., Hämäläinen, H. (2007). Automatic auditory change detection in humans is influenced by visual-auditory associative learning. *NeuroReport* 18: 1697-1701.

95. Tallus, J., Hugdahl, K., Alho, K., Medvedev, S. & Hämäläinen, H (2007). Interaural intensity difference and ear advantage in listening to dichotic consonant-vowel syllable pairs. *Brain Research* 1185: 195-200.

96. Hämäläinen, H., Kujala, T., Kekoni, J., Hurskainen, H., Pirilä, J., Wikström, H. & Huotilainen, M. (2007). Effects of unilateral hippocampus-amygdala-partial temporal lobe resection on auditory EEG/MEG responses: a case study. *Scand. J. Psychol.* 48: 367-373.

97. Kwon, M.S., Koivisto, M., Laine, M., Hämäläinen, H. (2008). A provocation study on electromagnetic sensibility to a mobile phone. *Bioelectromagnetics* 29: 154-159.

98. Hugdahl, K., Westerhausen, R., Alho, K., Medvedev, S., Hämäläinen, H. (2008). The effect of stimulus intensity on the right ear advantage in dichotic listening. *Neurosci. Lett.* 431: 90-94

99. Dos Santos Sequiera, S., Specht, K., Hämäläinen, H., Hugdahl, K. (2008). The effects of background noise on dichotic listening to consonant-vowel syllables. *Brain and Language* 107: 11-15.

100. Dos Santos Sequiera, S., Specht, K., Hämäläinen, H., Hugdahl, K. (2008). The effects of different intensity levels of background noise on dichotic listening to consonant-vowel syllables. *Scand. J. Psychol.* 49: 305-310.

101. Kwon, M.S., Jääskeläinen, S., Hämäläinen, H. (2009). The effects of the mobile phone electromagnetic field on the auditory brainstem response. *Bioelectromagnetics* 31: 48-55.

102. Kwon, M.S., Kujala, T., Huotilainen, M., Shestakova, A., Näätänen, R., Hämäläinen, H. (2009). Preattentive auditory information processing under exposure to the mobile phone electromagnetic field: a mismatch negativity (MMN) study. *Bioelectromagnetics* 30: 241-248.

103. Hugdahl, K., Westerhausen, R., Alho, K., Medvedev, S., Laine, M. & Hämäläinen, H. (2009). Attention and cognitive control: Unfolding the dichotic listening story. *Scand. J. Psychol.* 50: 11-22.

104. Takio, F., Koivisto, M., Jokiranta, L., Rashid, F., Kallio, J., Tuominen, T., Laukka, S.J., Hämäläinen, H. (2009). The Effect of Age on Attentional Modulation in Dichotic Listening. *Devel. Neuropsychol.* 34: 225–239
105. Westerhausen, R., Moosmann, M., Alho, K., Medvedev, S., Hämäläinen, H., Hugdahl, K. (2009). Top-down and bottom-up interaction in the dichotic listening ear advantage: manipulating the dichotic listening ear advantage. *Brain. Res.* 1250: 183-189.
106. Luukkainen-Markkula, R., Tarkka, I.M., Pitkänen, K., Sivenius, J. Hämäläinen, H. (2009). Rehabilitation of hemispatial neglect: A randomized study using either arm activation or visual scanning training. *Restorat. Neurol. Neurosci.* 27: 663-672.
107. Kwon, M.S., Huotilainen, M., Shestakova, A., Kujala, T., Näätänen, R., Hämäläinen, H. (2010). Auditory change-detection and mobile-phone use in school-aged children. *Bioelectromagnetics* 31: 191-199.
108. Hämäläinen, H. & Takio, F. Integrating auditory and visual asymmetry. In: Hugdahl, K. & Westerhausen, R. (Eds.) *The Two Halves of the Brain. Information processing in the cerebral hemispheres* MIT Press, Cambridge, 2010. pp. 417-437.
109. Westerhausen, R., Moosmann, M., Alho, K., Belsby, S.-O., Hämäläinen, H., Medvedev, S., Specht, K., Hugdahl, K. (2010). Identification of attention and cognitive control networks in a parametric auditory fMRI study. *Neuropsychologia* 48: 2075-2081.
110. Krause, C.M., Pesonen, N., & Hämäläinen, H. (2010). Brain oscillatory 4-30 Hz electroencephalogram responses in adolescents during a visual memory task. *NeuroReport*, 21, 767-771.
111. Soveri, A., Laine, M., Hämäläinen, H., Hugdahl, K. (2011). Bilingual advantage in focused attention: evidence from the forced-attention dichotic listening paradigm. *Bilingualism: Language and Cognition*, 14: 371-378.
112. Takio, F., Koivisto, M., Laukka, S.J. & Hämäläinen, H. (2011). Auditory rightward spatial bias varies as a function of age. *Developmental Neuropsychology* 36: 367-387.
113. Tarkka, I.M., Luukkainen-Markkula, R., Pitkänen, K., Hämäläinen, H. (2011). Alterations in visual and auditory processing in hemispatial neglect: An evoked potential follow-up study. *Int. J. Psychophysiol.* 79: 272-279.
114. Kwon, M.S. Hämäläinen, H. (2011). Effects of mobile phone electromagnetic fields: critical evaluation of behavioral and neurophysiological studies (Review). *Bioelectromagnetics* 32: 253-272.
115. Luukkainen-Markkula, R., Tarkka, I.M., Pitkänen, K., Sivenius, J. Hämäläinen, H. (2011). tests for hemispatial neglect - are the results obtained with the Behavioural Inattention test equivalent to those of the Catherine Bergego Scale? *Neuropsychol. Rehab.* 21: 103-116.

116. Huolman, S., Hämäläinen, P., Vorobyev, V., Ruutiainen, J., Parkkola, R., Laine, T., Hämäläinen, H. (2011). The effects of rivastigmine on processing speed and brain activation in patients with multiple sclerosis and subjective cognitive fatigue. *Multiple Sclerosis Journal* 17: 1351-1361.
117. Kwon, M.S., Vorobyev, V., Kännälä, S., Laine, M., Rinne, J.O., Toivonen, T., Johansson, J., Teräs, M., Lindholm, H., Alanko, T., & Hämäläinen, H. (2011). GSM mobile phone radiation suppresses brain glucose metabolism. *J. Cerebr. Blood Flow & Metabol.* 31:2293-2301.
118. Railo, H., Tallus, J., & Hämäläinen, H. (2011). Right visual field advantage for perceived contrast: Correlation with an auditory bias and handedness. *Brain and Cognition*, 77: 391-400.
119. Luukkainen-Markkula, R., Tarkka, I.M., Pitkänen, K., Sivenius, J. Hämäläinen, H. (2011). Hemispatial neglect reflected on visual memory. *Restorative Neurol. Neurosci.* 29, 321-330.
120. Jokela, K., Auvinen, A. & Hämäläinen, H. (2011). Matkapuhelimet säteilevät - vaarantuuko terveys? *Duodecim*, 127: 1788-1796.
121. Kwon, M.S., Vorobyev, V., Kännälä, S., Laine, M., Rinne, J.O., Toivonen, T., Johansson, J., Teräs, M., Joutsa, J., Tuominen, L., Lindholm, H., Alanko, T. & Hämäläinen, H. (2012). No effects of short-term GSM mobile phone radiation on cerebral blood flow measured using positron emission tomography. *Bioelectromagnetics* 33: 247-256.
122. Tallus, J., Lioumis, P., Hämäläinen, H., Kähkönen, S., Tenovuo, O. (2012). Long-lasting TMS motor threshold elevation in mild traumatic brain injury. *Acta Neurol. Scand.* 126: 178-182.
123. Fia Takio and Heikki Hämäläinen: Interaction of executive functions and perceptual biases - age and praxis as evidence. In: T. Dutta, M.K. Mandal & S. Kumar (Eds.) *Bias in Human Behavior*. pp. 211-228. Nova Science Publishers Inc. 2012.
124. Alho, K., Salonen, J., Rinne, T., Medvedev, S.V., Hugdahl, K., Hämäläinen, H. (2012). Attention-related modulation of auditory cortex responses to speech sounds during dichotic listening. *Brain Research* 1442: 47-54.
125. Takio, F., Koivisto, M., Tuominen, T., Laukka, S.J., Hämäläinen, H. (2013). Visual rightward spatial bias varies as a function of age. *Laterality* 18: 44-67.
126. Soveri, A., Tallus, J., Laine, M., Nyberg, L., Bäckman, L., Hugdahl, K., Tuomainen, J., Westerhausen, R., Hämäläinen, H. (2013) Modulation of auditory attention by training: Evidence from dichotic listening. *Experimental Psychology*, 60: 44-52.

127. Pakarinen, S., Teinonen, T., Shestakova, A., Kwon, M.S., Kujala, T., Hämäläinen, H., Näätänen, R., Huotilainen, M. (2013). Fast parametric evaluation of central speech-sound processing with Mismatch negativity (MMN). *Int. J. Psychophysiol.* 87: 103-110.
128. Tallus, J., Lioumis, P., Hamalainen, H., Kahkonen, S., Tenovuo, O. (2013). Transcranial magnetic stimulation-electroencephalography responses in recovered and symptomatic mild traumatic brain injury. *J. Neurotrauma*, 30: 1270-1277.
129. Hämäläinen, H., Kwon, M.S., Lindell, A., Jalas, M., Torsti, J., Tenovuo, O. (2014). Neglect is a spatial failure of alerting mechanisms required for awareness: An ERP study. *J. Basic & Appl. Sci.* 10: 239-256.
130. Takio, F., Koivisto, M., Hämäläinen, H. (2014). The influence of executive functions on spatial biases varies during the life span. *Dev. Cognit. Neurosci.* 10: 170-180. (Review)
131. Kwon, M.S., Vorobyev, V., Moe, D., Parkkola, R., Hämäläinen, H. (2014). Brain structural correlates of risk-taking behavior and effects of peer influence in adolescents. *Plos One*, 9: 1-6, e112780.
132. Tuominen, T., Korhonen, T., Hämäläinen, H., Temonen, S., Salo, H., Katajisto, J., Lauerma, H. (2014). Neurocognitive disorders in sentenced male offenders: Implications for rehabilitation. *Criminal Behaviour and Mental Health* 24: 36-48.
133. Tuominen, T., Korhonen, T., Hämäläinen, H., Temonen, S., Salo, H., Katajisto, J., Lauerma, H. (2014). Functional illiteracy and neurocognitive deficits among male prisoners: implications for rehabilitation. *J. Forensic Practice* 16: 268-280.
134. Vorobyev, V., Kwon, M.S., Moe, D., Parkkola, R., Hämäläinen, H. (2015). Risk-taking behavior in a computerized driving task: brain activation correlates of decision-making, outcome, and peer influence in male adolescents. *Plos One*. DOI:10.1371/journal.pone.0129516 June 8, 2015
135. Luimula, M., Besz, A., Pitkäkangas, P., Suominen, T., Smed, J., Rashid Izullah, F., Hämäläinen, H. (2015). Virtual evaluation tool in driving inspection and training. *CogInfoCom 2015, 6th IEEE International Conference on Cognitive Infocommunications*, 57-60.
136. Tallus, J., Soveri, A., Hämäläinen, H., Tuomainen, J., Laine, M. (2015). Effects of auditory attention training with the dichotic listening task: Behavioural and neurophysiological evidence. *Plos One*. DOI: 10.1371/journal.pone.0139318 October 6, 2015.
137. Hämäläinen, H., Rashid Izullah, F., Aho, A., Koivisto, M., Laine, T., Qvist, P., Peltola, A., Pitkäkangas, P., Luimula, M. (2017): NeuroCar virtual driving environment: Simultaneous evaluation of driving skills and spatial perceptual-attentional capacity. *Acta Technica Jauriensis*, 10, No.1Y, pp. 21-34, 2017. DOI: 10.14513/actatechjaur.v10.n1.411.

138. Välimäki, M., Korkeila, J., Kauppi, K., Kaakinen, J., Holm, S., Vahlo, J., Hämäläinen, H., Sarajuuri, J., Rantanen, P., Orenius, T., Koponen, A., (2016). Digital gaming for improving the functioning of people with traumatic brain injury: Protocol of a feasibility study. *JMIR res. Protoc.* 5: 1-11.
139. F. Rashid Izullah, M. Koivisto, A. Aho, T. Laine, P. Qvist, A. Peltola, P. Pitkäkangas, M. Luimula, H. Hämäläinen (2016). NeuroCar Virtual Driving Environment: Simultaneous Evaluation of Driving Skills and Spatial Perceptual-attentional Capacity 7th IEEE International Conference on Cognitive Infocommunications (CogInfoCom 2016), pp. 31-36.
141. H. Hämäläinen, F. Rashid Izullah, A. Aho, M. Koivisto, T. Laine, P. Qvist, A. Peltola, P. Pitkäkangas, M. Luimula (2017). NeuroCar Virtual Driving Environment: Simultaneous Evaluation of Driving Skills and Spatial Perceptual-attentional Capacity. *Acta Technica Jaurinensis* 10, No.1Y: 21-34. DOI: 10.14513/actatechjaur.v10.n1.411.
142. Hämäläinen, H. (2017). Hyvä johdatus kognitiiviseen neurotieteeseen. *Psykologia* 52: 68-70.
143. Hämäläinen, H., Rashid Izullah, F., Koivisto, M., Takio, F., Luimula, M. (2018). The right-side perceptual bias in agingdetermined in a laboratory setting and during a virtual driving task. *Scand. J. Psychol.* 59: 32-40. DOI: 10.1111/sjop.12412.
144. Brini, S., Sohrabi, H.M., Peiffer, J.J., Karrasch, M., Hämäläinen, H., Martins, R.N., Fairchild, T.J. (2018). Physical activity in preventing Alzheimer's disease and cognitive decline: A narrative review. *Sports Med.* 48: 29-44. <https://doi.org/10.1007/s40279-017-0787-y>.

## **B. Non-refereed scientific articles**

1. Hämäläinen, H. (1981). Psykologit ja rauhankasvatus. Pääkirjoitus, (The Psychologists and the Education to Peace; editorial note). *Psykologia*, 6.
2. Hämäläinen, H. Peripheral neural mechanisms for the atonal interval of vibrotaction. In: First Finnish-Soviet Symposium on Psychophysiology, Moscow, 1981. Publications of the Finnish-Soviet Committee on Scientific-Technological Cooperation, No. 15: 260-270, Helsinki, 1982.
3. Hämäläinen, H. and Pertovaara, A. Absolute and tuning thresholds of mechanoreceptors in tactile pads of cat determined with vibratory stimuli of varying frequency and duration. Univ. Helsinki, Gen. Psychol. Tech. Reports, No. A11, 1982.
4. Hämäläinen, H. and Pertovaara, A. Thresholds and S-R functions of mechanoreceptors of the hairy and tactile pad skin of cat determined with short tactile pulses of varying frequency. Univ. Helsinki, Gen. Psychol. Tech. Reports, No. A12, 1982.

5. Hämäläinen, H.: Tactile and Vibrotactile Sensibility of the Human Hand. A Psychophysical and Neurophysiological Study. Academic Ph.D. Dissertation. Univ. Helsinki, Dept. Psychol. Rubriikki Oy, Helsinki, 1982.
6. Hämäläinen, H., Järvilehto, T., and H., Soininen, K. Correlation of vibrotactile atonal interval with activity in peripheral mechanoreceptive units in man. Univ. Helsinki, Gen. Psychol. Tech. Reports, No. A13, 1982.
7. Soininen, K., Hämäläinen, H., and Järvilehto, T.: Zavisimost somatosensornyh vyzvannyh potentsialov ot amplitudy i skorosti razvitija kratkovremennyh taktilnyh toltskov v razlitsnyh zadatsah. Psykologinen aikakausilehti No. 5. osa 4., 1983, Moscow.
8. Åstrand, K., Hämäläinen, H., Aleksandrov, Y.I. and Järvilehto, T. Response characteristics of the peripheral mechanoreceptive units in man: Relation to the sensation magnitude and to the task of the subject. Univ. Helsinki, Dept. Psychol. Technical Reports, 1985, A 21.
8. Rovamo, J., Carlson, S., Hämäläinen, H., Iivanainen, A., Kojo, I., Raninen, A., Saarinen, J., and Uusvaara, J. Hahmontunnistusta Helsingin yliopiston fysiologian ja psykologian laitoksilla. (Pattern recognition research at departments of physiology and psychology of University of Helsinki). In: J. Parkkinen (Ed.), Hahmontunnistustutkimusta Suomessa, 10-vuotisjuhlakirja. Suomen Hahmontunnistuksen Seura r.y., Kuopio, 1987.
9. Kekoni, J., Hämäläinen, H., Juntunen, J., and Rautio, J.: Mechanoreception of the foot sole and some indications on its contribution to postural control in man: A psychophysical study. In: Psychophysiology of cognitive processes. Proceedings of III Soviet-Finnish Symposium on Psychophysiology. Inst. Psychol., Acad. Sci. USSR, Moscow, USSR. 1988. Pp. 152-163.
10. Hämäläinen, H., Sams, M., Carlson, S., Reinikainen, K., Pertovaara, A., and Näätänen, R.: Somatosensory SI and SII cortical areas of a primate show different evoked potentials and multiple unit activity to tactile stimulation. In: Psychophysiology of cognitive processes. Proceedings of III Soviet-Finnish Symposium on Psychophysiology. Inst. Psychol., Acad. Sci. USSR, Moscow, USSR. 1988. Pp. 105-113.
11. Antervo, A., Hilo, K., Kekoni, J., and Hämäläinen, H.: Comparison of different methods for estimating tactile accuracy in man - a preliminary report. In: Psychophysiology of cognitive processes. Proceedings of III Soviet-Finnish Symposium on Psychophysiology. Inst. Psychol., Acad. Sci. USSR, Moscow, USSR. 1988. Pp. 142-150.
12. Hämäläinen, H. (1988). Psykologian tutkijakoulutukselle oma organisaatio. (Organization for research education in psychology). *Psykologia* (5), Pääkirjoitus.
13. Hämäläinen, H. (1988). Kolme kilogrammaa neurotiedettä; Arvio teoksesta E.R. Kandel ja J.H. Schwartz (toim.): *Principles of Neural Science*. 2nd ed., Elsevier, 1985. *Psykologia* 5.

14. Vartiainen, M., Hämäläinen, H. ja Backman, M. Psykotour -88. *Psykologia* 6/1988. Pääkirjoitus.
15. Hämäläinen, H., Alho, K., Hautala, M., ja Tarkkonen, L. (toim.): *Psykologian jatkokoulutus Suomessa. (Guide to graduate studies in Psychology in Finland)*. Yliopistopaino, Helsinki, 1989.
16. Hämäläinen, H. Ainutlaatuinen kongressikesä 1989. Pääkirjoitus, *Psykologia* 4/1989.
17. Åstrand, K., Hämäläinen, H., and Järvilehto, T. Somatosensory evoked potentials elicited by short tactile pulses: The influence of the stimulus intensity and tasks performed by the subject. Univ. Helsinki, Dept. Psychol. Technical Reports, 1989, A43.
18. Tiitinen, H. ja Hämäläinen, H. (toim.): *Psykologian perus- ja jatkokoulutus Suomessa (Guide to M.A. and Ph.D. studies in Psychology in Finland)*. Yliopistopaino 1992.
19. Helkama, K. ja Hämäläinen, H. *Psykologia ja sosiaalipsykologia*. Teoksessa Oksanen, A. (toim.) *Yhteiskuntatieteet Suomen Akatemiassa*. Suomen Akatemian julkaisuja 2/94, Painatuskeskus. 1996

### **C. Scientific books**

1. Alho, K., Noukka, K., Hämäläinen, H., Kauppinen-Toropainen, K., Punamäki, R.-L., and Vartiainen, M. (Eds.): *Sodan ja rauhan psykologiset kysymykset. (Questions to Psychology on War and Peace)* Mikkeli, 1983.
2. Hämäläinen, H., Fredriksson, J. ja Ihanus, J. *Lukion psykologia 4, kurssi 4. (Psychology for High School, course 4, Neuropsychology)*, Kirjayhtymä, Helsinki, 1993.
3. Hämäläinen, H. (1996): *Aivot toimintojen muotoutuvuus*. Teoksessa Revonsuo, A., Lang, H. ja Aaltonen, O. (toim.) *Mieli ja Aivot. Kognitiivinen neurotiede*. Painosalama oy, Turku. ss. 95-104.
4. Hämäläinen, H. (1996): *Somatosensorinen järjestelmä ja aistien korvattavuus*. Teoksessa Revonsuo, A., Lang, H. ja Aaltonen, O. (toim.) *Mieli ja Aivot. Kognitiivinen neurotiede*. Painosalama oy, Turku. ss. 105-114.
5. Hämäläinen, H., Laine, M., Aaltonen, O., Revonsuo, A. (Toim.) *Mieli ja Aivot: Kognitiivisen neurotieteen oppikirja*. 2006. 460 s. Gummerus, Jyväskylä.
6. Hämäläinen, H., Kekoni, J. (2006). *Tunto ja kehonkaava*. Teoksessa: Hämäläinen, H., Laine, M., Aaltonen, O., Revonsuo, A. (Toim.) *Mieli ja Aivot: Kognitiivisen neurotieteen oppikirja*. ss. 167-176. Gummerus, Jyväskylä.

7. Kujala, T., Hämäläinen, H. (2006). Neurokognitiivinen muotoutuvuus ja sen rajat. Teoksessa: Hämäläinen, H., Laine, M., Aaltonen, O., Revonsuo, A. (Toim.) *Mieli ja Aivot: Kognitiivisen neurotieteen oppikirja*. ss. 421-428. Gummerus, Jyväskylä.
8. Hämäläinen, H. (2006). Esipuhe teoksessa: Hämäläinen, H., Laine, M., Aaltonen, O., Revonsuo, A. (Toim.) *Mieli ja Aivot: Kognitiivisen neurotieteen oppikirja*. 2 s. Gummerus, Jyväskylä.
9. Hämäläinen, H. (2008). Mitä on kognitiivinen neurotiede?. Teoksessa Juntunen, J. ym. *Aivot ja ajattelu. Kliininen kognitiivinen neurotiede*. ss. 9-22. Recallmed, Klaukkala.