

A.1. Peer-reviewed scientific articles in journals

- A.1.1. Toppari J., Brown W.R. and Parvinen M.: Rat spermatogenesis in vitro traced by live cell squashes and monoclonal antibodies. *Ann. N.Y. Acad. Sci.* 438: 515-518, 1984.
- A.1.2. Toppari J. and Parvinen M.: In vitro differentiation of rat seminiferous tubular segments from defined stages of the epithelial cycle: Morphologic and immunolocalization analysis. *J. Androl.* 6: 334-343, 1985.
- A.1.3. Toppari J., Eerola E. and Parvinen M.E.: Flow cytometric DNA analysis of defined stages of rat seminiferous epithelial cycle during in vitro differentiation. *J. Androl.* 6: 325-333, 1985.
- A.1.4. Mali, P., Welsh M.J., Toppari J., Vihko K.K. and Parvinen M.: Cell interactions in the rat seminiferous epithelium with special reference to the cellular distribution of calmodulin. *Medical Biology* 63: 237-244, 1985.
- A.1.5. Vihko, K.K., Toppari J., Saksela O., Suominen J.J. and Parvinen M.: Testicular plasminogen activators during postnatal development in the rat. *Acta Endocrinol.* 112: 431-435, 1986.
- A.1.6. Sundqvist C., Toppari J., Parvinen M., Fagerström R. and Lukola A.: Elimination of infertile male mink from breeding using sperm test, testicular palpation, testosterone test and fine-needle aspiration biopsy of the testis. *Anim. Reprod. Sci.* 11: 295-305, 1986.
- A.1.7. Toppari J., Vihko K.K., Räsänen K.G.E., Eerola E. and Parvinen M.: Regulation of stages VI and VIII of the rat seminiferous epithelial cycle in vitro. *J. Endocrinol.* 108: 417-422, 1986.
- A.1.8. Toppari J., Mali P. and Eerola E.: Rat spermatogenesis in vitro traced by quantitative flow cytometry. *J. Histochem. Cytochem.* 34: 1029-1035, 1986.
- A.1.9. Toppari J., Lähdetie J., Härkönen P., Eerola E. and Parvinen M.: Mutagen effects on rat seminiferous tubules in vitro: Induction of meiotic micronuclei by adriamycin. *Mutation Res.* 171: 149-156, 1986.
- A.1.10. Parvinen M., Vihko K.K. and Toppari J.: Cell interactions during the seminiferous epithelial cycle. *Int. Rev. Cytol.* 104: 115-151, 1986. (Review)
- A.1.11. Vihko K.K., Toppari J. and Parvinen M.: Stage-specific regulation of plasminogen activator secretion in the rat seminiferous epithelium. *Endocrinology* 120: 142-145, 1987.
- A.1.12. Tsutsumi I., Toppari J., Campeau J.D. and diZerega G.S.: Reduction of fertility in the male rat by systemic treatment with follicle regulatory protein. *Fertil. Steril.* 47: 689-695, 1987.
- A.1.13. Vihko, K.K., Penttilä T.-L., Toppari J., Parvinen M. and Belin D.: Regulation and localization of plasminogen activators in the rat seminiferous epithelium. *Ann. N.Y. Acad. Sci.* 513: 310-311, 1987.
- A.1.14. Toppari J., Tsutsumi I., Campeau J.D., Ahmad N. and diZerega G.S.: Plasminogen activator secretion in the rat seminiferous epithelium after hypophysectomy and gonadotropin treatment. *Arch. Androl.* 20: 219-227, 1988.
- A.1.15. Toppari J., Bishop P.C., Parker J.W. and diZerega G.S.: DNA flow cytometric analysis of mouse seminiferous epithelium. *Cytometry* 9: 456-462, 1988.
- A.1.16. Toppari J., Tsutsumi I., Bishop P.C., Parker J.W., Ahmad N., Tsang C., Campeau J.D. and diZerega G.S.: Flow cytometric quantification of rat spermatogenic cells after hypophysectomy and gonadotropin treatment. *Biol. Reprod.* 40: 623-634, 1989.

- A.1.17. Bhasin S., Krummen L.A., Swerdloff R.S., Morelos B.S., Kim W.H., diZerega G.S., Ling N., Esch F., Shimasaki S. and Toppari J.: Stage dependent expression of inhibin α and β -B subunits during the cycle of the rat seminiferous epithelium. *Endocrinology* 124: 987-991, 1989.
- A.1.18. Ahmad N., Toppari J., diZerega G.S. and Warren D.W.: Quantitative assessment of the biological effects of follicle regulatory protein on dihydrotestosterone-maintained spermatogenesis in hypophysectomized rat. *Anat. Rec.* 224:508-513, 1989.
- A.1.19. Krummen L.A., Toppari J., Kim W.H., Morelos B.S., Ahmad N., Swerdloff R.S., Ling N., Shimasaki S., Esch F. and Bhasin S.: Regulation of testicular inhibin subunit messenger ribonucleic acid levels in vivo: effects of hypophysectomy and selective follicle-stimulating hormone replacement. *Endocrinology* 125: 1630-1637, 1989.
- A.1.20. Mali P., Kaipia A., Kangasniemi M., Toppari J., Sandberg M., Hecht N.B. and Parvinen M.: Stage-specific expression of nucleoprotein mRNAs during rat and mouse spermiogenesis. *Reprod. Fertil. Dev.* 1: 369-382, 1989.
- A.1.21. Kangasniemi M., Kaipia A., Mali P., Toppari J., Huhtaniemi I. and Parvinen M.: Modulation of basal and FSH-dependent cyclic AMP production in rat seminiferous tubules staged by an improved transillumination technique. *Anat. Rec.* 227: 62-76, 1990.
- A.1.22. Kangasniemi M., Kaipia A., Toppari J., Mali P., Huhtaniemi I. and Parvinen M.: Cellular regulation of basal and FSH-stimulated cyclic AMP production in irradiated rat testes. *Anat. Rec.* 227: 32-36, 1990.
- A.1.23. Toppari J., Bishop P.C., Parker J.W., Ahmad N., Girgis W. and diZerega G.S.: Cytotoxic effects of cyclophosphamide in the mouse seminiferous epithelium: DNA flow cytometric and morphometric analysis. *Fundam. Appl. Toxicol.* 15: 44-52, 1990.
- A.1.24. Kangasniemi M., Veromaa T., Kulmala J., Kaipia A., Parvinen M. and Toppari J.: DNA-flow cytometry of defined stages of rat seminiferous epithelium: effects of 3 Gy of high-energy x-irradiation. *J. Androl.* 11: 312-317, 1990.
- A.1.25. Kangasniemi M., Kaipia A., Toppari J., Perheentupa A., Huhtaniemi I. and Parvinen M.: Cellular regulation of follicle-stimulating hormone (FSH) binding in rat seminiferous tubules. *J. Androl.* 11: 336-343, 1990.
- A.1.26. Kaipia A., Toppari J., Mali P., Kangasniemi M., Alcivar A.A., Hecht N.B. and Parvinen M.: Stage- and cell-specific expression of ornithine decarboxylase gene during rat and mouse spermatogenesis. *Mol. Cell. Endocrinol.* 73: 45-52, 1990.
- A.1.27. Georgellis A., Toppari J., Veromaa T., Rydström J. and Parvinen M.: Inhibition of meiotic divisions of rat spermatocytes in vitro by polycyclic aromatic hydrocarbons. *Mutation Res.* 231: 125-135, 1990.
- A.1.28. Söder O., Syed V., Callard G.V., Toppari J., Pöllänen P., Parvinen M., Fröysa B. and Ritzén E.M.: Production and secretion of an interleukin-1-like factor is stage-dependent and correlates with spermatogonial DNA synthesis in the rat seminiferous epithelium. *Int. J. Androl.* 14: 223-231, 1991.
- A.1.29. Ahmad N., Pringle J., Toppari J., Tonetta S.A. and diZerega G.S.: Immunocytochemical localization of follicle regulatory-protein (FRP) in testis. *Anat. Rec.* 231: 101-106, 1991.
- A.1.30. Kaipia A., Parvinen M., Shimasaki S., N. Ling N. and Toppari J.: Stage-specific cellular regulation of inhibin α -subunit mRNA expression in the rat seminiferous epithelium. *Mol. Cell. Endocrinol.* 82: 165-173, 1991.
- A.1.31. Toppari J., Kangasniemi M., Kaipia A., Mali P., Huhtaniemi I. and Parvinen M.: Stage- and cell-specific gene expression and hormone regulation of the seminiferous epithelium. *J. Electron Microscopy Technique* 19: 203-214, 1991. (Review)

- A.1.32. Parvinen M., Kangasniemi M., Kaipia A., Mali P., Söder O., Pöllänen P., Toppari J., Huhtaniemi I. and Ritzén E.M.: Local regulation of seminiferous epithelium: the role of cytokines. *Bulletin de l'Association des Anatomistes* 75:163-165, 1991. (Review)
- A.1.33. Kangasniemi M., Cheng C.Y., Toppari J., Grima J., Stahler M., Bardin C.W. and Parvinen M.: Basal and FSH-stimulated steady state levels of SGP-2, α 2-macroglobulin, and testibumin in culture media of rat seminiferous tubules at defined stages of the epithelial cycle. *J. Androl.* 13: 208-213, 1992.
- A.1.34. Parvinen M., Pelto-Huikko M., Söder O., Schultz R., Kaipia A., Mali P., Toppari J., Hakovirta H., Lönnnerberg P., Ritzén E.M., Ebendal T., Olson L., Hökfelt T. and Persson H.: Expression of β -nerve growth factor and its receptor in rat seminiferous epithelium: specific function at the onset of meiosis. *J. Cell Biol.* 117: 629-641, 1992.
- A.1.35. Kaipia A., Penttilä T.L., Shimasaki S., Ling N., Parvinen M. and Toppari J.: Expression of inhibin β A and β B, follistatin and activin-A receptor messenger ribonucleic acids in the rat seminiferous epithelium. *Endocrinology* 131: 2703-2710, 1992.
- A.1.36. Kaipia A., Parvinen M. and Toppari J.: Localization of activin receptor (ActR-IIB2) mRNA in the rat seminiferous epithelium. *Endocrinology* 132: 477-479, 1993.
- A.1.37. Hakovirta H., Keiski A., Toppari J., Halmekytö M., Alhonen L., Jänne J. and Parvinen M.: Polyamines and regulation of spermatogenesis: selective stimulation of late spermatogonia in transgenic mice overexpressing the human ornithine decarboxylase gene. *Molecular Endocrinology* 7: 1430-1436, 1993.
- A.1.38. Toppari J. and Kaipia A.: Inhibiini ja aktiviini. (Inhibin and activin; in Finnish). *Duodecim* 10: 1029-1034, 1994. (Review)
- A.1.39. Matikainen T., Toppari J., Vihko K.K. and Huhtaniemi I.: Effects of recombinant human FSH in immature hypophysectomized male rats: evidence for Leydig cell-mediated action on spermatogenesis. *J. Endocrinol.* 141: 449-457, 1994.
- A.1.40. Kaipia A., Toppari J., Huhtaniemi I. and Paranko J.: Sex difference in the action of activin-A on cell proliferation of differentiating rat gonad. *Endocrinology* 134: 2165-2170, 1994.
- A.1.41. Jaatinen T.A., Penttilä T.L., Kaipia A., Ekfors T., Parvinen M. and Toppari J.: Expression of inhibin α , β A and β B messenger ribonucleic acids in the normal human ovary and in polycystic ovarian syndrome. *J. Endocrinol.* 143: 127-137, 1994.
- A.1.42. Kaipia A., Penttilä T.L. and Toppari J.: Follicle-stimulating hormone regulation of inhibin α -subunit mRNA in staged rat seminiferous tubules. *Eur. J. Endocrinol.* 131: 323-329, 1994.
- A.1.43. Penttilä T.L., Kaipia A., Toppari J., Parvinen M. and Mali P.: Localization of urokinase- and tissue-type plasminogen activator mRNAs in rat testes. *Mol. Cell. Endocrinol.* 105: 55-64, 1994.
- A.1.44. Lähdetie J., Keiski A., Suutari A. and Toppari J.: Etoposide (VP-16) is a potent inducer of micronuclei in male rat meiosis: spermatid micronucleus test and DNA flow cytometry after etoposide treatment. *Environm. Molec. Mutagenesis* 24: 192-202, 1994.
- A.1.45. Zhang, F.P., Rannikko A., Toppari J., Bartke A. and Huhtaniemi I.: Developmental expression of the prolactin receptor gene in rat gonads. *J. Endocrinol.* 147: 497-505, 1995.
- A.1.46. Weber A., Toppari J., Harvey R.D., Klann R.C., Shaw N.J., Ricker A.T., Näntö-Salonen K., Bevan J.S. and Clark A.J.: Adrenocorticotropin receptor gene mutations in familial glucocorticoid deficiency: relationships with clinical features in four families. *J. Clin. Endocrinol. Metab.* 80: 65-71, 1995.

- A.1.47. Zhang F.P., Markkula M., Toppari J. and Huhtaniemi I.: Novel expression of luteinizing hormone subunit genes in the rat testis. *Endocrinology* 136: 2904-2912, 1995.
- A.1.48. Jensen T.K., Toppari J., Keiding N. and Skakkebaek N.E.: Do environmental estrogens contribute to the decline in male reproductive health? *Clin. Chem.* 41:1896-1901, 1995. (Review)
- A.1.49. Heiskanen P., Billig H., Toppari J., Kaleva M., Arsalo A., Rapola J. and Dunkel L.: Apoptotic cell death in the normal and cryptorchid human testis: The effect of human chorionic gonadotropin on testicular cell survival. *Pediatr. Res.* 40: 351-356, 1996.
- A.1.50. Kaleva M., Arsalo A., Louhimo I., Rapola J., Perheentupa J., Henriksen K. and Toppari J.: Treatment with human chorionic gonadotropin for cryptorchidism: clinical and histological effects. *Int. J. Androl.* 19: 293-298, 1996.
- A.1.51. Kivistö, K., Punnonen K., Toppari J. and Leino L.: Urocanic acid suppresses the activation of human neutrophils in vitro. *Inflammation* 20: 451-459, 1996.
- A.1.52. Henriksen, K., Kulmala J., Toppari J., Mehrotra K. and Parvinen M.: Stage-specific apoptosis in the rat seminiferous epithelium: Quantification of irradiation effects. *J. Androl.* 17: 394-402, 1996.
- A.1.53. Rannikko A., Penttilä T.L., Zhang F.P., Toppari J., Parvinen M. and Huhtaniemi I.: Stage-specific expression of the FSH receptor gene in the prepubertal and adult rat seminiferous epithelium *J. Endocrinol.* 151: 29-35, 1996.
- A.1.54. Toppari, J., Larsen J.C., Christiansen P., Giwercman A., Grandjean P., Guillette L.J. Jr, Jegou B., Jensen T.K., Jouannet P., Keiding N., Leffers H., McLachlan J.A., Meyer O., Muller J., Rajpert-De Meyts E., Scheike T., Sharpe R., Sumpter J. and Skakkebaek N.E.: Male reproductive health and environmental xenoestrogens. *Environ Health Perspect* 104 (Suppl. 4): 741-803, 1996. (Review)
- A.1.55. Toppari J.: Is semen quality declining? *Andrologia* 28: 307-308, 1996. (Editorial)
- A.1.56. Yan W., West A., Toppari J. and Lähdetie J.: Stage-specific expression and phosphorylation of retinoblastoma protein (pRb) in the rat seminiferous epithelium. *Mol. Cell. Endocrinol.* 132: 137-148, 1997.
- A.1.57. Raivio T., Toppari J., Perheentupa A., McNeilly A.S. and Dunkel L.: Treatment of prepubertal gonadotrophin-deficient boys with recombinant human follicle-stimulating hormone. *Lancet* 350: 263-264, 1997.
- A.1.58. Toppari J., Kaipia A., Kaleva M., Laato M., de Kretser D.M., Krummen L.A., Mather J.P. and Salmi T.T.: Inhibin gene expression in a large cell calcifying Sertoli cell tumour and serum inhibin and activin levels. *APMIS* 106: 101-113, 1998.
- A.1.59. Andersson A.M., Toppari J., Haavisto A.M., Petersen J.H., Simell T., Simell O. and Skakkebaek N.E.: Longitudinal reproductive hormone profiles in infants: Peak of inhibin B levels in infant boys exceeds levels in adult men. *J. Clin. Endocr. Metab.* 83: 675-681, 1998.
- A.1.60. Kallio J., Karlsson R., Toppari J., Helminen T., Scheinin M. and Kero P.: Antenatal dexamethasone treatment decreases plasma catecholamine levels in preterm infants. *Pediatr. Res.* 43: 801-807, 1998.
- A.1.61. Tähhä K.M., Kaipia A., Toppari J., Tähhä S., Tuuri T. and Tuohimaa P.: Hormonal and photoperiodic modulation of testicular mRNAs coding for inhibin/activin subunits and follistatin in *Clethrionomys glareolus*, Schreber. *J. Exp. Zool.* 281: 336-345, 1998.
- A.1.62. Toppari J. and Skakkebaek N.E.: Sexual differentiation and environmental endocrine disrupters. *Baillière's Clinical Endocrinology and Metabolism* 12: 143-156, 1998. (Review)

- A.1.63. Toppari J. and Huhtaniemi I.: Kives (The testis; in Finnish). *Duodecim* 115: 1853-1860, 1999. (Review)
- A.1.64. Moilanen A.M., Karvonen U., Poukka H., Yan W., Toppari J., Jänne O.A. and Palvimo J.J.: A testis-specific androgen receptor coregulator that belongs to a novel family of nuclear proteins. *J. Biol. Chem.* 274: 3700-3704, 1999.
- A.1.65. Nikula H., Talonpoika T., Kaleva M. and Toppari J.: Inhibition of hCG-stimulated steroidogenesis in cultured mouse Leydig tumor cells by bisphenol A and octylphenols. *Toxicol. Appl. Pharmacol.* 157: 166-173, 1999.
- A.1.66. Hakovirta H, Yan W., Kaleva M., Zhang F., Vääntinen K., Morris P.L., Söder M., Parvonen M. and Toppari J.: Function of stem cell factor as a survival factor of spermatogonia and localization of messenger ribonucleic acid in the rat seminiferous epithelium. *Endocrinology* 140: 1492-1498, 1999.
- A.1.67. Yan W, Linderborg J., Suominen J. and Toppari J.: Stage-specific regulation of stem cell factor gene expression in the rat seminiferous epithelium. *Endocrinology* 140: 1499-1504, 1999.
- A.1.68. Karlsson R., Kallio J., Toppari J. and Kero P.: Timing of peak serum cortisol values in preterm infants in low-dose and the standard ACTH tests. *Pediatr. Res.* 45: 367-369, 1999.
- A.1.69. Lähtenmäki P.M., Toppari J., Ruokonen A., Laitinen P. and Salmi T.T.: Low serum inhibin B concentrations in male survivors of childhood malignancy. *Eur. J. Cancer* 35: 612-619, 1999.
- A.1.70. Ketola I., Rahman N., Toppari J., Bielinska M., Porter-Tinge S.B., Tapanainen J.S., Huhtaniemi I.T., Wilson D.B. and Heikinheimo M.: Expression and regulation of transcription factors GATA-4 and GATA-6 in developing mouse testis. *Endocrinology* 140: 1470-1480, 1999.
- A.1.71. Näntö-Salonen K., Koskinen P., Sonninen P. and Toppari J.: Suppression of GH secretion in pituitary gigantism by continuous subcutaneous octreotide infusion in a pubertal boy. *Acta Pædiatrica* 88: 29-33, 1999.
- A.1.72. Schultz, R, Yan W., Toppari J., Völkl A., Gustafsson J.Å. and Pelto-Huikko M.: Expression of peroxisome proliferator-activated receptor alpha messenger ribonucleic acid and protein in human and rat testis. *Endocrinology* 140: 2968-2975, 1999.
- A.1.73. Toppari J., Ritvos O. and Huhtaniemi I.: The biology of inhibin and activin - an update. *Advances in Molecular and Cellular Endocrinology* 3: 175-205, 1999. (Review)
- A.1.74. Toppari, J. and Kaleva M.: Maldescendus testis. *Horm. Res.* 51: 261-269, 1999. (Review)
- A.1.75. Stéphan J.P., Melaine N., Ézan E., Hakovirta H., Maddocks S., Toppari J., Garnier D., Wdzieczak-Bakala J. and Jégou B.: Source, catabolism and role of the tetrapeptide N-acetyl-Ser-Asp-Lys-Pro within the testis. *J. Cell Sci* 113: 113-121, 2000.
- A.1.76. Jensen T.K., Vierula M., Hjollund N.H., Saaranen M., Scheike T., Saarikoski S., Suominen J., Keiski A., Toppari J. and Skakkebak N.E.: Semen quality among Danish and Finnish men attempting to conceive. *Eur. J. Endocr.* 142: 47-52, 2000.
- A.1.77. Yan W., Suominen J. and Toppari J.: Stem cell factor protects germ cells from apoptosis in vitro. *J. Cell Sci* 113: 161-168, 2000.
- A.1.78. Karlsson R, Kallio J., Toppari J., Scheinin M. and Kero P.: Antenatal and early postnatal dexamethasone treatment decreases cortisol secretion in preterm infants. *Horm. Res.* 53: 170-176, 2000.
- A.1.79. Koskimies, P., Virtanen H., Lindström M., Kaleva M., Poutanen M., Huhtaniemi I. and Toppari J.: A common polymorphism in the human relaxin-like factor (RLF) gene: no relationship with cryptorchidism. *Pediatr. Res.* 47: 538-541, 2000.

- A.1.80. Zheng, H., Yan W., Toppari J. and Härkönen P.: Improved nonradioactive RT-PCR method for relative quantification of mRNA. *BioTechniques* 28: 832-834, 2000.
- A.1.81. Yan, W., Samson M., Jégou B., and Toppari J.: Bcl-w forms complexes with Bax and Bak, and elevated ratios of Bax/Bcl-w and Bak/Bcl-w correspond to spermatogonial and spermatocyte apoptosis in the testis. *Mol. Endocrinology* 14: 682-699, 2000.
- A.1.82. Ventelä S., Okabe M., Tanaka H., Nishimune Y., Toppari J. and Parvinen M.: Expression of green fluorescent protein under beta-actin promoter in living spermatogenic cells of the mouse: stage-specific regulation by FSH. *Int. J. Androl.* 23: 236-242, 2000.
- A.1.83. Yan W., Suominen J., Samson M., Jégou B. and Toppari J.: Involvement of Bcl-2 family proteins in germ cell apoptosis during testicular development in the rat and pro-survival effect of stem cell factor on germ cells in vitro. *Mol. Cell. Endocrinol.* 165: 115 – 129, 2000.
- A.1.84. Yan W., Kero J., Huhtaniemi I. and Toppari J.: Stem cell factor functions as a survival factor for mature Leydig cells and a growth factor for precursor Leydig cells after ethylene dimethane sulfonate treatment: Implication of a role of the stem cell factor/c-Kit system in Leydig cell development. *Dev. Biol.* 227: 169-182, 2000.
- A.1.85. Ketola I., Pentikäinen V., Vaskivuo T., Ilvesmäki V., Herva R., Dunkel L., Tapanainen J.S, Toppari J. and Heikinheimo M.: Expression of transcription factor GATA-4 during human testis development and disease. *J. Clin. Endocrinol. Metab.* 85: 3925-3931, 2000.
- A.1.86. Karlsson R., Kallio J., Irjala K., Ekblad S., Toppari J. and Kero P.: Adrenocorticotropin and corticotropin-releasing hormone tests in preterm infants. *J. Clin. Endocrinol. Metab.* 85: 4592-4595, 2000.
- A.1.87. Ventelä S., Mulari M., Okabe M., Tanaka H., Nishimune Y., Toppari J. and Parvinen M.: Regulation of acrosome formation in mice expressing green fluorescent protein as a marker. *Tissue Cell* 32: 501-507, 2000.
- A.1.88. Laihia J.K., Uksila J., Toppari J. and Jansén C.T.: Urocanic acid isomers do not modulate intracellular calcium and cyclic AMP in human natural killer cells. *Acta Derm. Venereol.* 81: 87-91, 2001.
- A.1.89. Sundström J., Salminen E., Nurmi M., Toppari J., Pöllänen P., Pelliniemi L.J., Huhtala S., Rajala P. and Laato M.: Management of testicular cancer. 16 years' experience from Southwest Finland. *Scand. J. Urol. Nephrol.* 35: 21-25, 2001.
- A.1.90. Jørgensen N., Andersen A.G., Eustache F., Irvine D.S., Suominen J., Petersen J.H., Andersen A.N., Auger J., Cawood E.H., Horte A., Jensen T.K., Jouannet P., Keiding N., Vierula M., Toppari J. and Skakkebaek N.E.: Regional differences in semen quality in Europe. *Hum. Reprod.* 16: 1012-1019, 2001.
- A.1.91. Yan W., Kero J., Suominen J., and Toppari J.: Differential expression and regulation of the retinoblastoma family of proteins during testicular development and spermatogenesis: roles in the control of germ cell proliferation, differentiation and apoptosis. *Oncogene* 20: 1343-1356, 2001.
- A.1.92. Virtanen H., Kaleva M., Haavisto A.M., Schmidt I.M., Chellakooty M., Main K.M., Skakkebaek N.E. and Toppari J.: The birth rate of hypospadias in the Turku area in Finland. *APMIS* 109: 96-100, 2001.
- A.1.93. Toppari J., Kaleva M. and Virtanen H.: Trends in the incidence of cryptorchidism and hypospadias, and methodological limitations of registry-based data. *Hum. Reprod. Update* 7: 282-286, 2001 (Review).
- A.1.94. Horte A., Vierula M., Toppari J. and Suominen J.: Reassessment of sperm morphology of archival semen smears from the period 1980-1994. *Int. J. Androl.* 24:120-124, 2001.

- A.1.95. Jensen T.K., Slama R., Ducot B., Suominen J., Cawood E.H.H., Andersen A.G., Eustache F., Irvine S., Auger S., Jouannet P., Vierula M., Jørgensen N., Toppari J., Skakkebaek N.E., Keiding N. and Spira A.: Regional differences in waiting time to pregnancy among fertile couple from four European cities. *Hum. Reprod.* 16: 2697-2704, 2001.
- A.1.96. Suominen J.S., Yan W., Toppari J. and Kaipia A.: The expression and regulation of Bcl-2-related ovarian killer (Bok) mRNA in the developing and adult rat testis. *Eur. J. Endocrinol.* 145: 771-778, 2001.
- A.1.97. Blaeser F., Toppari J., Heikinheimo M., Yan W., Wallace M., Ho N. and Chatila T.A.: CaMKIV/Gr is dispensable for spermatogenesis and CREM-regulated transcription in male germ cells. *Am. J. Physiol. Endocrinol. Metab.* 281: E931-937, 2001.
- A.1.98. Auger J., Eustache F., Andersen A.G., Irvine D.S., Jørgensen N., Skakkebaek N.E., Suominen J., Toppari J., Vierula M. and Jouannet P.: Sperm morphological defects related to environment, lifestyle and medical history of 1001 male partners of pregnant women from four European cities. *Hum. Reprod.* 16: 2710-2717, 2001.
- A.1.99. Main, K.M., I.M. Schmidt, J. Toppari and N.E. Skakkebaek: Early postnatal treatment of hypogonadotropic hypogonadism with recombinant human FSH and LH. *Eur. J. Endocrinol.* 146: 75-79, 2002.
- A.1.100. Slama R., Eustache F., Ducot B., Jensen T.K., Jørgensen N., Horte A., Irvine S., Suominen J., Andersen A.G., Auger J., Vierula M., Toppari J., Andersen A.N., Keiding N., Skakkebaek N.E., Spira A., Jouannet P.: Time to pregnancy and semen parameters: a cross sectional study among fertile couples from four European cities. *Hum. Reprod.* 17:503-515, 2002.
- A.1.101. Toppari J., Haavisto A.M. and Alanen M.: Changes in male reproductive health and effects of endocrine disrupters in Scandinavian countries. *Cad. Saude Publica* 18:413-420, 2002. (Review)
- A.1.102. Teilmann G., Juul A., Skakkebaek N.E. and Toppari J.: Putative effects of endocrine disrupters on pubertal development in the human. *Best Pract. Res. Clin. Endocrinol. Metab.* 16:105-121, 2002. (Review)
- A.1.103. Jørgensen N., Carlsen E., Neramoen I., Punab M., Suominen J., Andersen A.G., Andersson A.M., Haugen T.B., Horte A., Jensen T.K., Magnus O., Petersen J.H., Vierula M., Toppari J. and Skakkebaek N.E.: East-West gradient in semen quality in the Nordic-Baltic area: a study of men from general population in Denmark, Norway, Estonia and Finland. *Hum. Reprod.* 17:2199-2208, 2002.
- A.1.104. Damgaard I.N., Main K.M., Toppari J. and Skakkebaek N.E.: Impact of exposure to endocrine disrupters in utero and in childhood on adult reproduction. *Best Pract. Res. Clin. Endocrinol. Metab.* 16: 289-309, 2002. (Review).
- A.1.105. Ketola I., Anttonen M., Vaskivuo T., Tapanainen J.S., Toppari J. and Heikinheimo M.: Developmental expression and spermatogenic stage specificity of transcription factors GATA-1 and GATA-4 and their cofactors FOG-1 and FOG-2 in the mouse testis. *Eur. J. Endocrinol.* 147:397-406, 2002.
- A.1.106. Yan W., Hirvonen-Santti S.J., Palvimo J.J., Toppari J. and Jänne O.A.: Expression of the nuclear RING finger protein SNURF/RNF4 during rat testis development suggests a role in spermatid maturation. *Mech. Dev.* 118:247-253, 2002.
- A.1.107. Alaluusua S., Kiviranta H., Leppäniemi A., Hölttä P., Lukinmaa P.L., Lope L., Järvenpää A.L., Renlund M., Toppari J., Virtanen H., Kaleva M. and Vartiainen T.: Natal and neonatal teeth in relation to environmental toxicants. *Pediatr. Res.* 52: 652-655, 2002.

- A.1.108. Schmidt I.M., Chellakooty M., Haavisto A.M., Boisen K.A., Damgaard I.N., Steendahl U., Toppari J., Skakkebaek N.E. and Main K.M.: Gender difference in breast tissue size in infancy: correlation with serum estradiol. *Pediatr. Res.* 52: 682-686, 2002.
- A.1.109. Toppari J.: Hormonaaliset haitta-aineet ja lisääntymisterveys (Endocrine disrupting compounds and reproductive health; in Finnish). *Duodecim* 118:137-138, 2002.
- A.1.110. Toppari J.: Environmental endocrine disrupters and disorders of sexual differentiation. *Semin. Reprod. Med.* 20: 305-312, 2002. (Review).
- A.1.111. Schultz R., Suominen J., Värre T., Hakovirta H., Parviainen M., Toppari J. and Peltto-Huikko M.: Expression of aryl hydrocarbon receptor and aryl hydrocarbon receptor nuclear translocator messenger ribonucleic acids and protein in rat and human testis. *Endocrinology* 144:767-776, 2003.
- A.1.112. Toppari J., Suominen J.S. and Yan W.: The role of retinoblastoma protein family in the control of germ cell proliferation, differentiation and survival. *APMIS* 111:245-251, 2003.
- A.1.113. Ketola I., Toppari J., Vaskivuo T., Herva R., Tapanainen J.S. and Heikinheimo M.: Transcription factor GATA-6, cell proliferation, apoptosis, and apoptosis-related proteins Bcl-2 and Bax in the human fetal testis. *J. Clin. Endocr. Metab.* 88:1858-1865, 2003.
- A.1.114. Barreiro M.L., Suominen J.S., Gaytán F., Pinilla L., Casanueva F.F., Diéguez C., Aguilar E., Toppari J. and Tena-Sempere M.: Developmental, stage-specific, and hormonally regulated expression of growth hormone secretagogue receptor messenger RNA in rat testis. *Biol. Reprod.* 68:1631-1640, 2003.
- A.1.115. Guo T.B., Chan K.C., Hakovirta H., Xiao Y., Toppari J., Mitchell A.P. and Salameh W. A.: Evidence for a role of Glycogen Synthase Kinase-3 β in rodent spermatogenesis. *J. Androl.* 24:332-342, 2003.
- A.1.116. Suominen J., Linderborg J., Nikula H., Hakovirta H., Parvinen M. and Toppari J.: The effects of mono-2-ethylhexyl phthalate, adriamycin and N-ethyl-N-nitrosourea on stage-specific apoptosis and DNA synthesis in the mouse spermatogenesis. *Toxicol. Lett.* 143:163-173, 2003.
- A.1.117. Raivio T., Toppari J., Kaleva M., Virtanen H., Haavisto A.M., Dunkel L. and Jänne O.A.: Serum androgen bioactivity in cryptorchid and noncryptorchid boys during the postnatal reproductive hormone surge. *J. Clin. Endocr. Metab.* 88:2597-2599, 2003.
- A.1.118. Yan W., Santti H., Jänne O.A., Palvimo J.J. and Toppari J.: Expression of the E3 SUMO-1 ligases PIASx and PIAS1 during spermatogenesis in the rat. *Gene Expr Patterns* 3:301-308, 2003.
- A.1.119. Ventelä S., Toppari J. and Parvinen M.: Intercellular organelle traffic through cytoplasmic bridges in early spermatids of the rat: Mechanisms of haploid gene product sharing. *Mol. Biol. Cell* 14:2768-2780, 2003.
- A.1.120. Yan W., J.-X. Huang, A.-S. Lax, L. Pelliniemi, E. Salminen, M. Poutanen and J. Toppari: Overexpression of Bcl-w in the testis disrupts spermatogenesis: revelation of a role of BCL-W in male germ cell cycle control. *Mol. Endocrinol.* 17:1868-1879, 2003.
- A.1.121. Santti H., Mikkonen L., Hirvonen-Santti S., Toppari J., Jänne O.A. and Palvimo J.J.: Identification of a short PIASx gene promoter that directs male germ cell-specific transcription in vivo. *Biochem. Biophys. Res. Commun.* 308:139-147, 2003.
- A.1.122. Rajpert-De Meyts E., Toppari J., Høi-Hansen C.E., Müller J. and Skakkebaek N.E.: Testicular neoplasia in childhood and adolescence. *Endocr. Dev.* 5:110-123, 2003.
- A.1.123. Toppari J.: Physiology and disorders of testicular descent. *Endocr. Dev.* 5:104-109, 2003.

- A.1.124. Haavisto T.E., Adamsson N.A., Myllymäki S.A., Toppari J. and Paranko J.: Effects of 4-tert-octylphenol, 4-tert-butylphenol, and diethylstilbestrol on prenatal testosterone surge in the rat. *Reprod. Toxicol.* 17:593-605, 2003.
- A.1.125. Parent A.S., Teilmann G., Juul A., Skakkebaek N.E., Toppari J. and Bourguignon J.P.: The timing of normal puberty and the age limits of sexual precocity: variations around the world, secular trends, and changes after migration. *Endocr. Rev.* 24:668-693, 2003.
- A.1.126. Rulli S.B., Ahtiainen P., Mäkelä S., Toppari J., Poutanen M. and Huhtaniemi I.: Elevated steroidogenesis, defective reproductive organs, and infertility in transgenic male mice overexpressing human chorionic gonadotropin. *Endocrinology* 144:4980-4990, 2003.
- A.1.127. Zhang F.P., Pakarainen T., Poutanen M., Toppari J. and Huhtaniemi I.: The low gonadotropin-independent constitutive production of testicular testosterone is sufficient to maintain spermatogenesis. *Proc. Natl. Acad. Sci. USA* 100:13692-13697, 2003.
- A.1.128. Roh J.S., Virtanen H., Kumagai J., Sudo S., Toppari J. and Hsueh A.J.: Lack of LGR8 gene mutation in Finnish patients with a family history of cryptorchidism. *Reprod. Biomed. Online* 7:400-406, 2003.
- A.1.129. Kaleva M. and Toppari J.: Genetics and hormones in testicular descent. *Hormones* 4:211-216, 2003. (Review)
- A.1.130. Jensen T.K., Jørgensen N., Punab M., Haugen T.B., Suominen J., Zilaitiene B., Horte A., Andersen A.G., Carlsen E., Magnus O., Matulevicius V., Nermoen I., Vierula M., Keiding N., Toppari J. and Skakkebaek N.E.: Association of in utero exposure to maternal smoking with reduced semen quality and testis size in adulthood: a cross-sectional study of 1,770 young men from the general population in five European countries. *Am. J. Epidemiol.* 159:49-58, 2004.
- A.1.131. Ojala M., Suomalainen L., Pentikainen M.O., Kovanen P., Tenhunen M., Erkkila K., Toppari J. and Dunkel L.: Protection from radiation-induced male germ cell loss by sphingosine-1-phosphate. *Biol. Reprod.* 70:759-767, 2004.
- A.1.132. Boisen K.A., Kaleva M., Main K.M., Virtanen H.E., Haavisto A.M., Schmidt I.M., Chellakooty M., Damgaard I.N., Mau C., Reunanen M., Skakkebaek N.E. and Toppari J.: Difference in prevalence of congenital cryptorchidism in infants between two Nordic countries. *Lancet* 363:1264-1269, 2004.
- A.1.133. Barreiro M.L., Pineda R., Navarro V.M., Lopez M., Suominen J.S., Pinilla L., Senaris R., Toppari J., Aguilar E., Dieguez C. and Tena-Sempere M.: Orexin 1 receptor messenger ribonucleic acid expression and stimulation of testosterone secretion by orexin-A in rat testis. *Endocrinology* 145:2297-2306, 2004.
- A.1.134. Kawamura K., Kumagai J., Sudo S., Chun S.Y., Pisarska M., Morita H., Toppari J., Fu P., Wade J.D., Bathgate R.A. and Hsueh A.J.: Paracrine regulation of mammalian oocyte maturation and male germ cell survival. *Proc. Natl. Acad. Sci. USA* 101:7323-7328, 2004.
- A.1.135. Wang Y., Suominen J.S., Hakovirta H., Parvinen M., Martinand-Mari C., Toppari J., Robbins I.: Survivin expression in rat testis is upregulated by stem-cell factor. *Mol. Cell Endocrinol.* 218:165-174, 2004.
- A.1.136. Simanainen U., Haavisto T., Tuomisto J.T., Paranko J., Toppari J., Tuomisto J., Peterson R.E. and Viluksela M.: Pattern of male reproductive system effects after in utero and lactational 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) exposure in three differentially TCDD-sensitive rat lines. *Toxicol. Sci.* 80:101-108, 2004.
- A.1.137. Nogueiras R., Barreiro M.L., Caminos J.E., Gaytan F., Suominen J.S., Navarro V.M., Casanueva F.F., Aguilar E., Toppari J., Dieguez C., Tena-Sempere M.: Novel

- expression of resistin in rat testis: functional role and regulation by nutritional status and hormonal factors. *J. Cell Sci.* 117:3247-3257, 2004.
- A.1.138. Gassner H.L., Toppari J., Quinteiro Gonzalez S. and Miller W.L.: Near-miss apparent SIDS from adrenal crisis. *J. Pediatrics* 145:178-188, 2004.
- A.1.139. Simanainen U., Adamsson A., Tuomisto J.T., Miettinen H.M., Toppari J., Tuomisto J. and Viluksela M.: Adult 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) exposure and effects on male reproductive organs in three differentially TCDD-susceptible rat lines. *Toxicol. Sci.* 81:401-407, 2004.
- A.1.140. Ahtiainen M., Toppari J., Poutanen M. and Huhtaniemi I.: Indirect Sertoli cell-mediated ablation of germ cells in mice expressing the inhibin- α promoter/herpes simplex virus thymidine kinase transgene. *Biol. Reprod.* 71:1545-1550, 2004.
- A.1.141. Barreiro M.L., Gaytan F., Castellano J.M., Suominen J.S., Roa J., Gaytan M., Aguilar E., Dieguez C., Toppari J. and Tena-Sempere M.: Ghrelin inhibits the proliferative activity of immature Leydig cells in vivo and regulates stem cell factor messenger ribonucleic expression in rat testis. *Endocrinology* 145:4825-4834, 2004.
- A.1.142. Suominen J.S., Wang Y., Kaipia A. and Toppari J.: Tumor necrosis factor-alpha (TNF-alpha) promotes cell survival during spermatogenesis, and this effect can be blocked by infliximab, a TNF-alpha antagonist. *Eur. J. Endocrinol.* 151:629-640, 2004.
- A.1.143. Shen H., Main K., Kaleva M., Schmidt M.I., Boisen K., Chellakooty M., Damgaard I., Virtanen H., Haavisto A.M., Skakkebaek N., Toppari J. and Schramm K.W.: Comparison hexachlorobenzene residues in placentas from Finland to Denmark (1997-2001). *Organohalogen Compounds* 66:2825-2828, 2004.
- A.1.144. Shen H., Main K., Kaleva M., Schmidt M.I., Boisen K., Chellakooty M., Damgaard I., Virtanen H., Haavisto A.M., Skakkebaek N., Toppari J. and Schramm K.W.: The relationship between enantiomeric fraction and concentration of α -hexachlorocyclohexane in human placentas. *Organohalogen Compounds* 66:437-439, 2004.
- A.1.145. Kaleva M., Virtanen H.E., Haavisto A.M., Main K.M., Reunanen M., Skakkebaek N.E. and Toppari J.: Circannual rhythm in the incidence of cryptorchidism in Finland. *Int. J. Androl.* 28:53-57, 2005.
- A.1.146. Dorval-Coiffec I., Delcros J.G., Hakovirta H., Toppari J., Jégou B. and Piquet-Pellorce C.: Identification of the leukemia inhibitory factor cell targets within the rat testis. *Biol. Reprod.* 72:602-611, 2005.
- A.1.147. Myllymäki S., Haavisto T., Vainio M., Toppari J. and Paranko J.: In vitro effects of diethylstilbestrol, genistein, 4-tert-butylphenol and 4-tert-octylphenol on steroidogenic activity of isolated immature rat ovarian follicles. *Toxicol. Appl. Pharmacol.* 204:69-80, 2005.
- A.1.148. Santti H., Mikkonen L., Anand A., Hirvonen-Santti S., Toppari J., Panhuysen M., Vauti F., Perera M., Corte G., Wurst W., Jänne O.A. and Palvimo J.J.: Disruption of the murine PIASx gene results in reduced testis weight. *J. Mol. Endocr.* 34:645-654, 2005.
- A.1.149. Huang J.X., Yan W., Song Z.X., Qian R.Y., Chen P., Salminen E. and Toppari J.: Relationship between proliferative activity of cancer cells and clinicopathological factors in patients with esophageal squamous cell carcinoma. *World Journal of Gastroenterology.* 11:2956-2959, 2005.
- A.1.150. Preiksa R.T., Zilaitiene B., Matulevicius V., Skakkebaek N.E., Petersen J.H., Jørgensen N. and Toppari J.: Higher than expected prevalence of congenital cryptorchidism in Lithuania: a study of 1204 boys at birth and 1 year follow-up. *Human Reprod.* 20:1928-1932, 2005.

- A.1.151. Myllymäki S., Karjalainen M., Haavisto T.E., Toppari J. and Paranko J.: Infantile 4-tert-octylphenol exposure transiently inhibits rat ovarian steroidogenesis and steroidogenic acute regulatory protein (StAR) expression. *Toxicol. Appl. Pharmacol.* 207:59-68, 2005.
- A.1.152. Shen H., Main K.M., Kaleva M., Virtanen H., Haavisto A.M., Skakkebak N.E., Toppari J. and Schramm K.W.: Prenatal organochlorine pesticides in placentas from Finland: exposure of male infants born 1997-2001. *Placenta* 26:512-514, 2005.
- A.1.153. Boisen K.A., M. Chellakooty, Schmidt I.M., Kai C.M., Damgaard I.N., Suomi A.M., Toppari J., Skakkebak N.E. and Main K.M.: Hypospadias in a cohort of 1072 Danish newborn boys; prevalence and relationship to placental weight, anthropometrical measurements at birth, and reproductive hormone levels at three months of age. *J. Clin. Endocr. Metab.* 90:4041-4046, 2005.
- A.1.154. Kaleva M., Virtanen H., Haavisto A.M., Main K., Skakkebak N.E., Huhtaniemi I., Irjala K. and Toppari J.: Does variant luteinizing hormone (V-LH) predispose to improper testicular position in late pregnancy? *Pediatr. Res.* 58:447-450, 2005.
- A.1.155. Virtanen H.E., Rajpert-De Meyts E., Main K.M., Skakkebak N.E. and Toppari J.: Testicular dysgenesis syndrome and the development and occurrence of male reproductive disorders. *Toxicol. Appl. Pharmacol.* 207:501-505, 2005. (review)
- A.1.156. Kaleva M. and Toppari J.: Cryptorchidism: an indicator of testicular dysgenesis? *Cell and Tissue Res.* 322:167-172, 2005 (review).
- A.1.157. Myllymäki S.A., Haavisto T.E., Brokken L.J., Viluksela M., Toppari J. and Paranko J.: In utero and lactational exposure to TCDD: steroidogenic outcomes differ in male and female rat pups. *Toxicol. Sci.* 88:534-544, 2005.
- A.1.158. Barreiro M.L., Pineda R., Gaytan F., Archanco M., Burrell M.A., Castellano J.M., Hakovirta H., Nurmio M., Pinilla L., Aguilar E., Toppari J., Dieguez C. and Tena-Sempere M.: Pattern of orexin expression and direct biological actions of orexin-A in rat testis. *Endocrinology.* 146:5164-5175, 2005.
- A.1.159. Ahtiainen P., Rulli S. B. , Shariatmadari R. , Pelliniemi L.J., Toppari J., Poutanen M. and Huhtaniemi I.T.: Fetal but not adult Leydig cells are susceptible to adenoma formation in response to persistently high hCG level: a study on hCG overexpressing transgenic mice. *Oncogene.* 24:7301-7309, 2005.
- A.1.160. Wang Y., Suominen J.S., Parvinen M., Rivero-Muller A., Kiiveri S., Heikinheimo M., Robbins I. and Toppari J.: The regulated expression of c-IAP1 and c-IAP2 during the rat seminiferous epithelial cycle plays a role in the protection of germ cells from Fas-mediated apoptosis. *Mol. Cell Endocrinol.* 245:111-120, 2005.
- A.1.161. Boas M., Boisen K.A., Virtanen H.E., Kaleva M., Suomi A.M., Schmidt I.M., Damgaard I.N., Kai C.M., Chellakooty M., Skakkebak N.E., Toppari J. and Main K.M.: Postnatal penile length and growth rate correlate to serum testosterone levels: a longitudinal study of 1962 normal boys. *Eur. J. Endocr.* 154:125-129, 2006.
- A.1.162. Shen H., Virtanen H.E., Main K.M., Kaleva M., Andersson A.M., Skakkebak N.E., Toppari J. and Schramm K.W.: Enantiomeric ratios as indicator of exposure processes for persistent pollutants in human placentas. *Chemosphere* 62:390-395, 2006.
- A.1.163. Main K.M., Mortensen G.K., Kaleva M.M., Boisen K.A., Damgaard I.N., Chellakooty M., Schmidt I.M., Suomi A.M., Virtanen H.E., Petersen D.V., Andersson A.M., Toppari J. and Skakkebak N.E.: Human breast milk contamination with phthalates and alterations of endogenous reproductive hormones in infants three months of age. *Environ. Health Perspect.* 114:270-276, 2006.
- A.1.164. Skakkebak N.E., Jørgensen N., Main K.M., Rajpert-De Meyts E., Leffers H., Andersson A.M., Juul A., Carlsen E., Mortensen G.K., Jensen T.K. and Toppari J.: Is human fecundity declining?. *Int. J. Androl.* 29:2-11, 2006. (Review)

- A.1.165. Lottrup G., Andersson A.M., Leffers H., Mortensen K., Toppari J., Skakkebaek N.E. and Main K.M.: Possible impact of phthalates on infant reproductive health. *Int. J. Androl.* 29:172-180, 2006. (Review)
- A.1.166. Suomi A.M., Main KM, Kaleva M, Schmidt IM, Chellakooty M, Virtanen HE, Boisen KA, Damgaard IN, Kai CM, Skakkebaek NE and Toppari J.: Hormonal changes in 3-month-old cryptorchid boys. *J Clin. Endocrinol. Metab.* 91:953-958, 2006.
- A.1.167. Haavisto T.E., Myllymäki S.A., Adamsson N.A, Brokken L.J.S., Viluksela M., Toppari J. and Paranko J.: The effects of the maternal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin on testicular steroidogenesis in infantile male rats. *Int. J. Androl.* 29:313-322, 2006.
- A.1.168. Hihnala S., Kujala M., Toppari J., Kere J., Holmberg C. and Höglund P.: Expression of SLC26A3, CFTR and NHE3 in the human male reproductive tract: role in male subfertility caused by congenital chloride diarrhoea. *Mol. Hum. Reprod.* 12:107-111, 2006.
- A.1.169. Mikkilä T.F., Toppari J. and Paranko J.: Effects of neonatal exposure to 4-tert-octylphenol, diethylstilbestrol, and flutamide on steroidogenesis in infantile rat testis. *Toxicol. Sci.* 91:456-66, 2006.
- A.1.170. Damgaard I.N., Skakkebaek N.E., Toppari J., Virtanen H.E., Shen H., Schramm K.W., Petersen J.H., Jensen T.K., Main K.M. and the Nordic Cryptorchidism Study Group: Persistent pesticides in human breast milk and cryptorchidism. *Environ. Health Perspect.* 114:1133-1138, 2006.
- A.1.171. Rasier G., Toppari J., Parent A.S. and Bourguignon J.P.: Female sexual maturation and reproduction after prepubertal exposure to estrogens and endocrine disrupting chemicals: A review of rodent and human data. *Mol. Cell Endocrinol.* 254-255:187-201, 2006.
- A.1.172. Main K.M., Toppari J., Suomi A.M., Kaleva M., Chellakooty M., Schmidt I.M., Virtanen H.E., Boisen K.A., Kai C.M., Damgaard I.N. and Skakkebaek N.E.: Larger testes and higher inhibin B levels in Finnish than in Danish newborn boys. *J Clin Endocrinol Metab.* 91:2732-2737, 2006.
- A.1.173. Pesonen S.A., Haavisto T.E., Viluksela M., Toppari J. and Paranko J.: Effects of in utero and lactational exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on rat follicular steroidogenesis. *Reprod. Toxicol.* 22:521-528, 2006
- A.1.174. Wang Y., Toppari J., Parvinen M. and Kallio M.J.: Inhibition of Aurora kinases perturbs chromosome alignment and spindle checkpoint signaling in rat spermatocytes. *Exp. Cell Res.* 312:3459-3470, 2006.
- A.1.175. Main K.M., Toppari J. and Skakkebaek N.E.: Gonadal development and reproductive hormones in infant boys. *Eur J Endocrinol.* 155:S51-S57, 2006.
- A.1.176. Toppari J., Virtanen H., Skakkebaek N.E. and Main K.M.: Environmental effects on hormonal regulation of testicular descent. *J. Steroid. Biochem. Mol. Biol.* 102:184-186, 2006. (Review)
- A.1.177. Virtanen H.E., Tapanainen A.E., Kaleva M.M., Suomi A.M., Main K.M., Skakkebaek N.E. and Toppari J.: Mild gestational diabetes as a risk factor for congenital cryptorchidism. *J Clin Endocrinol Metab.* 91:4862-5.2006.
- A.1.178. El-Darwish K.S., Parvinen M. and Toppari J.: Differential expression of members of the E2F family of transcription factors in rodent testes. *Reprod. Biol. Endocrinol.* 4:63, 2006.
- A.1.179. Bielinska M., Seehra A., Toppari J., Heikinheimo M. and Wilson D.B.: GATA-4 is required for sex steroidogenic cell development in the fetal mouse. *Dev Dyn.* 236:203-13, 2007.

- A.1.180. Domanskyi A., Zhang F.P., Nurmio M., Palvimo J.J., Toppari J. and Janne O.A.: Expression and localization of androgen receptor-interacting protein-4 in the testis. *Am J Physiol Endocrinol Metab.* 292:E513-22, 2007.
- A.1.181. Shen H., Main K.M., Virtanen H.E., Damgaard I.N., Haavisto A.M., Kaleva M., Boisen K.A., Schmidt I.M., Chellakooty M., Skakkebaek N.E., Toppari J. and Schramm K.-W.: From mother to child: Investigation of prenatal and postnatal exposure to persistent bioaccumulating toxicants using breast milk and placenta biomonitoring. *Chemosphere* 67:S256-S262, 2007.
- A.1.182. Toppari J., Kaleva M., Virtanen H.E., Main K.M. and Skakkebaek N.E.: Luteinizing hormone in testicular descent. *Mol. Cell. Endocrinol.* 269:34-37, 2007. Review
- A.1.183. Damgaard I.N., Jensen T.K., Petersen J.H., Skakkebaek N.E., Toppari J. and Main K.M.: Cryptorchidism and maternal alcohol consumption during pregnancy. *Environ Health Perspect.* 115:272-277, 2007.
- A.1.184. Virtanen H.E., Cortes D., Rajpert-de-Meyts E., Ritzen M.E., Nordenskjöld A., Skakkebaek N.E. and Toppari J.: Development and descent of the testis in relation to cryptorchidism. *Acta Paediatr.* 96:622-627, 2007. Review
- A.1.185. Ritzen E.M., Bergh A., Bjercknes R., Christiansen P., Cortes D., Haugen S., Jørgensen N., Kollin C., Lindahl S., Lackgren G., Main K., Nordenskjöld A., Rajpert-De Meyts E., Söder O., Taskinen S., Thorsson A., Thorup J., Toppari J. and Virtanen H.: Nordic consensus on treatment of undescended testes. *Acta Paediatr.* 96:638-43, 2007. Review
- A.1.186. Zhongyi S., Rantakari P., Lamminen T., Toppari J. and Poutanen M.: Transgenic male mice expressing human hydroxysteroid (17 β) dehydrogenase 2 indicate a role for the enzyme independent on its action of sex steroids. *Endocrinology* 148:3827-3836, 2007.
- A.1.187. Skakkebaek N.E., Rajpert-De Meyts E., Jørgensen N., Main K.M., Leffers H., Andersson A.M., Juul A., Jensen T.K. and Toppari J.: Testicular cancer trends as 'whistle blowers' of testicular developmental problems in populations. *Int J Androl.* 30:198-205, 2007.
- A.1.188. Nurmio M., Toppari J., Zaman F., Andersson A.M., Paranko J., Söder O. and Jahnukainen K.: Inhibition of tyrosine kinases PDGFR and C-Kit by imatinib mesylate interferes with postnatal testicular development in the rat. *Int J Androl.* 30:366-76, 2007.
- A.1.189. Main K.M., Kiviranta H., Virtanen H.E., Sundqvist E., Tuomisto J.T., Tuomisto J., Vartiainen T., Skakkebaek N.E. and Toppari J.: Flame retardants in placenta and breast milk and cryptorchidism in newborn boys. *Environ Health Persp* 115:1519-1526, 2007.
- A.1.190. Bay K., Virtanen H.E., Hartung S., Ivell R., Main K.M., Skakkebaek N.E., Andersson A.M.: The Nordic Cryptorchidism Study Group and Toppari J.: Insulin-like Factor 3 levels in cord blood and serum from children: effects of age, postnatal hypothalamic-pituitary-gonadal axis activation, and cryptorchidism. *J Clin Endocrinol Metab.* 92:4020-4027, 2007.
- A.1.191. Adamsson N.A., Brokken L.J.S., Paranko J., and Toppari J.: In vivo and in vitro effects of flutamide and diethylstilbestrol on fetal testicular steroidogenesis in the rat. *Reprod Toxicol.* 25:76-83, 2008.
- A.1.192. Shen, H., Main K.M., Andersson A.M., Damgaard I.N., Virtanen H.E., Skakkebaek N. E., Toppari J. and Schramm K.W.: Concentrations of persistent organochlorine compounds in human milk and placenta are higher in Denmark than in Finland. *Hum Reprod.* 23:201-10, 2008.
- A.1.193. Virtanen H. and Toppari J.: Epidemiology and pathogenesis of cryptorchidism. *Hum Reprod Update* 14:49-58, 2008. Review

- A.1.194. Golub M.S., Collman G.W., Foster P., Kimmel C.A., Rajpert-DeMeyts E., Reiter E.O., Sharpe R.M., Skakkebaek N.E. and Toppari J.: Public health implications of altered puberty timing. *Pediatrics* 121:S218-S230, 2008. Review
- A.1.195. Buck Louis G.M., Grey Jr. E.L., Marcus M., Ojeda S.R., Pescovitz O.H., Witchel S.F., Sippell W., Abbott D.H., Soto A., Tyl R.W., Bourguignon J.B., Skakkebaek N.E., Swan S.H., Golub M.S., Wabitsch M., Toppari J. and Euling S.Y.: Environmental factors and puberty timing: expert panel research needs. *Pediatrics* 121:S192-S207, 2008. Review
- A.1.196. Andersson A.M., Jørgensen N., Main K.M., Toppari J., Rajpert-De Meyts E., Leffers H., Juul A., Jensen T.K. and Skakkebaek N.E.: Adverse trends in male reproductive health: we may have reached a crucial 'tipping point'. *Int J Androl.* 31:74-80, 2008.
- A.1.197. Vuorenoja S., Rivero-Müller A., Ziecik A.J., Huhtaniemi I., Toppari J. and Rahman N.A.: Targeted therapy for adrenocortical tumors in transgenic mice through their LH receptor by Hecate-human chorionic gonadotropin β conjugate. *Endocr Relat Cancer* 15:635-648, 2008.
- A.1.198. Lähtenmäki P., Arola M., Suominen J., Salmi T., Andersson A. and Toppari J.: Male reproductive health after childhood cancer. *Acta Paediatr.* 97:935-42, 2008.
- A.1.199. Caminos J.E., Noguieras R., Gaytan F., Pineda R., Gonzales C.R., Barreiro M.L., Castano J.P., Malagon M.M., Pinilla L., Toppari J., Diegues C. and Tena-Sempere M.: Novel expression and direct effects of adiponectin in rat testis. *Endocrinology* 149:3390-3402, 2008.
- A.1.200. Nurmio M., Kallio J., Toppari J. and Jahnukainen K.: Adult reproductive functions after early postnatal inhibition by imatinib of the two receptor tyrosine kinases, c-kit and PDGF, in the rat testis. *Reprod Toxicol.* 25:442-6, 2008.
- A.1.201. Heikkilä J., Taskinen S., Toppari J. and Rintala R.: Posterior urethral valves are often associated with cryptorchidism and inguinal hernias. *J Urol.* 180:715-717; 2008.
- A.1.202. Zhang F.P., Mikkonen L., Toppari J., Palvimo J.J., Thesleff I. and Jänne O.A.: Sumo-1 function is dispensable in normal mouse development. *Mol Cell Biol.* 28:5381-90, 2008.
- A.1.203. Damgaard I.N., Jensen T.K., the Nordic Cryptorchidism Study Group, Petersen J.H., Skakkebaek N.E., Toppari J. and Main K.M.: Risk factors for congenital cryptorchidism in a prospective birth cohort study. *PLoS ONE* 3(8): e3051, 2008.
- A.1.204. Toppari J.: Environmental Endocrine Disrupters. *Sex Dev.* 2:260-267, 2008. Review
- A.1.205. Hurme T., Lahdes-Vasama T., Makela E., Iber T. and Toppari J.: Clinical findings in prepubertal girls with inguinal hernia with special reference to the diagnosis of androgen insensitivity syndrome. *Scand J Urol Nephrol.* 43:42-46, 2009.
- A.1.206. Lohi S., Lohi O., Vierula M., Mäki M. and Toppari J.: Coeliac disease autoantibodies in seminal plasma from cases with screen-detected coeliac disease. *Scand J Gastroenterol.* 44(4):509-511, 2009.
- A.1.207. Brokken L.J., Adamsson A., Paranko J. and Toppari J.: Antiandrogen exposure in utero disrupts expression of desert hedgehog and insulin-like factor 3 in the developing fetal rat testis. *Endocrinology* 150(1):445-51, 2009.
- A.1.208. Main KM, Skakkebaek NE, Toppari J.: Cryptorchidism as part of the testicular dysgenesis syndrome: the environmental connection. *Endocr Dev.* 14:167-173, 2009. Review
- A.1.209. Vuorenoja S, Mohanty B, Arola J, Huhtaniemi I, Toppari J, Rahman N.: Hecate-CG{beta} conjugate and gonadotropin suppression shows two distinct mechanisms of action in the treatment of adrenocortical tumors in transgenic mice expressing Simian Virus 40 T antigen under inhibin {alpha} promoter. *Endocr Relat Cancer.* 16(2):549-564, 2009.

- A.1.210. Adamsson A, Salonen V, Paranko J and Toppari J.: Effects of maternal exposure to di-isononylphthalate (DINP) and 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene (p,p'-DDE) on steroidogenesis in the fetal rat testis and adrenal gland. *Reprod Toxicol.* 28(1):66-74, 2009.
- A.1.211. Wohlfahrt-Veje C, Boisen KA, Boas M, Damgaard IN, Kai CM, Schmidt IM, Chellakooty M, Suomi AM, Toppari J, Skakkebaek NE, and Main KM.: Acquired cryptorchidism is frequent in infancy and childhood. *Int J Androl.* 32(4):423-8, 2009.
- A.1.212. Adamsson A., Simanainen U., Viluksela M., Paranko J. and Toppari J.: The effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on foetal male rat steroidogenesis. *Int J Androl.* 32(5):575-85, 2009.
- A.1.213. Nurmio M., Toppari J., Kallio J., Hou M., Söder O. and Jahnukainen K.: Functional in vitro model to examine cancer therapy cytotoxicity in maturing rat testis. *Reprod Toxicol.* 27(1):28-34, 2009.
- A.1.214. Salonen J, Rajpert-De Meyts E, Mannisto S, Nielsen JE, Graem N, Toppari J, Heikinheimo M: Differential developmental expression of transcription factors GATA-4 and GATA-6, their cofactor FOG-2 and downstream target genes in testicular carcinoma in situ and germ cell tumors. *Eur J Endocrinol.* 62(3):625-631, 2010.
- A.1.215. Sironen A, Hansen J, Thomsen B, Andersson M, Vilkki J, Toppari J and Kotaja N: Expression of SPEF2 During Mouse Spermatogenesis and Identification of IFT20 as an Interacting Protein. *Biol Reprod.* 82(3):580-90, 2010.
- A.1.216. Nurmio M, Tena-Sempere M, Toppari J.: Orexins and the Regulation of the Hypothalamic-Pituitary-Testicular Axis. *Acta Physiol (Oxf).* 198:349-54, 2010. Review
- A.1.217. Krysiak-Baltyn K, Toppari J, Skakkebaek NE, Jensen TS, Virtanen HE, Schramm KW, Shen H, Vartiainen T, Kiviranta H, Taboureau O, Brunak S and Main KM.: Country-specific chemical signatures of persistent environmental compounds in breast milk. *Int J androl.* 33:270-8, 2010.
- A.1.218. Niinikoski H, Näntö-Salonen K, Ruusu P, Kinnala A, Putto-Laurila A, Toppari J, Keskinen P. Insuliinin aiheuttama lipoatrofia lapsilla [Insulin-induced lipodystrophy in children]. *Duodecim.* 126:1328-32, 2010.
- A.1.219. Jørgensen N, Liu F, Andersson AM, Vierula M, Irvine DS, Auger J, Brazil CK, Drobnis EZ, Jensen TK, Jouannet P, Overstreet JW, Redmon JB, Sparks A, Toppari J, Wang C, Skakkebaek NE, Swan SH: Serum inhibin-b in fertile men is strongly correlated with low but not high sperm counts: a coordinated study of 1,797 European and US men. *Fertil Steril.* 94:2128-34, 2010.
- A.1.220. Main KM, Skakkebaek NE, Virtanen HE, Toppari J. Genital anomalies in boys and the environment. *Best Pract Res Clin Endocrinol Metab.* 24:279-89, 2010. Review
- A.1.221. Meikar O, Da Ros M, Liljebäck H, Toppari J and Kotaja N: Accumulation of piRNAs in the chromatoid bodies purified by a novel isolation protocol. *Exp Cell Res.* 316:1567-75, 2010.
- A.1.222. Toppari J and Juul A: Trends in puberty onset in humans and environmental modifiers. *Mol. Cell Endocr.* 324(1-2):39-44, 2010. Review
- A.1.223. Bois C, Delalande C, Nurmio M, Parvinen M, Zanatta L, Toppari J, Carreau S. Age- and cell-related gene expression of aromatase and estrogen receptors in the rat testis. *J Mol Endocrinol.* 45:147-59, 2010.
- A.1.224. Toppari J, Virtanen HE, Main KM, Skakkebaek NE. Cryptorchidism and hypospadias as a sign of testicular dysgenesis syndrome (TDS): Environmental connection. *Birth Defects Res A Clin Mol Teratol.* 88:910-9, 2010. Review
- A.1.225. Kristensen DM, Hass U, Lesné L, Lottrup G, Jacobsen PR, Desdoits-Lethimonier C, Boberg J, Petersen JH, Toppari J, Jensen TK, Brunak S, Skakkebaek NE, Nellemann

- C, Main KM, Jégou B and Leffers H: Intrauterine exposure to mild analgesics is a risk factor for development of male reproductive disorders in human and rat. *Hum Reprod* 26:235-44, 2011.
- A.1.226. McCarver G, Bhatia J, Chambers C, Clarke R, Etzel R, Foster W, Hoyer P, Leeder JS, Peters J, Rissman E, Rybak M, Sherman C, Toppari J, and Turner K NTP-CERHR Expert Panel Report on the Developmental Toxicity of Soy Infant Formula. *Birth Defects Research* 92: 421-468, 2011. Review
- A.1.227. Jørgensen N, Vierula M, Jacobsen R, Pukkala E, Perheentupa A, Virtanen HE, Skakkebaek NE and Toppari J: Recent adverse trends in semen quality and testis cancer incidence of Finnish men. *Int J Androl* 34(4 Pt 2):e37-48, 2011.
- A.1.228. Kyrölahti A, Euler R, Bielinska M, Schoeller EL, Moley KH, Toppari J, Heikinheimo M, Wilson DB. GATA4 regulates Sertoli cell function and fertility in adult male mice. *Mol Cell Endocrinol* 333:85-95, 2011.
- A.1.229. Bay K, Main KM, Toppari J, Skakkebaek NE; Medscape. Testicular descent: INSL3, testosterone, genes and the intrauterine milieu. *Nat Rev Urol* 8:187-96, 2011. Review
- A.1.230. Nurmio M, Joki H, Kallio J, Määttä JA, Väänänen HK, Toppari J, Jahnukainen K, Laitala-Leinonen T. Receptor tyrosine kinase inhibition causes simultaneous bone loss and excess bone formation within growing bone in rats. *Toxicol Appl Pharmacol* 254(3):267-79, 2011.
- A.1.231. Hou M, Stukenborg JB, Nurmio M, Andersson M, Toppari J, Söder O, Jahnukainen K. Ontogenesis of ap-2 γ expression in rat testes. *Sex Dev* 5:188-96, 2011.
- A.1.232. Ravnborg TL, Jensen TK, Andersson AM, Toppari J, Skakkebaek NE, Jørgensen N. Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. *Hum Reprod* 26:1000-11, 2011.
- A.1.233. Laitinen EM, Tommiska J, Virtanen HE, Oehlandt H, Koivu R, Vaaralahti K, Toppari J, Raivio T. Isolated cryptorchidism: No evidence for involvement of genes underlying isolated hypogonadotropic hypogonadism. *Mol Cell Endocrinol* 341:35-8, 2011.
- A.1.234. Korhonen HM, Meikar O, Prakash Yadav R, Papaioannou MD, Yannick Romero Y, Da Ros M, Herrera PL, Toppari J, Nef S, Kotaja N: Dicer is required for haploid male germ cell differentiation in mice. *PLoS ONE* 6(9):e24821, 2011.
- A.1.235. Karlberg S, Toppari J, Karlberg N, Nurmio M, Karikoski R, Jalanko H, Lipsanen-Nyman M: Testicular failure and male infertility in the monogenic mulibrey nanism disorder. *J Clin Endocr Metab*, 96: 3399-407, 2011.
- A.1.236. Mäkelä J-A, Saario V, Bourguiba-Hachemi S, Nurmio M, Jahnukainen K, Parvinen M, Toppari J: Hedgehog signalling promotes germ cell survival in the rat testis. *Reproduction* 142: 711-721, 2011.
- A.1.237. Skakkebaek NE, Toppari J, Söder O, Gordon CM, Divall S, Draznin M. The Exposure of Fetuses and Children to Endocrine Disrupting Chemicals: A European Society for Paediatric Endocrinology (ESPE) and Pediatric Endocrine Society (PES) Call to Action Statement. *J Clin Endocrinol Metab*. 96: 3056-8, 2011.
- A.1.238. Virtanen HE, Koskenniemi JJ, Sundqvist E, Main KM, Kiviranta H, Tuomisto JT, Tuomisto J, Viluksela M, Vartiainen T, Skakkebaek NE, Toppari J: Associations between congenital cryptorchidism in newborn boys and levels of dioxins and PCBs in placenta. *Int J Androl* 35:283-93, 2012.
- A.1.239. Dalgaard MD, Weinhold N, Edsgård D, Silver JD, Pers TH, Jørgensen N, Juul A, Gerds TA, Giwercman A, Lundberg-Giwercman Y, Cedermark GC, Virtanen HE, Toppari J, Dugaard G, Jensen TS, Brunak S, Rajpert-De Meyts E, Skakkebaek NE, Leffers H, Gupta R: A genome-wide association study of men with symptoms of

testicular dysgenesis syndrome and its network biology interpretation. *J Med Genet* 49: 58-65, 2012.

- A.1.240. Fernandez MF, Duran I, Olea N, Avivar C, Vierula M, Toppari J, Skakkebaek NE, Jørgensen N: Semen quality and reproductive hormone levels in men from Southern Spain. *Int J Androl* 35:1-10, 2012.
- A.1.241. Elo T, Sipilä P, Valve E, Kujala P, Toppari J, Poutanen M, Härkönen P: Fibroblast Growth Factor 8b Causes Progressive Stromal and Epithelial Changes in the Epididymis and Degeneration of the Seminiferous Epithelium in the Testis of Transgenic Mice. *Biol Reprod.* 86: 157, 2012.
- A.1.242. Ventelä S, Come C, Mäkelä J-A, Mannermaa L, Kallajoki M, Chan EK, Toppari J, Westermarck J: CIP2A promotes proliferation of spermatogonial progenitor cells and spermatogenesis in mice. *PLoS ONE* 7(3):e33209, 2012.
- A.1.243. Ventelä S, Mäkelä J-A, Kulmala J, Westermarck J, Toppari J: Identification and regulation of a stage-specific stem cell niche enriched by Nanog positive spermatogonial stem cells in the mouse testis. *Stem Cells* 30: 1008-20, 2012.
- A.1.244. Krysiak-Baltyn K, Toppari J, Skakkebaek NE, Jensen TS, Virtanen HE, Schramm K-W, Shen H, Vartiainen T, Kiviranta H, Taboureau O, Audouze K, Brunak S, Main KM: Association between chemical pattern in breast milk and congenital cryptorchidism: modeling of complex human exposures. *Int J Androl* 35: 294-302, 2012.
- A.1.245. Firtser S, Juonala M, Magnussen CG, Jula A, Loo BM, Marniemi J, Viikari JS, Toppari J, Perheentupa A, Hutri-Kähönen N, Raitakari OT. Relation of total and free testosterone and sex hormone-binding globulin with cardiovascular risk factors in men aged 24-45 years. The Cardiovascular Risk in Young Finns Study. *Atherosclerosis* 222: 257-62, 2012.
- A.1.246. Virtanen HE, Sadov S, and Toppari J: Prenatal exposure to smoking and male reproductive health. *Current Opinion in Endocrinology and Diabetes* 19: 228-32, 2012.
- A.1.247. Nurmio M, Kallio J, Adam M, Meyerhofer A, Toppari J, Jahnukainen K: Peritubular myoid cells have a role in the postnatal testicular growth. *Spermatogenesis* 2:2, 1-9, 2012.
- A.1.248. Laitinen E-M, Tommiska J, Sane T, Vaaralahti K, Toppari J, Raivio T: Reversible congenital hypogonadotropic hypogonadism in patients with CHD7, FGFR1 or GNRHR mutations. *PLoS One.* 2012;7(6):e39450.
- A.1.249. Jørgensen N, Joensen UN, Jensen TK, Jensen MB, Almstrup K, Olsen IA, Juul A, Andersson A-M, Carlsen E, Petersen JH, Toppari J, Skakkebaek NE: Human semen quality in the new millennium: A prospective cross sectional population-based study of 4,867 men. *BMJ Open.* 2012 Jul 2;2(4). pii: e000990. doi: 10.1136/bmjopen-2012-000990. Print 2012.
- A.1.250. Kollin C, Stukenborg JB, Nurmio M, Sundqvist E, Gustafsson T, Söder O, Toppari J, Nordenskjöld A, Ritzén EM. Boys with Undescended Testes: Endocrine, Volumetric and Morphometric Studies on Testicular Function before and after Orchidopexy at Nine Months or Three Years of Age. *J Clin Endocrinol Metab.* 97: 4588-95, 2012.
- A.1.251. Perheentupa A, Mäkinen J, Laatikainen T, Vierula M, Skakkebaek N, Andersson AM, Toppari J: A Cohort Effect on Serum Testosterone Levels in Finnish Men. *Eur J Endocrinol.* 168: 227-33, 2013.
- A.1.252. Tommiska J, Toppari J, Vaaralahti K, Känsäkoski J, Laitinen E-M, Noisa P, Kinnala A, Niinikoski H, Raivio T: PROKR2 mutations in autosomal recessive Kallmann syndrome. *Fertil Steril* 99: 815-8, 2013.

- A.1.253. Chrusciel M, Vuorenoja S, Mohanty B, Rivero-Müller A, Li X, Toppari J, Huhtaniemi I, Rahman NA: Transgenic GATA-4 expression induces adrenocortical tumorigenesis in C57Bl/6 mice. *J Cell Sci* 126:1845-57, 2013.
- A.1.254. Virtanen HE, Sadov S, Vierula M, Toppari J: Finland is following the trend: Sperm quality of Finnish men. *Asian J Androl* 15: 162-4, 2013.
- A.1.255. Iwamoto T, Nozawa S, Yoshiike M, Namiki M, Koh E, Kanaya J, Okuyama A, Matsumiya K, Tsujimura A, Komatsu K, Tsukamoto T Itoh N, Mieno MN, Vierula M, Toppari J, Skakkebaek NE, Jørgensen N: Semen quality of fertile Japanese men: a cross-sectional population-based study of 792 men. *BMJ Open*. 2013 Jan 25;3(1). doi:pii: e002223. 10.1136/bmjopen-2012-002223. Print 2013.
- A.1.256. Rantakokko P, Main KM, Wohlfart-Veje C, Kiviranta H, Airaksinen R, Vartiainen T, Skakkebaek NE, Toppari J, Virtanen HE: Association of placenta organotin concentrations with congenital cryptorchidism and reproductive hormone levels in 280 newborn boys from Denmark and Finland. *Hum Reprod* 28:1647-60, 2013.
- A.1.257. Iwamoto T, Nozawa S, Mieno MN, Yamakawa K, Baba K, Yoshiike M, Namiki M, Koh E, Kanaya J, Okuyama A, Matsumiya K, Tsujimura A, Kanetake H, Eguchi J, Skakkebaek NE, Vierula M, Toppari J, Jørgensen N: Semen quality of 1,559 young men from four cities in Japan. *BMJ Open*. 2013 Apr 29;3(4). doi:pii: e002222. 10.1136/bmjopen-2012-002222. Print 2013.
- A.1.258. Chapin RE, Boekelheide K, Cortvrindt R, van Duursen MB, Gant T, Jegou B, Marczylo E, van Pelt AM, Post JN, Roelofs MJ, Schlatt S, Teerds KJ, Toppari J, Piersma AH. Assuring safety without animal testing: The case for the human testis in vitro. *Reprod Toxicol*. 2013 Aug;39:63-8. doi: 10.1016/j.reprotox.2013.04.004. Review
- A.1.259. Toppari J. Carcinoma in situ -from clinical observation to a paradigm shift for testicular carcinogenesis. *Int J Dev Biol*. 2013;57(2-4):221-3. doi:10.1387/ijdb.130145jt. Review.
- A.1.260. Blomberg Jensen M, Lieben L, Nielsen JE, Willems A, Jørgensen A, Juul A, Toppari J, Carmeliet G, Rajpert-De Meyts E. Characterization of the testicular, epididymal and endocrine phenotypes in the Leuven Vdr-deficient mouse model: Targeting estrogen signalling. *Mol Cell Endocrinol*. 2013 Sep 5;377(1-2):93-102. doi: 10.1016/j.mce.2013.06.036.
- A.1.261. Vesterholm Jensen D, Christensen J, Virtanen HE, Skakkebaek NE, Main KM, Toppari J, Veje CV, Andersson AM, Nielsen F, Grandjean P, Jensen TK. No association between exposure to perfluorinated compounds and congenital cryptorchidism: a nested case-control study among 215 boys from Denmark and Finland. *Reproduction*. 2014 Mar 2;147(4):411-7. doi: 10.1530/REP-13-0444. Print 2014
- A.1.262. Virtanen HE, Toppari J. Embryology and physiology of testicular development and descent. *Pediatric Endocrinology Reviews Suppl* 2:206-13, 2014. PubMed PMID: 24683945.
- A.1.263. Meikar O, Vagin VV, Chalmel F, Sõstar K, Lardenois A, Hammell M, Jin Y, Da Ros M, Wasik KA, Toppari J, Hannon GJ, Kotaja N. An atlas of chromatoid body components. *RNA* 20:483-95, 2014. doi: 10.1261/rna.043729.113 2014
- A.1.264. Mäkelä J-A, Toppari J, Rivero-Müller A, Ventelä S. Reconstruction of mouse testicular cellular microenvironments in long term seminiferous tubule culture. *PLoS ONE* 2014 Mar 11;9(3):e90088. doi: 10.1371/journal.pone.0090088. eCollection 2014
- A.1.265. Chen T, Tanner L, Simell V, Hedman L, Mäkinen M, Sadeghi M, Veijola R, Hyöty H, Ilonen J, Knip M, Toppari J, Simell O, Söderlund-Venermo M, Hedman K. Merkel cell polyomavirus and Trichodysplasia spinulosa-associated polyomavirus primary

infections among children determined by comprehensive immunoassays -diagnostics and clinical pictures. *Emerg Infect Dis.* 2014 Apr;20(4):689-92. doi:10.3201/eid2004.131015.

- A.1.266. Jensen TK, Swan SH, Jørgensen N, Toppari J, Redmon JB, Punab M, Drobnis EZ, Haugen TB, Zilaitiene B, Sparks A, Irvine S, Wang C, Jouannet P, Brazil C, Paasch U, Salzbrunn A, Skakkebaek NE, Andersson AM. Alcohol intake and male reproductive health; a cross-sectional study of 8,344 young men and partners of pregnant women from Europe and US. *Hum Reprod* 2014 Aug;29(8):1801-9. doi: 10.1093/humrep/deu118.
- A.1.267. Toppari J, Rodprasert W, Virtanen HE. Cryptorchidism – disease or symptom. *Ann Endocrinol (Paris)*. 2014 May;75(2):72-6. doi: 10.1016/j.ando.2014.04.010.
- A.1.268. Rotgers E, Rivero-Müller A, Nurmio M, Parvinen M, Guillou F, Huhtaniemi I, Kotaja N, Bourguiba-Hachemi S, Toppari J. Retinoblastoma protein (RB) interacts with E2F3 to control terminal differentiation of Sertoli cells. *Cell Death Dis.* 2014 Jun 5;5:e1274. doi: 10.1038/cddis.2014.232.
- A.1.269. Rantakokko PV, Main KM, Wohlfart-Veje C, Kiviranta HA, Airaksinen R, Vartiainen T, Skakkebaek NE, Toppari J, Virtanen HE: Association of Placenta Organotin Concentrations with Growth and Ponderal Index in 110 Newborn Boys from Finland during the First 18 Months of Life: a Cohort Study. *Environmental Health* 13(1):45. doi: 10.1186/1476-069X-13-45.
- A.1.270. Juul A, Almstrup K, Andersson AM, Jensen TK, Jørgensen N, Main KM, Meyts ER, Toppari J, Skakkebaek NE. Possible fetal determinants of male infertility. *Nat Rev Endocrinol.* 2014 Sep;10(9):553-62. doi:10.1038/nrendo.2014.97.
- A.1.271. Virtanen H, Toppari J. Laskeutumattoman kiveksen epidemiologia ja syntymekanismit [Pathogenesis of undescended testis]. *Duodecim.* 2014;130(11):1086-92. Review. Finnish.
- A.1.272. Mäkinen M, Simell V, Mykkänen J, Ilonen J, Veijola R, Hyöty H, Knip M, Simell O, Toppari J, Hermann R. An Increase in Serum 25-Hydroxyvitamin D Concentrations Preceded a Plateau in Type 1 Diabetes Incidence in Finnish Children. *J Clin Endocrinol Metab.* 2014 Nov;99(11):E2353-6. doi: 10.1210/jc.2014-1455.
- A.1.273. Toppari J. Paediatrics: New cryptorchidism guidelines reach a consensus. *Nat Rev Urol.* 2014 Aug;11(8):432-3. doi: 10.1038/nrurol.2014.180.
- A.1.274. Leonard MT, Davis-Richardson AG, Ardisson AN, Kemppainen KM, Drew JC, Ilonen J, Knip M, Simell O, Toppari J, Veijola R, Hyöty H, Triplett EW. The methylome of the gut microbiome: disparate Dam methylation patterns in intestinal *Bacteroides dorei*. *Front Microbiol.* 2014 Jul 17;5:361. doi: 10.3389/fmicb.2014.00361.eCollection 2014.
- A.1.275. Viluksela M, Heikkinen P, van der Ven LT, Rendel F, Roos R, Esteban J, Korkalainen M, Lensu S, Miettinen HM, Savolainen K, Sankari S, Lilienthal H, Adamsson A, Toppari J, Herlin M, Finnilä M, Tuukkanen J, Leslie HA, Hamers T, Hamscher G, Al-Anati L, Stenius U, Dervola KS, Bogen IL, Fonnum F, Andersson PL, Schrenk D, Halldin K, Håkansson H. Toxicological Profile of Ultrapure 2,2',3,4,4',5,5'-Heptachlorobiphenyl (PCB 180) in Adult Rats. *PLoS One.* 2014 Aug 19;9(8):e104639. doi: 10.1371/journal.pone.0104639. eCollection 2014.
- A.1.276. Zoeller RT, Bergman Å, Becher G, Bjerregaard P, Bornman R, Brandt I, Iguchi T, Jobling S, Kidd KA, Kortenkamp A, Skakkebaek NE, Toppari J, Vandenberg LN. A path forward in the debate over health impacts of endocrine disrupting chemicals. *Environ Health.* 2014 Dec 22;14(1):118. doi: 10.1186/1476-069X-13-118.
- A.1.277. Davis-Richardson AG, Ardisson AN, Dias R, Simell V, Leonard MT, Kemppainen KM, Drew JC, Schatz D, Atkinson MA, Kolaczowski B, Ilonen J, Knip M, Toppari

- J, Nurminen N, Hyöty H, Veijola R, Simell T, Mykkänen J, Simell O, Triplett EW. *Bacteroides dorei* dominates gut microbiome prior to autoimmunity in Finnish children at high risk for type 1 diabetes. *Front Microbiol.* 2014 Dec 10;5:678. doi: 10.3389/fmicb.2014.00678. eCollection 2014.
- A.1.278. Da Ros M, Hirvonen N, Olotu O, Toppari J, Kotaja N. Retromer vesicles interact with RNA granules in haploid male germ cells. *Mol Cell Endocrinol.* 2014 Dec 5;401C:73-83. doi: 10.1016/j.mce.2014.11.026.
- A.1.279. Törn C, Hadley D, Lee HS, Hagopian W, Lernmark Å, Simell O, Rewers M, Ziegler A, Schatz D, Akolkar B, Onengut-Gumuscu S, Chen WM, Toppari J, Mykkänen J, Ilonen J, Rich SS, She JX, Steck AK, Krischer J; TEDDY Study Group. Role of Type 1 Diabetes-Associated SNPs on Risk of Autoantibody Positivity in the TEDDY Study. *Diabetes.* 2015 May;64(5):1818-29. doi: 10.2337/db14-1497.
- A.1.280. Ventelä S, Mannermaa L, Mäkelä JA, Kulmala J, Löyttyniemi E, Strauss L, Cárpen O, Toppari J, Grénman R, Westermarck J: CIP2A is an Oct4 target gene involved in head and neck squamous cell cancer oncogenicity and radioresistance. *Oncotarget.* 2015 Jan 1;6(1):144-58.
- A.1.281. Lammi A, Arikoski P, Simell S, Kinnunen T, Simell V, Paavanen-Huhtala S, Hinkkanen A, Veijola R, Knip M, Toppari J, Vaarala O, Simell O, Ilonen J. Antibodies to Deamidated Gliadin Peptide in Diagnosis of Celiac Disease in Children. *J Pediatr Gastroenterol Nutr.* 2015 May;60(5):626-31. doi:10.1097/MPG.0000000000000666.
- A.1.282. Aronsson CA, Lee HS, Liu E, Uusitalo U, Hummel S, Yang J, Hummel M, Rewers M, She JX, Simell O, Toppari J, Ziegler AG, Krischer J, Virtanen SM, Norris JM, Agardh D; for the TEDDY STUDY GROUP. Age at Gluten Introduction and Risk of Celiac Disease. *Pediatrics.* 2015 Feb;135(2):239-45. doi: 10.1542/peds.2014-1787.
- A.1.283. Moulder R, Bhosale SD, Erkkilä T, Laajala E, Salmi J, Nguyen EV, Kallionpää H, Mykkänen J, Vähä-Mäkilä M, Hyöty H, Veijola R, Ilonen J, Simell T, Toppari J, Knip M, Goodlett DR, Lähdesmäki H, Simell O, Lahesmaa R. Serum Proteomes Distinguish Children Developing Type 1 Diabetes in a Cohort with HLA-Conferred Susceptibility. *Diabetes.* 2015 Jun;64(6):2265-78. doi: 10.2337/db14-0983.
- A.1.284. Acevedo N, Reinius LE, Vitezic M, Fortino V, Söderhäll C, Honkanen H, Veijola R, Simell O, Toppari J, Ilonen J, Knip M, Scheynius A, Hyöty H, Greco D, Kere J. Age-associated DNA methylation changes in immune genes, histone modifiers and chromatin remodeling factors within 5 years after birth in human blood leukocytes. *Clin Epigenetics.* 2015 Mar 26;7(1):34. doi:10.1186/s13148-015-0064-6. eCollection 2015.
- A.1.285. Hauser R, Skakkebaek NE, Hass U, Toppari J, Juul A, Andersson AM, Kortenkamp A, Heindel JJ, Trasande L. Male reproductive disorders, diseases, and costs of exposure to endocrine-disrupting chemicals in the European union. *J Clin Endocrinol Metab.* 2015 Apr;100(4):1267-77.
- A.1.286. Krischer JP, Lynch KF, Schatz DA, Ilonen J, Lernmark Å, Hagopian WA, Rewers MJ, She JX, Simell OG, Toppari J, Ziegler AG, Akolkar B, Bonifacio E; TEDDY Study Group. The 6 year incidence of diabetes-associated autoantibodies in genetically at-risk children: the TEDDY study. *Diabetologia.* 2015 May;58(5):980-7. doi:10.1007/s00125-015-3514-y.
- A.1.287. Schrade A, Kyrölahti A, Akinrinade O, Pihlajoki M, Häkkinen M, Fischer S, Alastalo TP, Velagapudi V, Toppari J, Wilson DB, Heikinheimo M. GATA4 Is a Key Regulator of Steroidogenesis and Glycolysis in Mouse Leydig Cells. *Endocrinology.* 2015 May;156(5):1860-72.

- A.1.288. Lempainen J, Laine AP, Hammais A, Toppari J, Simell O, Veijola R, Knip M, Ilonen J. Non-HLA gene effects on the disease process of type 1 diabetes: From HLA susceptibility to overt disease. *J Autoimmun.* 2015 Jul;61:45-53. doi:10.1016/j.jaut.2015.05.005.
- A.1.289. Bergman Å, Becher G, Blumberg B, Bjerregaard P, Bornman R, Brandt I, Casey SC, Frouin H, Giudice LC, Heindel JJ, Iguchi T, Jobling S, Kidd KA, Kortenkamp A, Lind PM, Muir D, Ochieng R, Ropstad E, Ross PS, Skakkebaek NE, Toppari J, Vandenberg LN, Woodruff TJ, Zoeller RT. Manufacturing doubt about endocrine disrupter science - A rebuttal of industry-sponsored critical comments on the UNEP/WHO report "State of the Science of Endocrine Disrupting Chemicals 2012". *Regul Toxicol Pharmacol.* 2015 Dec;73(3):1007-17. doi:10.1016/j.yrtph.2015.07.026.
- A.1.290. Grandjean P, Barouki R, Bellinger DC, Casteleyn L, Chadwick LH, Cordier S, Etzel RA, Gray KA, Ha EH, Junien C, Karagas M, Kawamoto T, Paige Lawrence B, Perera FP, Prins GS, Puga A, Rosenfeld CS, Sherr DH, Sly PD, Suk W, Sun Q, Toppari J, van den Hazel P, Walker CL, Heindel JJ. Life-Long Implications of Developmental Exposure to Environmental Stressors: New Perspectives. *Endocrinology.* 2015 Oct;156(10):3408-15. doi: 10.1210/EN.2015-1350.
- A.1.291. Kondrashova A, Nurminen N, Patrikainen M, Huhtala H, Lehtonen J, Toppari J, Ilonen J, Simell OG, Veijola R, Knip M, Hyöty H. Influenza A virus antibodies show no association with pancreatic islet autoantibodies in children genetically predisposed to type 1 diabetes. *Diabetologia.* 2015 Nov;58(11):2592-5. doi:10.1007/s00125-015-3723-4.
- A.1.292. Rotgers E, Cisneros-Montalvo S, Jahnukainen K, Sandholm J, Toppari J, Nurmio M. A detailed protocol for a rapid analysis of testicular cell populations using flow cytometry. *Andrology.* 2015 Sep;3(5):947-55. doi: 10.1111/andr.12066.
- A.1.293. Rotgers E, Nurmio M, Pietilä E, Cisneros-Montalvo S, Toppari J. E2F1 controls germ cell apoptosis during the first wave of spermatogenesis. *Andrology.* 2015 Sep;3(5):1000-14. doi: 10.1111/andr.12090.
- A.1.294. Le Moal J, Sharpe RM, Jørgensen N, Levine H, Jurewicz J, Mendiola J, Swan SH, Virtanen H, Christin-Maître S, Cordier S, Toppari J, Hanke W; in name of the HURGENT Network. Toward a multi-country monitoring system of reproductive health in the context of endocrine disrupting chemical exposure. *Eur J Public Health.* 2015 Feb;26(1):76-83. doi: 10.1093/eurpub/ckv153.
- A.1.295. Gore AC, Chappell VA, Fenton SE, Flaws JA, Nadal A, Prins GS, Toppari J, Zoeller RT: Executive Summary to EDC-2: The Endocrine Society's Second Scientific Statement on Endocrine-Disrupting Chemicals. *Endocr Rev.* 2015 Dec;36(6):593-602. doi: 10.1210/er.2015-1093.
- A.1.296. Kantola K, Hedman L, Tanner L, Simell V, Mäkinen M, Partanen J, Sadeghi M, Veijola R, Knip M, Ilonen J, Hyöty H, Toppari J, Simell O, Hedman K, Söderlund-Venermo M: B-Cell Responses to Human Bocaviruses 1-4: New Insights from a Childhood Follow-Up Study. *PLoS One.* 2015 Sep 29;10(9):e0139096. doi:10.1371/journal.pone.0139096. eCollection 2015.
- A.1.297. Virtanen HE, Toppari J. Cryptorchidism and Fertility. *Endocrinol Metab Clin North Am.* 2015 Dec;44(4):751-60. doi: 10.1016/j.ecl.2015.07.013. (Review)
- A.1.298. Uusitalo U, Liu X, Yang J, Aronsson CA, Hummel S, Butterworth M, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer J, Norris JM, Virtanen SM; TEDDY Study Group. Association of Early Exposure of Probiotics and Islet Autoimmunity in the TEDDY Study. *JAMA Pediatr.* 2016 Jan;170(1):20-8. doi: 10.1001/jamapediatrics.2015.2757.

- A.1.299. Gore AC, Chappell VA, Fenton SE, Flaws JA, Nadal A, Prins GS, Toppari J, Zoeller RT. The Endocrine Society's Second Scientific Statement on Endocrine-Disrupting Chemicals. *Endocr Rev.* 2015 Dec;36(6):E1-E150. doi:10.1210/er.2015-1010.
- A.1.300. Koskenniemi JJ, Virtanen HE, Kiviranta H, Damgaard IN, Matomäki J, Thorup JM, Hurme T, Skakkebaek NE, Main KM, Toppari J. Association between levels of persistent organic pollutants in adipose tissue and cryptorchidism in early childhood: a case-control study. *Environ Health.* 2015 Sep 24;14:78. doi:10.1186/s12940-015-0065-0.
- A.1.301. Korhonen HM, Yadav RP, Da Ros M, Chalmel F, Zimmermann C, Toppari J, Nef S, Kotaja N. DICER Regulates the Formation and Maintenance of Cell-Cell Junctions in the Mouse Seminiferous Epithelium. *Biol Reprod.* 2015 Dec;93(6):139. doi:10.1095/biolreprod.115.131938.
- A.1.302. Skakkebaek NE, Rajpert-De Meyts E, Buck Louis GM, Toppari J, Andersson AM, Eisenberg ML, Jensen TK, Jørgensen N, Swan S, Sapra KJ, Ziebe S, Priskorn L, Juul A: Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. *Physiol Rev.* 2016 Jan;96(1):55-97. doi:10.1152/physrev.00017.2015. (Review)
- A.1.303. Koskinen MK, Helminen O, Matomäki J, Aspholm S, Mykkänen J, Mäkinen M, Simell V, Vähä-Mäkälä M, Simell T, Ilonen J, Knip M, Veijola R, Toppari J*, Simell O*: Reduced β -cell function in early preclinical type 1 diabetes. *Eur J Endocrinol.* 2016 Mar;174(3):251-9. doi: 10.1530/EJE-15-0674 *Equal contribution
- A.1.304. Mäkinen M, Mykkänen J, Koskinen M, Simell V, Veijola R, Hyöty H, Ilonen J, Knip M, Simell O, Toppari J: Serum 25-Hydroxyvitamin D Concentrations in Children with HLA-Conferred Disease Susceptibility Progressing to Autoimmunity and Clinical Type 1 Diabetes. *J Clin Endocr Metab* 2016 Feb;101(2):723-9. doi: 10.1210/jc.2015-3504.
- A.1.305. Perheentupa A, Sadov S, Rönkä R, Virtanen HE, Rodprasert W, Vierula M, Jørgensen N, Skakkebaek NE, Toppari J: Semen quality improves marginally during young adulthood – longitudinal follow-up study. *Hum Reprod* 2016 Mar;31(3):502-10. doi: 10.1093/humrep/dev328.
- A.1.306. Zoeller RT, Bergman Å, Becher G, Bjerregaard P, Bornman R, Brandt I, Iguchi T, Jobling S, Kidd KA, Kortenkamp A, Skakkebaek N, Toppari J, Vandenberg L. The Path Forward on Endocrine Disruptors Requires Focus on the Basics. *Toxicol Sci.* 2016 Feb;149(2):272. doi: 10.1093/toxsci/kfv329.
- A.1.307. Ventelä S, Mäkelä JA, Sears RC, Toppari J, Westermarck J. MYC is not detected in highly proliferating normal spermatogonia but is coupled with CIP2A in testicular cancers. *Matters* Mar 03, 2016
- A.1.308. Yang J, Lynch KF, Uusitalo UM, Foterek K, Hummel S, Silvis K, Aronsson CA, Riikonen A, Rewers M, She JX, Ziegler AG, Simell OG, Toppari J, Hagopian WA, Lernmark Å, Akolkar B, Krischer JP, Norris JM, Virtanen SM, Johnson SB; TEDDY Study Group. Factors associated with longitudinal food record compliance in a paediatric cohort study. *Public Health Nutr.* 2016 Apr;19(5):804-13. doi:10.1017/S1368980015001883.
- A.1.309. Jørgensen N, Joensen UN, Toppari J, Punab M, Erenpreiss J, Zilaitiene B, Paasch U, Salzbrunn A, Fernandez MF, Virtanen HE, Matulevicius V, Olea N, Jensen TK, Petersen JH, Skakkebaek NE, Andersson AM. Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. *Hum Reprod.* 2016 May;31(5):947-57. doi:10.1093/humrep/dew021.
- A.1.310. Schrade A, Kyrölahti A, Akinrinade O, Pihlajoki M, Fischer S, Rodriguez VM, Otte K, Velagapudi V, Toppari J, Wilson DB, Heikinheimo M. GATA4 Regulates Blood-

- Testis Barrier Function and Lactate Metabolism in Mouse Sertoli Cells. *Endocrinology*. 2016 Jun;157(6):2416-31. doi: 10.1210/en.2015-1927.
- A.1.311. Elding Larsson H, Vehik K, Haller MJ, Liu X, Akolkar B, Hagopian W, Krischer J, Lernmark Å, She JX, Simell O, Toppari J, Ziegler AG, Rewers M; TEDDY Study Group. Growth and Risk for Islet Autoimmunity and Progression to Type 1 Diabetes in Early Childhood: The Environmental Determinants of Diabetes in the Young Study. *Diabetes*. 2016 Jul;65(7):1988-95. doi: 10.2337/db15-1180.
- A.1.312. Sharma A, Liu X, Hadley D, Hagopian W, Liu E, Chen WM, Onengut-Gumuscu S, Simell V, Rewers M, Ziegler AG, Lernmark Å, Simell O, Toppari J, Krischer JP, Akolkar B, Rich SS, Agardh D, She JX; TEDDY Study Group. Identification of Non-HLA Genes Associated with Celiac Disease and Country-Specific Differences in a Large, International Pediatric Cohort. *PLoS One*. 2016 Mar 25;11(3):e0152476. doi:10.1371/journal.pone.0152476.
- A.1.313. Kettunen KM, Karikoski R, Hämäläinen RH, Toivonen TT, Antonenkov VD, Kuleshkaya N, Voikar V, Hölttä-Vuori M, Ikonen E, Sainio K, Jalanko A, Karlberg S, Karlberg N, Lipsanen-Nyman M, Toppari J, Jauhainen M, Hiltunen JK, Jalanko H, Lehesjoki AE. Trim37-deficient mice recapitulate several features of the multi-organ disorder Mulibrey nanism. *Biol Open*. 2016 May 15;5(5):584-95. doi:10.1242/bio.016246.
- A.1.314. Sadov S, Koskenniemi JJ, Virtanen HE, Perheentupa A, Petersen JH, Skakkebaek NE, Main KM, Toppari J. Testicular Growth During Puberty in Boys With and Without a History of Congenital Cryptorchidism. *J Clin Endocrinol Metab*. 2016 Jun;101(6):2570-7. doi: 10.1210/jc.2015-3329.
- A.1.315. Toppari J, Rodprasert W, Koskenniemi JJ. Exposure Variation and Endocrine Disruption of the Male Reproductive System. *Horm Res Paediatr*. 2016;86(4):247-252. Epub 2016 Jun 4. PubMed PMID: 27255653.
- A.1.316. Törn C, Liu X, Hagopian W, Lernmark Å, Simell O, Rewers M, Ziegler AG, Schatz D, Akolkar B, Onengut-Gumuscu S, Chen WM, Toppari J, Mykkänen J, Ilonen J, Rich SS, She JX, Sharma A, Steck A, Krischer J; TEDDY Study Group. Complement gene variants in relation to autoantibodies to beta cell specific antigens and type 1 diabetes in the TEDDY Study. *Sci Rep*. 2016 Jun 16;6:27887. doi:10.1038/srep27887
- A.1.317. Vehik K, Lynch KF, Schatz DA, Akolkar B, Hagopian W, Rewers M, She JX, Simell O, Toppari J, Ziegler AG, Lernmark Å, Bonifacio E, Krischer JP; TEDDY Study Group. Reversion of β -Cell Autoimmunity Changes Risk of Type 1 Diabetes: TEDDY Study. *Diabetes Care*. 2016 Sep;39(9):1535-42. doi: 10.2337/dc16-0181.
- A.1.318. Löf C, Patyra K, Kuulasmaa T, Vangipurapu J, Undeutsch H, Jaeschke H, Pajunen T, Kero A, Krude H, Biebermann H, Kleinau G, Kühnen P, Rantakari K, Miettinen P, Kirjavainen T, Pursiheimo JP, Mustila T, Jääskeläinen J, Ojaniemi M, Toppari J, Ignatius J, Laakso M, Kero J. Detection of Novel Gene Variants Associated with Congenital Hypothyroidism in a Finnish Patient Cohort. *Thyroid*. 2016 Sep;26(9):1215-24. doi: 10.1089/thy.2016.0016.
- A.1.319. Tertti K, Toppari J, Virtanen HE, Sadov S, Rönnemaa T: Similar testicular size in the offspring of mothers treated for gestational diabetes mellitus with metformin or insulin. *Rev Diabet Stud*. 2016 Jan 28. 13:59-65. DOI 10.1900/RDS.2016.13.59.
- A.1.320. Hakola L, Takkinen HM, Niinistö S, Ahonen S, Erlund I, Rautanen J, Veijola R, Ilonen J, Toppari J, Knip M, Virtanen SM, Lehtinen-Jacks S. Maternal fatty acid intake during pregnancy and the development of childhood overweight: a birth cohort study. *Pediatr Obes*. 2016 Jul 5. doi: 10.1111/ijpo.12170. [Epub ahead of print] PubMed PMID: 27378525.

- A.1.321. Ilonen J, Kiviniemi M, Lempainen J, Simell O, Toppari J, Veijola R, Knip M; Finnish Pediatric Diabetes Register. Genetic susceptibility to type 1 diabetes in childhood - estimation of HLA class II associated disease risk and class II effect in various phases of islet autoimmunity. *Pediatr Diabetes*. 2016 Jul;17Suppl 22:8-16. doi: 10.1111/pedi.12327.
- A.1.322. Vandenberg LN, Ågerstrand M, Beronius A, Beausoleil C, Bergman Å, Bero LA, Bornehag CG, Boyer CS, Cooper GS, Cotgreave I, Gee D, Grandjean P, Guyton KZ, Hass U, Heindel JJ, Jobling S, Kidd KA, Kortenkamp A, Macleod MR, Martin OV, Norinder U, Scheringer M, Thayer KA, Toppari J, Whaley P, Woodruff TJ, Rudén C. A proposed framework for the systematic review and integrated assessment (SYRINA) of endocrine disrupting chemicals. *Environ Health*. 2016 Jul 14;15(1):74. doi:10.1186/s12940-016-0156-6.
- A.1.323. Damsgaard J, Joensen UN, Carlsen E, Erenpreiss J, Blomberg Jensen M, Matulevicius V, Zilaitiene B, Olesen IA, Perheentupa A, Punab M, Salzbrunn A, Toppari J, Virtanen HE, Juul A, Skakkebaek NE, Jørgensen N. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. *Eur Urol*. 2016 Dec;70(6):1019-1029. doi: 10.1016/j.eururo.2016.06.044.
- A.1.324. Antignac JP, Main KM, Virtanen HE, Boquien CY, Marchand P, Venisseau A, Guiffard I, Bichon E, Wohlfahrt-Veje C, Legrand A, Boscher C, Skakkebaek NE, Toppari J, Le Bizec B. Country-specific chemical signatures of persistent organic pollutants (POPs) in breast milk of French, Danish and Finnish women. *Environ Pollut*. 2016 Aug 9. pii: S0269-7491(16)30644-3. doi:10.1016/j.envpol.2016.07.069.
- A.1.325. Borges IC, Andrade DC, Cardoso MR, Toppari J, Vähä-Mäkilä M, Ilonen J, Knip M, Hyöty H, Veijola R, Simell O, Jartti T, Käyhty H, Ruuskanen O, Nascimento-Carvalho CM. Natural development of antibodies against *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis* protein antigens during the first 13 years of life. *Clin Vaccine Immunol*. 2016 Nov 4;23(11):878-883.
- A.1.326. Käsäkoski J, Jääskeläinen J, Jääskeläinen T, Tommiska J, Saarinen L, Lehtonen R, Hautaniemi S, Frilander MJ, Palvimo JJ, Toppari J*, Raivio T*: Complete androgen insensitivity syndrome caused by a deep intronic pseudoexon-activating mutation in the androgen receptor gene. *Sci Rep* 2016 Sep 9;6:32819. doi: 10.1038/srep32819. *equal contribution
- A.1.327. Damsgaard J, Joensen UN, Carlsen E, Erenpreiss J, Jensen MB, Matulevicius V, Zilaitiene B, Olesen IA, Perheentupa A, Punab M, Salzbrunn A, Toppari J, Virtanen HE, Juul A, Skakkebaek NE, Jørgensen N. Reply to Eugenio Ventimiglia, Francesco Montorsi, and Andrea Salonia's Letter to the Editor re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. *Eur Urol* 2016;70:1019-29. *Eur Urol*. 2017 Feb;71(2):e71-e72. doi: 10.1016/j.eururo.2016.09.002.
- A.1.328. Seppälä E, Sillanpää S, Nurminen N, Huhtala H, Toppari J, Ilonen J, Veijola R, Knip M, Sipilä M, Laranne J, Oikarinen S, Hyöty H. Human enterovirus and rhinovirus infections are associated with otitis media in a prospective birth cohort study. *J Clin Virol*. 2016 Dec;85:1-6. doi: 10.1016/j.jcv.2016.10.010.
- A.1.329. Kempainen KM, Lynch KF, Liu E, Lönnrot M, Simell V, Briese T, Koletzko S, Hagopian W, Rewers M, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer JP, Lernmark Å, Hyöty H, Triplett EW, Agardh D; TEDDY Study Group. Factors That Increase Risk of Celiac Disease Autoimmunity After a Gastrointestinal

- Infection in Early Life. *Clin Gastroenterol Hepatol*. 2017 May;15(5):694-702.e5. doi: 10.1016/j.cgh.2016.10.033.
- A.1.330. Lind DV, Main KM, Kyhl HB, Kristensen DM, Toppari J, Andersen HR, Andersen MS, Skakkebaek NE, Jensen TK. Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. *Hum Reprod*. 2017 Jan;32(1):223-231.
- A.1.331. Da Ros M, Lehtiniemi T, Olotu O, Fischer D, Zhang FP, Vihinen H, Jokitalo E, Sironen A, Toppari J, Kotaja N. FYCO1 and autophagy control the integrity of the haploid male germ cell-specific RNP granules. *Autophagy*. 2017 Feb;13(2):302-321. doi: 10.1080/15548627.2016.1261319.
- A.1.332. Asadi-Azarbaijani B, Santos RR, Jahnukainen K, Braber S, van Duursen MB, Toppari J, Saugstad OD, Nurmio M, Oskam IC. Developmental effects of imatinib mesylate on follicle assembly and early activation of primordial follicle pool in postnatal rat ovary. *Reprod Biol*. 2017 Mar;17(1):25-33. doi: 10.1016/j.repbio.2016.11.003.
- A.1.333. Virtanen HE, Jørgensen N, Toppari J. Semen quality in the 21(st) century. *Nat Rev Urol*. 2017 Feb;14(2):120-130. doi: 10.1038/nrurol.2016.261.
- A.1.334. Hummel S, Beyerlein A, Tamura R, Uusitalo U, Andrén Aronsson C, Yang J, Riikonen A, Lernmark Å, Rewers MJ, Hagopian WA, She JX, Simell OG, Toppari J, Ziegler AG, Akolkar B, Krischer JP, Virtanen SM, Norris JM; TEDDY Study Group. First Infant Formula Type and Risk of Islet Autoimmunity in The Environmental Determinants of Diabetes in the Young (TEDDY) Study. *Diabetes Care*. 2017 Mar;40(3):398-404. doi: 10.2337/dc16-1624.
- A.1.335. Viisanen T, Ihantola EL, Näntö-Salonen K, Hyöty H, Nurminen N, Selvenius J, Juutilainen A, Moilanen L, Pihlajamäki J, Veijola R, Toppari J, Knip M, Ilonen J, Kinnunen T. Circulating CXCR5+PD-1+ICOS+ Follicular T Helper Cells Are Increased Close to the Diagnosis of Type 1 Diabetes in Children With Multiple Autoantibodies. *Diabetes*. 2017 Feb;66(2):437-447. doi: 10.2337/db16-0714.
- A.1.336. Steck AK, Larsson HE, Liu X, Veijola R, Toppari J, Hagopian WA, Haller MJ, Ahmed S, Akolkar B, Lernmark Å, Rewers MJ, Krischer JP; and the TEDDY Study Group. Residual beta-cell function in diabetes children followed and diagnosed in the TEDDY study compared to community controls. *Pediatr Diabetes*. 2017 Dec;18(8):794-802. doi: 10.1111/pedi.12485.
- A.1.337. Doroszko M, Chrusciel M, Belling K, Vuorenoja S, Dalgaard M, Leffers H, Nielsen HB, Huhtaniemi I, Toppari J, Rahman NA. Novel genes involved in pathophysiology of gonadotropin-dependent adrenal tumors in mice. *Mol Cell Endocrinol*. 2017 Mar 15;444:9-18. doi: 10.1016/j.mce.2017.01.036.
- A.1.338. Kantola K, Hedman L, Tanner L, Simell V, Mäkinen M, Partanen J, Sadeghi M, Veijola R, Knip M, Ilonen J, Hyöty H, Toppari J, Simell O, Hedman K, Söderlund-Venermo M. Correction: B-Cell Responses to Human Bocaviruses 1-4: New Insights from a Childhood Follow-Up Study. *PLoS One*. 2017 Feb 8;12(2):e0172078. doi: 10.1371/journal.pone.0172078. eCollection 2017.
- A.1.339. Mikk ML, Heikkinen T, El-Amir MI, Kiviniemi M, Laine AP, Härkönen T, Veijola R, Toppari J, Knip M, Ilonen J; Finnish Paediatric Diabetes Register. The association of the HLA-A*24:02, B*39:01 and B*39:06 alleles with type 1 diabetes is restricted to specific HLA-DR/DQ haplotypes in Finns. *HLA*. 2017 Apr;89(4):215-224. doi: 10.1111/tan.12967.
- A.1.340. Hämäläinen N, Nwaru BI, Erlund I, Takkinen HM, Ahonen S, Toppari J, Ilonen J, Veijola R, Knip M, Kaila M, Virtanen SM. Serum carotenoid and tocopherol concentrations and risk of asthma in childhood: a nested case-control study. *Clin Exp Allergy*. 2017 Mar;47(3):401-409. doi: 10.1111/cea.12904.

- A.1.341. Koskenniemi JJ, Virtanen HE, Toppari J. Testicular growth and development in puberty. *Curr Opin Endocrinol Diabetes Obes.* 2017 Jun;24(3):215-224. doi:10.1097/MED.0000000000000339.
- A.1.342. Yang J, Tamura RN, Aronsson CA, Uusitalo UM, Lernmark Å, Rewers M, Hagopian WA, She JX, Toppari J, Ziegler AG, Akolkar B, Krischer JP, Norris JM, Virtanen SM, Agardh D; Environmental Determinants of Diabetes in The Young study group. Maternal use of dietary supplements during pregnancy is not associated with coeliac disease in the offspring: The Environmental Determinants of Diabetes in the Young (TEDDY) study. *Br J Nutr.* 2017 Feb;117(3):466-472. doi:10.1017/S0007114517000332.
- A.1.343. Tuokkola J, Luukkainen P, Nevalainen J, Ahonen S, Toppari J, Ilonen J, Veijola R, Knip M, Virtanen SM, Kaila M. Eliminating cows' milk, but not wheat, barley or rye, increases the risk of growth deceleration and nutritional inadequacies. *Acta Paediatr.* 2017 Jul;106(7):1142-1149. doi: 10.1111/apa.13846.
- A.1.344. Pöllänen PM, Lempainen J, Laine AP, Toppari J, Veijola R, Vähäsalo P, Ilonen J, Siljander H, Knip M. Characterisation of rapid progressors to type 1 diabetes among children with HLA-conferred disease susceptibility. *Diabetologia.* 2017 Jul;60(7):1284-1293. doi: 10.1007/s00125-017-4258-7.
- A.1.345. Niinistö S, Takkinen HM, Erlund I, Ahonen S, Toppari J, Ilonen J, Veijola R, Knip M, Vaarala O, Virtanen SM. Fatty acid status in infancy is associated with the risk of type 1 diabetes-associated autoimmunity. *Diabetologia.* 2017 Jul;60(7):1223-1233. doi: 10.1007/s00125-017-4280-9.
- A.1.346. Reda A, Albalushi H, Montalvo SC, Nurmio M, Sahin Z, Hou M, Geijsen N, Toppari J, Söder O, Stukenborg JB. Knock-Out Serum Replacement and Melatonin Effects on Germ Cell Differentiation in Murine Testicular Explant Cultures. *Ann Biomed Eng.* 2017 Jul;45(7):1783-1794. doi: 10.1007/s10439-017-1847-z.
- A.1.347. Lundgren M, Steed LJ, Tamura R, Jonsdottir B, Gesualdo P, Crouch C, Sjöberg M, Hansson G, Hagopian WA, Ziegler AG, Rewers MJ, Lernmark Å, Toppari J, She JX, Akolkar B, Krischer JP, Haller MJ, Elding Larsson H; TEDDY Study Group. Analgesic antipyretic use among young children in the TEDDY study: no association with islet autoimmunity. *BMC Pediatr.* 2017 May 16;17(1):127. doi: 10.1186/s12887-017-0884-y.
- A.1.348. Krischer JP, Lynch KF, Lernmark Å, Hagopian WA, Rewers MJ, She JX, Toppari J, Ziegler AG, Akolkar B; TEDDY Study Group. Genetic and Environmental Interactions Modify the Risk of Diabetes-Related Autoimmunity by 6 Years of Age: The TEDDY Study. *Diabetes Care.* 2017 Sep;40(9):1194-1202. doi: 10.2337/dc17-0238.
- A.1.349. Penny GM, Cochran RB, Pihlajoki M, Kyrölahti A, Schrade A, Häkkinen M, Toppari J, Heikinheimo M, Wilson DB. Probing GATA factor function in mouse Leydig cells via testicular injection of adenoviral vectors. *Reproduction.* 2017 Oct;154(4):455-467. doi: 10.1530/REP-17-0311.
- A.1.350. Doroszko M, Chrusciel M, Stelmaszewska J, Slezak T, Rivero-Muller A, Padzik A, Anisimowicz S, Wolczynski S, Huhtaniemi I, Toppari J, Rahman NA. Luteinizing Hormone and GATA4 Action in the Adrenocortical Tumorigenesis of Gonadectomized Female Mice. *Cell Physiol Biochem.* 2017;43(3):1064-1076. doi: 10.1159/000481718.
- A.1.351. Köhler M, Beyerlein A, Vehik K, Greven S, Umlauf N, Lernmark Å, Hagopian WA, Rewers M, She JX, Toppari J, Akolkar B; Krischer JP, Bonifacio E, Ziegler AG. Joint modeling of longitudinal autoantibody patterns and progression to type 1 diabetes:

- results from the TEDDY study. *Acta Diabetol.* 2017 Nov;54(11):1009-1017. doi: 10.1007/s00592-017-1033-7.
- A.1.352. Lönnrot M, Lynch KF, Elding Larsson H, Lernmark Å, Rewers MJ, Törn C, Burkhardt BR, Briese T, Hagopian WA, She JX, Simell OG, Toppari J, Ziegler AG, Akolkar B, Krischer JP, Hyöty H; TEDDY Study Group. Respiratory infections are temporally associated with initiation of type 1 diabetes autoimmunity: the TEDDY study. *Diabetologia.* 2017 Oct;60(10):1931-1940. doi: 10.1007/s00125-017-4365-5. Epub 2017 Aug 2. Erratum in: *Diabetologia.* 2018 Jan;61(1):254.
- A.1.353. Wedenoja S, Khamaysi A, Shimshilashvili L, Anbtawe-Jomaa S, Elomaa O, Toppari J, Höglund P, Aittomäki K, Holmberg C, Hovatta O, Tapanainen JS, Ohana E, Kere J. A missense mutation in SLC26A3 is associated with human male subfertility and impaired activation of CFTR. *Sci Rep.* 2017 Oct 27;7(1):14208. doi: 10.1038/s41598-017-14606-3.
- A.1.354. Nwaru BI, Hadkhale K, Hämäläinen N, Takkinen HM, Ahonen S, Ilonen J, Toppari J, Veijola R, Knip M, Virtanen SM. Vitamin D intake during the first 4 years and onset of asthma by age 5: a nested case-control study. *Pediatr Allergy Immunol.* 2017 Nov;28(7):641-648. doi: 10.1111/pai.12773.
- A.1.355. Hagopian W, Lee HS, Liu E, Rewers M, She JX, Ziegler AG, Lernmark Å, Toppari J, Rich SS, Krischer JP, Erlich H, Akolkar B, Agardh D; TEDDY Study Group. Co-occurrence of Type 1 Diabetes and Celiac Disease Autoimmunity. *Pediatrics.* 2017 Nov;140(5). pii: e20171305. doi: 10.1542/peds.2017-1305.
- A.1.356. Krischer JP, Liu X, Lernmark Å, Hagopian WA, Rewers MJ, She JX, Toppari J, Ziegler AG, Akolkar B; TEDDY Study Group. The Influence of Type 1 Diabetes Genetic Susceptibility Regions, Age, Sex, and Family History on the Progression From Multiple Autoantibodies to Type 1 Diabetes: A TEDDY Study Report. *Diabetes.* 2017 Dec;66(12):3122-3129. doi: 10.2337/db17-0261.
- A.1.357. Koskeniemi JJ, Koskeniemi AR, Virtanen HE, Toppari J. Kiveksen kehityshäiriö ja kivessyövän etiologia (in Finnish. Testicular dysgenesis syndrome and etiology of testicular cancer). Review. *Duodecim* 2017;133:1273–82. doi:10.13794 (013.794).
- A.1.358. Kempainen KM, Vehik K, Lynch KF, Larsson HE, Canepa RJ, Simell V, Koletzko S, Liu E, Simell OG, Toppari J, Ziegler AG, Rewers MJ, Lernmark Å, Hagopian WA, She JX, Akolkar B, Schatz DA, Atkinson MA, Blaser MJ, Krischer JP, Hyöty H, Agardh D, Triplett EW; Environmental Determinants of Diabetes in the Young (TEDDY) Study Group. Association Between Early-Life Antibiotic Use and the Risk of Islet or Celiac Disease Autoimmunity. *JAMA Pediatr.* 2017 Dec 1;171(12):1217-1225. doi: 10.1001/jamapediatrics.2017.2905.
- A.1.359. Koskinen MK, Lempainen J, Löyttyniemi E, Helminen O, Hekkala A, Härkönen T, Kiviniemi M, Simell O, Knip M, Ilonen J, Toppari J, Veijola R. Class II HLA Genotype Association with First Phase Insulin Response Is Explained by Islet Autoantibodies. *J Clin Endocrinol Metab.* 2018 Aug 1;103(8):2870-2878. doi: 10.1210/je.2017-02040.
- A.1.360. Norris JM, Lee HS, Frederiksen B, Erlund I, Uusitalo U, Yang J, Lernmark Å, Simell O, Toppari J, Rewers M, Ziegler AG, She JX, Onengut-Gumuscu S, Chen WM, Rich SS, Sundvall J, Akolkar B, Krischer J, Virtanen SM, Hagopian W; TEDDY Study Group. Plasma 25-Hydroxyvitamin D Concentration and Risk of Islet Autoimmunity. *Diabetes.* 2018 Jan;67(1):146-154. doi: 10.2337/db17-0802.
- A.1.361. Elding Larsson H, Lynch KF, Lönnrot M, Haller MJ, Lernmark Å, Hagopian WA, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer JP, Rewers MJ, Hyöty H; TEDDY Study Group. Pandemrix® vaccination is not associated with increased

- risk of islet autoimmunity or type 1 diabetes in the TEDDY study children. *Diabetologia*. 2018 Jan;61(1):193-202. doi: 10.1007/s00125-017-4448-3.
- A.1.362. Viskari H, Oikarinen S, Hoppu S, Vuorinen T, Huhtala H, Toppari J, Veijola R, Ilonen J, Knip M, Hyöty H. Live attenuated enterovirus vaccine (OPV) is not associated with islet autoimmunity in children with genetic susceptibility to type 1 diabetes: prospective cohort study. *Diabetologia*. 2018 Jan;61(1):203-209. doi: 10.1007/s00125-017-4410-4.
- A.1.363. Li ZM, Giesert F, Vogt-Weisenhorn D, Main KM, Skakkebæk NE, Kiviranta H, Toppari J, Feldt-Rasmussen U, Shen H, Schramm KW, De Angelis M. Determination of thyroid hormones in placenta using isotope-dilution liquid chromatography quadrupole time-of-flight mass spectrometry. *J Chromatogr A*. 2018 Jan 26;1534:85-92. doi: 10.1016/j.chroma.2017.12.048.
- A.1.364. Hakola L, Takkinen HM, Niinistö S, Ahonen S, Nevalainen J, Veijola R, Ilonen J, Toppari J, Knip M, Virtanen SM. Infant Feeding in Relation to the Risk of Advanced Islet Autoimmunity and Type 1 Diabetes in Children With Increased Genetic Susceptibility: A Cohort Study. *Am J Epidemiol*. 2018 Jan 1;187(1):34-44. doi: 10.1093/aje/kwx191.
- A.1.365. Lynch KF, Lee HS, Törn C, Vehik K, Krischer JP, Larsson HE, Haller MJ, Hagopian WA, Rewers MJ, She JX, Simell OG, Toppari J, Ziegler AG, Akolkar B, Hyöty H, Bonifacio E, Lernmark Å; TEDDY Study Group. Gestational respiratory infections interacting with offspring HLA and CTLA-4 modifies incident β -cell autoantibodies. *J Autoimmun*. 2018 Jan;86:93-103. doi: 10.1016/j.jaut.2017.09.005.
- A.1.366. Lietzen N, An LTT, Jaakkola MK, Kallionpää H, Oikarinen S, Mykkänen J, Knip M, Veijola R, Ilonen J, Toppari J, Hyöty H, Lahesmaa R, Elo LL. Enterovirus-associated changes in blood transcriptomic profiles of children with genetic susceptibility to type 1 diabetes. *Diabetologia*. 2018 Feb;61(2):381-388. doi: 10.1007/s00125-017-4460-7.
- A.1.367. Koletzko S, Lee HS, Beyerlein A, Aronsson CA, Hummel M, Liu E, Simell V, Kurppa K, Lernmark Å, Hagopian W, Rewers M, She JX, Simell O, Toppari J, Ziegler AG, Krischer J, Agardh D; TEDDY Study Group*. Caesarean Section on The Risk of Celiac Disease in the Offspring: The Teddy Study. *J Pediatr Gastroenterol Nutr*. 2018 Mar;66(3):417-424. doi: 10.1097/MPG.0000000000001682.
- A.1.368. Hekkala AM, Ilonen J, Toppari J, Knip M, Veijola R. Ketoacidosis at diagnosis of type 1 diabetes: Effect of prospective studies with newborn genetic screening and follow up of risk children. *Pediatr Diabetes* 2018 Mar;19(2):314-319. doi:10.1111/pedi.12541.
- A.1.369. Ilonen J, Lempainen J, Hammis A, Laine AP, Härkönen T, Toppari J, Veijola R, Knip M; Finnish Pediatric Diabetes Register. Primary islet autoantibody at initial seroconversion and autoantibodies at diagnosis of type 1 diabetes as markers of disease heterogeneity. *Pediatr Diabetes*. 2018 Mar;19(2):284-292. doi: 10.1111/pedi.12545.
- A.1.370. Uusitalo U, Lee HS, Andrén Aronsson C, Vehik K, Yang J, Hummel S, Silvis K, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer J, Virtanen SM, Norris JM; TEDDY Study Group. Early Infant Diet and Islet Autoimmunity in the TEDDY Study. *Diabetes Care*. 2018 Mar;41(3):522-530. doi: 10.2337/dc17-1983.
- A.1.371. Bonifacio E, Beyerlein A, Hippich M, Winkler C, Vehik K, Weedon MN, Laimighofer M, Hattersley AT, Krumsiek J, Frohnert BI, Steck AK, Hagopian WA, Krischer JP, Lernmark Å, Rewers MJ, She JX, Toppari J, Akolkar B, Oram RA, Rich SS, Ziegler AG; TEDDY Study Group. Genetic scores to stratify risk of developing

- multiple islet autoantibodies and type 1 diabetes: A prospective study in children. *PLoS Med.* 2018 Apr 3;15(4):e1002548. doi: 10.1371/journal.pmed.1002548.
- A.1.372. Kondrashova A, Nurminen N, Lehtonen J, Hyöty M, Toppari J, Ilonen J, Veijola R, Knip M, Hyöty H. Exocrine pancreas function decreases during the progression of the beta-cell damaging process in young prediabetic children. *Pediatr Diabetes.* 2018 May;19(3):398-402. doi: 10.1111/pedi.12592.
- A.1.373. Sharma A, Liu X, Hadley D, Hagopian W, Chen WM, Onengut-Gumuscu S, Törn C, Steck AK, Frohnert BI, Rewers M, Ziegler AG, Lernmark Å, Toppari J, Krischer JP, Akolkar B, Rich SS, She JX; TEDDY Study Group. Identification of non-HLA genes associated with development of islet autoimmunity and type 1 diabetes in the prospective TEDDY cohort. *J Autoimmun.* 2018 May;89:90-100. doi: 10.1016/j.jaut.2017.12.008.
- A.1.374. Koskenniemi JJ, Virtanen HE, Wohlfahrt-Veje C, Löyttyniemi E, Skakkebaek NE, Juul A, Andersson AM, Main KM, Toppari J. Postnatal Changes in Testicular Position Are Associated With IGF-I and Function of Sertoli and Leydig Cells. *J Clin Endocrinol Metab.* 2018 Apr 1;103(4):1429-1437. doi: 10.1210/jc.2017-01889.
- A.1.375. Sioofy-Khojine AB, Lehtonen J, Nurminen N, Laitinen OH, Oikarinen S, Huhtala H, Pakkanen O, Ruokoranta T, Hankaniemi MM, Toppari J, Vähä-Mäkilä M, Ilonen J, Veijola R, Knip M, Hyöty H. Cocksackievirus B1 infections are associated with the initiation of insulin-driven autoimmunity that progresses to type 1 diabetes. *Diabetologia.* 2018 May;61(5):1193-1202. doi: 10.1007/s00125-018-4561-y.
- A.1.376. Hakkarainen J, Zhang FP, Jokela H, Mayerhofer A, Behr R, Cisneros-Montalvo S, Nurmio M, Toppari J, Ohlsson C, Kotaja N, Sipilä P, Poutanen M. Hydroxysteroid (17 β) dehydrogenase 1 expressed by Sertoli cells contributes to steroid synthesis and is required for male fertility. *FASEB J.* 2018 Jun;32(6):3229-3241. doi: 10.1096/fj.201700921R.
- A.1.377. Patyra K, Jaeschke H, Löf C, Jännäri M, Ruohonen ST, Undeutsch H, Khalil M, Kero A, Poutanen M, Toppari J, Chen M, Weinstein LS, Paschke R, Kero J. Partial thyrocyte-specific *Ga(s)* deficiency leads to rapid-onset hypothyroidism, hyperplasia, and papillary thyroid carcinoma-like lesions in mice. *FASEB J.* 2018 May 25:fj201800211R. doi: 10.1096/fj.201800211R. [Epub ahead of print]
- A.1.378. Sadov S, Virtanen HE, Main KM, Andersson AM, Juul A, Jula A, Raitakari OT, Pahkala K, Niinikoski H, Toppari J. Low saturated fat and low cholesterol diet does not alter pubertal development and hormonal status in adolescents. *Acta Paediatr.* 2018 Jun 28. doi: 10.1111/apa.14480. [Epub ahead of print]
- A.1.379. Lamichhane S, Ahonen L, Sparholt Dyrland T, Kempainen E, Siljander H, Hyöty H, Ilonen J, Toppari J, Veijola R, Hyötyläinen T, Knip M, Oresic M. Dynamics of plasma lipidome in progression to islet autoimmunity and type 1 diabetes – Type 1 Diabetes Prediction and Prevention Study (DIPP). *Sci Rep.* 2018 8:10635. doi: 10.1038/s41598-018-28907-8.
- A.1.380. Ihantola EL, Viisanen T, Gazali AM, Näntö-Salonen K, Juutilainen A, Moilanen L, Rintamäki R, Pihlajamäki J, Veijola R, Toppari J, Knip M, Ilonen J, Kinnunen T. Effector T Cell Resistance to Suppression and STAT3 Signaling during the Development of Human Type 1 Diabetes. *J Immunol.* 2018 Aug 15;201(4):1144-1153. doi: 10.4049/jimmunol.1701199.
- A.1.381. Li ZM, Hernandez-Moreno D, Main KM, Skakkebaek NE, Kiviranta H, Toppari J, Feldt-Rasmussen U, Shen H, Schramm KW, De Angelis M. Association of In Utero Persistent Organic Pollutant Exposure With Placental Thyroid Hormones. *Endocrinology.* 2018 Oct 1;159(10):3473-3481. doi: 10.1210/en.2018-00542.

- A.1.382. Jaeschke H, Undeutsch H, Patyra K, Löff C, Eszlinger M, Khalil M, Jännäri M, Makkonen K, Toppari J, Zhang FP, Poutanen M, Paschke R, Kero J. Hyperthyroidism and papillary thyroid carcinoma in thyrotropin receptor D633H mutant mice. *Thyroid*. 2018 Aug 22. doi: 10.1089/thy.2018.0041.
- A.1.383. Beyerlein A, Bonifacio E, Vehik K, Hippich M, Winkler C, Frohnert BI, Steck AK, Hagopian WA, Krischer JP, Lernmark Å, Rewers MJ, She JX, Toppari J, Akolkar B, Rich SS, Ziegler AG, TEDDY Study Group. Progression from islet autoimmunity to clinical type 1 diabetes is influenced by genetic factors – results from the prospective TEDDY study. *J Med Genet*. 2018 Oct 4. pii: jmedgenet-2018-105532. doi: 10.1136/jmedgenet-2018-105532. [Epub ahead of print] PMID:30287597
- A.1.384. Marian Rewers M, Hyöty H, Lernmark Å, Hagopian WA, She JX, Schatz D, Ziegler AG, Toppari J, Akolkar B, Krischer JP, TEDDY Study Group. The Environmental Determinants of Diabetes in the Young (TEDDY) Study: 2018 Update. *Curr Diab Rep*. 2018 18:136. doi: 10.1007/s11892-018-1113-2. Review.
- A.1.385. Lamichhane S, Ahonen L, Dyrlund T, Hyöty H, Siljander H, Ilonen J, Toppari J, Veijola R, Hyötyläinen T, Knip M, Oresic M. A longitudinal plasma lipidomics dataset from children who developed islet autoimmunity and type 1 diabetes. *Sci Data*. 2018 Nov 13;5:180250. doi: 10.1038/sdata.2018.250.
- A.1.386. Prasad M, Takkinen HM, Uusitalo L, Tapanainen H, Ovaskainen ML, Alftan G, Erlund I, Ahonen S, Åkerlund M, Toppari J, Ilonen J, Knip M, Veijola R, Virtanen SM. Carotenoid Intake and Serum Concentration in Young Finnish Children and Their Relation with Fruit and Vegetable Consumption. *Nutrients*. 2018 Oct 17;10(10). pii: E1533. doi: 10.3390/nu10101533.
- A.1.387. Ekman I, Vuorinen T, Knip M, Veijola R, Toppari J, Hyöty H, Kinnunen T, Ilonen J, Lempainen J. Early childhood CMV infection may decelerate the progression rate of clinical type 1 diabetes. *Pediatr Diabetes*. 2018 Oct 18. doi: 10.1111/pedi.12788. [Epub ahead of print].
- A.1.388. Jääskeläinen AJ, Nurminen N, Kolehmainen P, Smura T, Tauriainen S, Toppari J, Ilonen J, Veijola R, Knip M, Hyöty H, Vapalahti O, Kallio-Kokko H. No Association Between Ljungan Virus Seropositivity and the Beta-Cell Damaging Process in the Finnish Type 1 Diabetes Prediction and Prevention Study Cohort. *Pediatr Infect Dis J*. 2018 Oct 19. doi: 10.1097/INF.0000000000002201. [Epub ahead of print].
- A.1.389. Silvis K, Aronsson CA, Liu X, Uusitalo U, Yang J, Tamura R, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Toppari J, Ziegler A, Akolkar B, Krischer J, Virtanen SM, Norris JM; TEDDY Study Group. Maternal Dietary Supplement Use and Development of Islet Autoimmunity in the offspring: the TEDDY Study. *Pediatr Diabetes*. 2018 Nov 8. doi: 10.1111/pedi.12794. [Epub ahead of print].
- A.1.390. Stewart CJ, Ajami NJ, O'Brien JL, Hutchinson DS, Smith DP, Wong MC, Ross MC, Lloyd RE, Doddapaneni HV, Metcalf GA, Muzny D, Gibbs RA, Vatanen T, Huttenhower C, Xavier RJ, Rewers MJ, Hagopian WA, Toppari J, Ziegler AG, She JX, Akolkar B, Lernmark Å, Hyöty H, Vehik K, Krischer JP, the TEDDY Study Group, Petrosino JF. Temporal Development of the Gut Microbiome in Early Childhood - The TEDDY Study. *Nature*. 2018 562: 583-588. doi: 10.1038/s41586-018-0617-x.
- A.1.391. Vatanen T, Franzosa EA, Schwager R, Vehik K, Lernmark Å, Hagopian WA, Rewers MJ, She JX, Toppari J, Ziegler AG, Akolkar B, Krischer JP, the TEDDY Study Group, Stewart CJ, Ajami NJ, Petrosino JF, Gevers D, Lähdesmäki H, Vlamakis H, Huttenhower C, Xavier RJ. The human gut microbiome of early onset type 1 diabetes in the TEDDY study. *Nature*. 2018 562: 589-594. doi: 10.1038/s41586-018-0620-2.

- A.1.392. Endesfelder D, zu Castell W, Bonifacio E, Rewers M, Hagopian WA, She JX, Lernmark Å, Toppari J, Vehik K, Williams A, Yu L, Akolkar B, Krischer J, Ziegler AG, Achenbach P. Time-resolved autoantibody profiling facilitates stratification of preclinical type 1 diabetes in children. *Diabetes*. Accepted for publication.
- A.1.393. Kohva E, Huopio H, Hero M, Miettinen PJ, Vaaralahti K, Sidoroff V, Toppari J, Raivio T. Recombinant Human Follicle Stimulating Hormone Treatment in Five Boys with Congenital Hypogonadotropic Hypogonadism. *J Endocr Soc*. Accepted for publication.
- A.1.394. Viisanen T, Gazali AM, Ihantola EL, Ekman I, Nääntö-Salonen K, Veijola R, Toppari J, Knip M, Ilonen J, Kinnunen T. FOXP3+ regulatory T cell compartment is altered in children with newly diagnosed type 1 diabetes but not in autoantibody-positive at-risk children. *Front Immunol*.
- A.1.395. Juonala M, Toppari J. Lapsuuden elintavat ja diabeteksen ehkäisy: kuinka panostaa tuleviin sukupolviin? (Childhood lifestyle factors in prevention of diabetes: how to succeed with future generations?). *Duodecim*. 2018 134: 2280-2286. Review.
- A.1.396. Doroszko M, Chrusciel M, Stelmaszewska J, Slezak T, Anisimowicz S, Plöckinger U, Quinkler M, Bonomi M, Wolczynski S, Huhtaniemi I, Toppari J, Rahman NA. GnRH antagonist treatment of malignant adrenocortical tumors. *Endocr Relat Cancer*. 2019 Jan 1;26(1):103-117. doi: 10.1530/ERC-17-0399.
- A.1.397. Mäkelä JA, Koskeniemi JJ, Virtanen HE, Toppari J. Testis development. *Endocr Rev*. Accepted for publication.
- A.1.398. Varimo T, Huopio H, Kariola L, Tenhola S, Voutilainen R, Toppari J, Toiviainen-Salo S, Hämäläinen E, Pulkkinen M, Lääperi M, Tarkkanen A, Vaaralahti K, Miettinen PJ, Hero M, Raivio T. Promoting Endogenous Puberty with a Peroral Aromatase Inhibitor: a Randomized Controlled Trial. *Lancet: Child and Adolescent health*. Accepted for publication.

A.2. Peer-reviewed scientific articles in journals, member of the study group

- A.2.1. Elding Larsson H, Vehik K, Gesualdo P, Akolkar B, Hagopian W, Krischer J, Lernmark Å, Rewers M, Simell O, She JX, Ziegler A, Haller MJ; TEDDY Study Group. Children followed in the TEDDY study are diagnosed with type 1 diabetes at an early stage of disease. *Pediatr Diabetes*. 2014 Mar;15(2):118-26. doi:10.1111/pedi.12066.
- A.2.2. Lee HS, Burkhardt BR, McLeod W, Smith S, Eberhard C, Lynch K, Hadley D, Rewers M, Simell O, She JX, Hagopian B, Lernmark A, Akolkar B, Ziegler AG, Krischer JP; TEDDY study group. Biomarker discovery study design for type 1 diabetes in The Environmental Determinants of Diabetes in the Young (TEDDY) study. *Diabetes Metab Res Rev*. 2014 Jul;30(5):424-34. doi: 10.1002/dmrr.2510.
- A.2.3. Yang J, Lernmark Å, Uusitalo UM, Lynch KF, Veijola R, Winkler C, Larsson HE, Rewers M, She JX, Ziegler AG, Simell OG, Hagopian WA, Akolkar B, Krischer JP, Vehik K; TEDDY Study Group. Prevalence of obesity was related to HLA-DQ in 2-4-year-old children at genetic risk for type 1 diabetes. *Int J Obes (Lond)*. 2014 Dec;38(12):1491-6. doi: 10.1038/ijo.2014.55.
- A.2.4. Steck AK, Vehik K, Bonifacio E, Lernmark A, Ziegler AG, Hagopian WA, She J, Simell O, Akolkar B, Krischer J, Schatz D, Rewers MJ; TEDDY Study Group. Predictors of Progression From the Appearance of Islet Autoantibodies to Early

Childhood Diabetes: The Environmental Determinants of Diabetes in the Young (TEDDY). *Diabetes Care*. 2015 May;38(5):808-13. doi: 10.2337/dc14-2426.

- A.2.5. Agardh D, Lee HS, Kurppa K, Simell V, Aronsson CA, Jörneus O, Hummel M, Liu E, Koletzko S; TEDDY Study Group. Clinical features of celiac disease: a prospective birth cohort. *Pediatrics*. 2015 Apr;135(4):627-34. doi: 10.1542/peds.2014-3675.
- A.2.6. Liu E, Lee HS, Aronsson CA, Hagopian WA, Koletzko S, Rewers MJ, Eisenbarth GS, Bingley PJ, Bonifacio E, Simell V, Agardh D; TEDDY Study Group. Risk of pediatric celiac disease according to HLA haplotype and country. *N Engl J Med*. 2014 Jul 3;371(1):42-9. doi: 10.1056/NEJMoa1313977. Erratum in: *N Engl J Med*. 2014 Jul 24;371(4):390.
- A.2.7. Lönnrot M, Lynch K, Larsson HE, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Ziegler AG, Akolkar B, Krischer J, Hyöty H; TEDDY Study Group. A method for reporting and classifying acute infectious diseases in a prospective study of young children: TEDDY. *BMC Pediatr*. 2015 Mar 20;15:24. doi:10.1186/s12887-015-0333-8.
- A.2.8. Bingley PJ, Rafkin LE, Matheson D, Steck AK, Yu L, Henderson C, Beam CA, Boulware DC; TrialNet Study Group. Use of Dried Capillary Blood Sampling for Islet Autoantibody Screening in Relatives: A Feasibility Study. *Diabetes Technol Ther*. 2015 Dec;17(12):867-71. doi: 10.1089/dia.2015.0133.
- A.2.9. Andrén Aronsson C, Lee HS, Koletzko S, Uusitalo U, Yang J, Virtanen SM, Liu E, Lernmark Å, Norris JM, Agardh D; TEDDY Study Group. Effects of Gluten Intake on Risk of Celiac Disease: A Case-Control Study on a Swedish Birth Cohort. *Clin Gastroenterol Hepatol*. 2016 Mar;14(3):403-409.e3. doi:10.1016/j.cgh.2015.09.030.
- A.2.10. Lernmark B, Lynch K, Baxter J, Roth R, Simell T, Smith L, Swartling U, Johnson SB; Teddy Study Group. Participant Experiences in the Environmental Determinants of Diabetes in the Young Study: Common Reasons for Withdrawing. *J Diabetes Res*. 2016;2016:2720650. doi: 10.1155/2016/2720650.
- A.2.11. Haghighi M, Johnson SB, Qian X, Lynch KF, Vehik K, Huang S; TEDDY Study Group. A Comparison of Rule-based Analysis with Regression Methods in Understanding the Risk Factors for Study Withdrawal in a Pediatric Study. *Sci Rep*. 2016 Aug 26;6:30828. doi: 10.1038/srep30828. Erratum in: *Sci Rep*. 2017 May 02;7:39723. Haghighi M, Johnson SB, Qian X, Lynch KF, Vehik K, Huang S; TEDDY Study Group. Corrigendum: A Comparison of Rule-based Analysis with Regression Methods in Understanding the Risk Factors for Study Withdrawal in a Pediatric Study. *Sci Rep*. 2017 May 2;7:39723. doi: 10.1038/srep39723.
- A.2.12. Redondo MJ, Geyer S, Steck AK, Sharp S, Wentworth JM, Weedon MN, Antinozzi P, Sosenko J, Atkinson M, Pugliese A, Oram RA; Type 1 Diabetes TrialNet Study Group. A Type 1 Diabetes Genetic Risk Score Predicts Progression of Islet Autoimmunity and Development of Type 1 Diabetes in Individuals at Risk. *Diabetes Care*. 2018 Sep;41(9):1887-1894. doi: 10.2337/dc18-0087.
- A.2.13. Triolo TM, Fouts A, Pyle L, Yu L, Gottlieb PA, Steck AK; Type 1 Diabetes TrialNet Study Group. Identical and Nonidentical Twins: Risk and Factors Involved in Development of Islet Autoimmunity and Type 1 Diabetes. *Diabetes Care*. 2018 Jul 30. pii: dc180288. doi: 10.2337/dc18-0288.
- A.2.14. Salami F, Lee HS, Freyhult E, Larsson HE, Lernmark Å, Törn C; TEDDY study group; TEDDY Study Group. Reduction in White Blood Cell, Neutrophil and Red Blood Cell counts Related to Gender, HLA and Islet Autoantibodies in Swedish TEDDY Children at Increased Risk for Type 1 Diabetes. *Diabetes*. 2018 Aug 13. pii:db180355. doi: 10.2337/db18-0355.

- A.3. Peer-reviewed articles in international scientific compilation works and conference proceedings
- A.3.1. Parvinen M., Vihko K.K. and Toppari J.: Interactions between Sertoli- and germinal cells in the testis. In: Recent progress in cellular endocrinology of the testis. Ed. by J.M. Saez, M.G. Forest, A. Dazord and J. Bertrand. INSERM vol. 123, pp. 387-406, 1985.
- A.3.2. Parvinen M., Vihko K.K. and Toppari J.: Cell interactions and regulation of the seminiferous epithelium. In: Recent advances in fertility regulation. Ed. by Liang Jiming. Proc. Symposium on Fertility Regulation Research. Beijing, China, Nov. 5-8, 1985.
- A.3.3. Toppari J., Vihko K.K., Mali P., Eerola E., Saksela O. and Parvinen M.: Rat spermatogenesis in vitro: New experimental designs for studies of cell interaction in the testis. In: Development and Function of Reproductive Organs. Ed. by A. Eskhol, B. Eckstein, H. Peters, N. Dekel and A. Tsafiriri. Serono Symposia Review #11, pp. 149-159. Ares-Serono Symposia, Rome, Italy, 1986.
- A.3.4. Toppari J., Eerola E. and Parvinen M.: DNA flow cytometric quantitation of the stages of the rat seminiferous epithelium. In: Molecular and Cellular Endocrinology of the Testis. Ed. by M. Stefanini, M. Conti, R. Geremia and E. Ziparo. Excerpta Medica International Congress Series, pp. 227-231. Excerpta Medica, Amsterdam, The Netherlands, 1986.
- A.3.5. Toppari J., Parvinen M., Eerola E., Bishop P.C., Parker J.W. and diZerega G.S.: Local regulation of the seminiferous epithelium as evaluated by flow cytometry. In: Development and Function of Reproductive Organs, Vol. II. Ed. by M. Parvinen, I. Huhtaniemi and L.J. Pelliniemi. Serono Symposia Review # 14, pp. 103-112. Ares-Serono Symposia, Rome, Italy, 1988.
- A.3.6. Parvinen M., Mali P., Krawczyk Z., Kaipia A., Kangasniemi M. and Toppari J.: Stage-specific regulation and gene expression during spermatogenesis. In: Novel Aspects in Reproductive Biology and Medicine. Ed. by Tapani Vanha-Perttula. Publications of the University of Kuopio, Medicine, Statistics and Reviews 2/1989, Kuopio, Finland, pp. 94-95, 1989.
- A.3.7. Toppari J., Kangasniemi M., Veromaa T. and Parvinen M.: Flow cytometry in andrologic research and diagnosis. In: Novel Aspects in Reproductive Biology and Medicine. Ed. by Tapani Vanha-Perttula. Publications of the University of Kuopio, Medicine, Statistics and Reviews 2/1989, Kuopio, Finland, pp. 120-123, 1989.
- A.3.8. Parvinen M., Pylkkänen L., Toppari J., Lähdetie J., Santti R. and Parvinen L.M.: Toxic and mutagenic effects on spermatogenesis with special reference to meiotic micronucleus induction in vitro. In: Toxicology of the Male and Female Reproductive Systems. Ed. by Peter K. Working. Hemisphere Publishing Corporation, Washington D.C., U.S.A. pp. 285-302, 1989.
- A.3.9. Hemisphere Publishing Corporation, Washington D.C., U.S.A. pp. 285-302, 1989.
- A.3.10. Mali P., Kaipia A., Kangasniemi M., Toppari J., Sandberg M., Vuorio E., Yelick P.C., Hecht N.B. and Parvinen M.: Expression of nucleoprotein mRNAs during rat spermiogenesis. In: Nuclear Structure and Function. Ed. by J.R. Harris and I.B. Zbarsky. Plenum Publishing Corporation, New York, pp. 89-93, 1990.
- A.3.11. Mali P., Toppari J., Parvinen L.M. and Parvinen M.: The chromatoid body in spermatogenesis: nucleo-cytoplasmic transport of haploid gene products and its cytoskeletal regulation. In: Nuclear Structure and Function. Ed. by J.R. Harris and I.B. Zbarsky. Plenum Publishing Corporation, New York, pp. 473-476, 1990.

- A.3.12. Parvinen M., Kangasniemi M., Kaipia A., Mali P., Toppari J. and Huhtaniemi I.: Modulation of Sertoli cell FSH response during rat seminiferous epithelial cycle: involvement of specific germ cell types. In: *Hormonal Communicating Events in the Testis*. Ed. by A. Isidori, A. Fabbri and M.L. Dufau. Raven Press, New York, pp. 235-246, 1990.
- A.3.13. Parvinen, M., P. Mali, Z. Krawczyk, K.K. Vihko, T.-L. Penttilä, A. Kaipia, M. Kangasniemi and J. Toppari: Stage-specific regulation of spermatogenesis. In: *Growth Factors in Fertility Regulation*. Ed. by F.P. Haseltine and J.K. Findlay. Cambridge University Press, Cambridge, U.K., pp. 157-168, 1991.
- A.3.14. Parvinen M., Toppari J. and Lähdetie J.: Transillumination-phase-contrast microscopic techniques for evaluation of male germ cell toxicity and mutagenicity. In: *Male Reproductive Toxicology*. Ed. by R.E. Chapin and J.J. Heindel. *Methods in Toxicology*, Vol. 3A. Academic Press, Orlando, FL, U.S.A., pp. 142-165, 1993.
- A.3.15. Huhtaniemi I. and Toppari J.: Intratesticular cell-to-cell modulation mechanisms and their clinical relevance. *Assisted Reproductive Technology & Andrology*, 1993.
- A.3.16. Parvinen M., Hakovirta H., Kaipia A., Penttilä T.L., Toppari J., Syed V., Jégou B., Persson H., Wahab A. and Söder O.: Local growth factor effects during spermatogenesis. In: *Function of somatic cells in the testis*. Ed. by A. Bartke. Springer-Verlag, New York, N.Y., U.S.A., pp. 85-95, 1994.
- A.3.17. Huhtaniemi I. and Toppari J.: Endocrine, paracrine and autocrine regulation of testicular steroidogenesis. In: *Tissue Renin-Angiotensin Systems*. Ed. by A.K. Mukhopadhyay and M.K. Raizada, Plenum Press, New York, N.Y., U.S.A., *Adv. Exp. Med. Biol.* 377: 33-54, 1995.
- A.3.18. Huhtaniemi I. and Toppari J.: Régulation hormonale de la spermatogénèse. In: *Endocrinologie masculine*. Ed. by Drosdowsky, Belaisch and Vermeulen. Doin Éditeurs, Paris, pp. 63-74, 1996.
- A.3.19. Henriksén K., Toppari J., Heiskanen P., Dunkel L. and Parvinen M.: Apoptosis in the testis. In: *Gonadal Function - Genetics to Physiology*. Ed. by T. Hillensjö and K. Ahrén, *Frontiers in Endocrinology* 18: 35-41, Ares-Serono Symposia Publications, Rome, Italy, 1996.
- A.3.20. Huhtaniemi I. and Toppari J.: Hormonal regulation of the testis. In: *Male Reproduction. A multidisciplinary overview*. Ed. by F. Martínez-García and J. Regadera, Churchill Communications Europe España, Madrid, Spain, pp. 67-80, 1998.
- A.3.21. Jørgensen N., Toppari J., Grandjean P. and Skakkebak N.E.: Environment and male reproductive function. In: *Male Reproductive Function, Endocrine Update*. Ed. by C. Wang, Kluwer Academic Publishers, USA, pp. 321-337, 1999.
- A.3.22. Toppari J. and Skakkebak N.E.: Environmental hormone disrupters and their potential impact during development. In: *Fetal programming: Influence on development and disease in later life*. Ed. by P.M.S. O'Brien, T. Wheeler and D.J.P. Barker, RCOG Press, London, UK, pp.195-204, 1999.
- A.3.23. Huhtaniemi I., El-Hefnawy T., Zhang F.P., Markkula M. and Toppari J.: Paracrine and autocrine control of Leydig cell function. In: *Male contraception: present and future*. Ed. by M. Rajalakshmi and P.D. Griffin. New Age International (p) Ltd., New Delhi, India, pp. 63-85, 1999.
- A.3.24. Carlsen E., Toppari J. and Skakkebak N.E.: Secular changes in male reproductive health. In: *Towards Reproductive Certainty: Fertility and Genetics beyond 1999*. Ed. by R. Jansen and D. Mortimer, Proc. 11th World Congress on in vitro Fertilization and Human Reproductive Genetics, Parthenon Publishing Group, Sydney, Australia, 1999.

- A.3.25. Toppari J. and Skakkebaek N.E.: Endocrine disruption in human male reproduction. In: *Environmental Endocrine Disruptors: an Evolutionary Perspective*. Ed. by L. J. Guillette Jr. and D.A. Crain, Taylor and Francis, New York, USA, pp. 269-290, 2000.
- A.3.26. Rajpert-De Meyts E., Toppari J. and Skakkebaek N.E.: Testicular tumors with endocrine manifestations. In: *Endocrinology*. Ed. by L.J. DeGroot and J.L. Jameson, W.B. Saunders Co., Philadelphia, USA, pp. 2351-2356, 2000.
- A.3.27. Toppari J., Talonpoika T., Linderborg J. and Nikula H.: Environmental pollution and testicular function. In: *Andrology 2000. Proc. 1st European Congress of Andrology*. Ed. by F. Francavilla, S. Francavilla and G. Forti. Collana di Studi Abruzzesi, L'Aquila, Italia, pp. 211-220, 2000.
- A.3.28. Jégou B., Pineau C. and Toppari J.: Spermatogenesis in vitro in mammals. In: *Assisted Reproductive Technology: Accomplishments and New Horizons*. Ed. by C.J. De Jonge and C.L.R. Barratt. Cambridge University Press, Cambridge, UK. pp. 3-25, 2002.
- A.3.29. Poutanen M., Zhang F.P., Rulli S., Mäkelä S., Sipilä P., Toppari J. and Huhtaniemi I.: Reproductive system. In: *Handbook of Experimental Pharmacology*. Ed. by S. Offermanns and L. Hein. Springer, Heidelberg, Germany. pp. 607-635, 2004.
- A.3.30. Toppari J.: Pseudoprecocious puberty, male. In: *Encyclopedia of Endocrine Diseases*. Ed. by L. Martini, Academic Press, San Diego, CA, USA. vol. 4, pp. 147-150, 2004.
- A.3.31. Main K.M., Rajpert-De Meyts E., Toppari J. and Skakkebaek N.E.: Endocrine disruptors and development of reproductive system: A paediatric perspective. In: *Pediatric Endocrinology: Mechanisms, Manifestations, and Management*. Ed. by O.H. Pescovitz and E. Eugster. Lippincott Williams & Wilkins, Philadelphia, PA, USA. pp. 376-390, 2004.
- A.3.32. Huhtaniemi I. and Toppari J.: FSH regulation at the molecular and cellular level: mechanisms of action and functional effects. In: *Sertoli Cell*. Ed. by M.D. Griswold and M.K. Skinner. Elsevier Science (USA). 2nd Edition. pp. 155-169, 2005.
- A.3.33. Virtanen H.E. and Toppari J.: Testicular dysgenesis syndrome as a congenital disease. In: *Congenital Diseases and the Environment*. Ed. by P. Nicolopoulos-Stamati, L. Hens and C.V. Howard. Springer, Netherlands pp. 245-253, 2007.
- A.3.34. Toppari J, Virtanen HE and Skakkebaek NE: Environmental contaminants and reproductive and fertility effects in the male: Possible role of fetal exposure. In: *Environmental Impacts on Reproductive Health and Fertility*. Ed. by TJ Woodruff, SJ Janssen, LJ Guillette and LC Giudice. Cambridge University Press, Cambridge, UK. pp. 147-153, 2010.
- A.3.35. Bonde J-P and Toppari J: Prevention of male infertility: environmental and systematic diseases on male fertility. In: *Andrology. EAU/ESAU Course Guidelines*. Ed. by L Björndahl, A Giwercman, H Tournaye and W Weidner. Informa Health Care, New York, N.Y., USA. pp. 164-175, 2010.
- A.3.36. Rajpert-De Meyts E, Main KM, Toppari J and Skakkebaek NE: Testicular dysgenesis syndrome, cryptorchidism, hypospadias, and testicular tumors. In: *Endocrinology, Adult and Pediatric*, 6th ed. Ed. by JL Jameson and LJ De Groot. Saunders-Elseviers, Philadelphia, PA, USA. pp. 2499-2513, 2010.
- A.3.37. Toppari J and Skakkebaek NE: Adverse trends in male reproductive health in two Nordic countries indicate environmental problems. In: *Multi-System Endocrine Disruption*. Ed. by J-P Bourguignon, B Jégou, B Kerdelhue, J Toppari and Y Christen. Research and Perspectives in Endocrine Interactions. Springer-Verlag, Berlin, Germany, pp. 145-159, 2011.
- A.3.38. Rajpert-De Meyts E, Main KM, Toppari J and Skakkebaek NE. Testicular dysgenesis syndrome, cryptorchidism, hypospadias, and testicular tumors. In: *Endocrinology*,

Adult and Pediatric, 7th ed. Ed. by JL Jameson and LJ De Groot. Saunders-Elseviers, Philadelphia, PA, USA., 2014

- A.3.39. Rajpert-De Meyts E, Skakkebaek NE, Toppari J. Testicular Cancer Pathogenesis, Diagnosis and Endocrine Aspects. In: De Groot LJ, Beck-Peccoz P, Chrousos G, Dungan K, Grossman A, Hershman JM, Koch C, McLachlan R, New M, Rebar R, Singer F, Vinik A, Weickert MO, editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from <http://www.ncbi.nlm.nih.gov/books/NBK278992/>
- A.3.40. Toppari J, Houk C, Lee PA. The Undescended Testis. In: Male Hypogonadism: Basic, Clinical and therapeutic Principles, 2nd ed. Ed.by Stephen J. Winters and Ilpo T. Huhtaniemi. Contemporary Endocrinology. Springer, Berlin, Germany, 2017.
- A.3.41. Mäkelä JA, Toppari J. Spermatogenesis. In: Endocrinology: Endocrinology of the Testis and Male Reproduction. Pp. 1-39. Ed. by Manuela Simoni and Ilpo T. Huhtaniemi. Springer, Berlin, Germany, 2017.
- A.3.42. Mäkelä JA, Toppari J. Spermatogenic cell syncytium. In M.K. Skinner (Ed.), Encyclopedia of Reproduction. vol. 1, pp. 124–133. Academic Press: Elsevier. <https://doi.org/10.1016/B978-0-12-801238-3.64569-5> ISBN: 9780128118993. 2018
- A.3.43. Mäkelä JA, Toppari J. Seminiferous Cycle. In M.K. Skinner (Ed.), Encyclopedia of Reproduction. vol. 1, pp. 134–144. Academic Press: Elsevier. <http://dx.doi.org/10.1016/B978-0-12-801238-3.64570-1> ISBN: 9780128118993. 2018
- A.3.44. Virtanen HE, Main KM, Toppari J. Association of endocrine disrupting chemicals with male reproductive health. In I.T. Huhtaniemi (Ed.), Encyclopedia of Endocrine Diseases. Academic Press: Elsevier. In press
- A.3.45. Toppari J. Introduction to endocrine toxicology and endocrine disruption. In I.T. Huhtaniemi (Ed.), Encyclopedia of Endocrine Diseases. Academic Press: Elsevier. In press

B. Non-refereed scientific articles

- B.1. Toppari J.: Trends in the incidence of male reproductive disorders - the association between oestrogenic chemicals in the environment and reproductive health. In: Oestrogenic Chemicals in the Environment, IBC Technical Services, London, U.K., 1996.
- B.2. Toppari J. and Skakkebaek N.E.: Evidence for decline in male reproductive health. In: Male Reproduction for the Year 2000: State of the Art Considerations, pp. 125-129, American Society for Reproductive Medicine, Boston, USA, 1996.
- B.3. Toppari J. and Skakkebaek N.E.: Endocrine disruption and male reproductive health. In: Development of Ecotoxicity and Toxicity Testing of Chemicals, TemaNord 1997:524: 14-15, Nordic Council of Ministers, Copenhagen, Denmark, 1997.
- B.4. Toppari J.: Cryptorchidism. In: Endocrinologie développement de l'enfant. Ed. by R. Rappaport and P. Chernichow, pp. 56-63, Paris, France, 2001.
- B.5. Toppari J.: Puberty and endocrine disrupters. Highlights 14:17-20, 2006.

C. Scientific books (monographs)

- C.1. Toppari J., Larsen J.Chr., Christiansen P., Giwercman A., Grandjean P., Guillette Jr.L.J., Jégou B., Jensen T.K., Jouannet P., Keiding N., Leffers H., McLachlan J.A.,

- Meyer O., Müller J., Rajpert-De Meyts E., Scheike T., Sharpe R., J. Sumpter and N.E. Skakkebaek: Male reproductive health and environmental chemicals with estrogenic effects. Ministry of Environment and Energy, Danish Environmental Protection Agency, Copenhagen, Denmark. Miljøprojekt nr. 290, pp. 1-166, 1995.
- C.2. Toppari, J., J.Chr. Larsen, P. Christiansen, A. Giwercman, P. Grandjean, L.J. Guillette, Jr., Jégou B., Jensen T.K., Jouannet P., Keiding N., Leffers H., McLachlan J.A., Meyer O., Müller J., Rajpert-De Meyts E., Scheike T., Sharpe R., Sumpter J. and Skakkebaek N.E.: Mandlig reproduktion og kemiske stoffer med østrogenlignende effekter (Male reproductive health and environmental chemicals with estrogenic effects; in Danish). Ministry of Environment and Energy, Danish Environmental Protection Agency, Copenhagen, Denmark. Miljøprojekt nr. 292, pp. 1-63, 1995.
- C.3. Foster P.M.D., Foster W.G., Hughes C., Kimmel C.A., Selevan S.E., Skakkebaek N.E., Sullivan F.S., Tabacova S., Toppari J. and Ulbrich B.: Principles for evaluating health risks to reproduction associated with exposure to chemicals. (Environmental health criteria 225), International Programme on Chemical Safety, WHO, Geneva, Switzerland, 2001.
- C.4. Louis G.B., Damstra D., Diaz-Barriga F., Faustman E., Hass U., Kavlock R., Kimmel C., Kimmel G., Krishnan K., Luderer L., Sheldon L. and advisory group including Toppari J.: Principles for evaluating health risks in children associated with exposure to chemicals (Environmental health criteria; 237), International Programme on Chemical Safety, WHO, Geneva, Switzerland, 2006.
- C.5. Jørgensen N, McGrigor K, Toppari J and Skakkebaek NE (eds): Proceedings of the 6th Copenhagen Workshop on Environment, Reproductive Health and Fertility. *Int J Androl* 29: 1-312, 2006.
- C.6. Rajpert-De Meyts E, McGrigor K, Toppari J and Skakkebaek NE (eds): Proceedings of the 3rd Copenhagen Workshop on Carcinoma in situ Testis and Germ Cell Cancer. *Int J Androl* 30:191-420, 2007.
- C.7. Andersson A-M, Bay K, McGrigor K, Toppari J and Skakkebaek NE (eds): Proceedings of the 4th Copenhagen Workshop on Endocrine Disrupters. *Int J Androl* 31: 73-294, 2008.
- C.8. Andersson A-M, Bay K, McGrigor K, Toppari J and Skakkebaek NE (eds): Proceedings of the 5th Copenhagen Workshop on Endocrine Disrupters. *Int J Androl* 33: 251-474, 2010.
- C.9. Huhtaniemi I and Toppari J (eds): Male Reproductive Endocrinology. *Best Practise & Research Clinical Endocrinology & Metabolism* 25 (2) 2011.
- C.10. Bourguignon J-P, Jégou B, Kerdelhué B, Toppari J and Christen Y (eds): Multi-System Endocrine Disruption. Research and Perspectives in Endocrine Interactions. Springer-Verlag, Berlin, Germany, 2011.
- C.11. Toppari J (ed.): Health Impacts of Endocrine Disrupters. Special issue. *Mol Cell Endocrinol* 2012 Mar 10.
- C.12. Toppari J, Adamsson A, Boas M, Juul A, Main KM, Skakkebaek NE, Virtanen HE: Endocrine disrupters and child health. Possible developmental early effects of endocrine disrupters on child health. WHO 2012, 83 pp. ISBN 978 92 4 150376 1.
- C.13. Bergman A, Heindel JJ, Jobling S, Kidd KA, Zoeller RT, Becher G, Bjerregaard P, Bornman R, Brandt I, Iguchi T, Kortenkamp A, Muir D, Ochieng R, Skakkebaek NE, Toppari J, Woodruff TJ: The Impact of Endocrine Disruption: State of the Science of Endocrine Disrupting Chemicals - 2012. WHO-UNEP 2013, 260 pp. ISBN 978-92-807-3274-0.

- C.14. Andersson AM, Frederiksen H, Grigor KM, Toppari J, Skakkebaek NE. Special issue on the Impact of endocrine disrupters on reproductive health. *Reproduction*. 2014 Mar 4;147(4):E1. doi: 10.1530/REP-14-0060. Print 2014. PubMed PMID: 24594785.

D Publications intended for professional communities

- D.1. Laukka K, Hiltunen A, Kronström I, Mäkilä K, Männistö J, Toppari J and Nienstedt W: Tupakoiko tuleva lääkäri? (Will the future physician smoke? in Finnish). *Suomen Lääkärilehti* 35: 1121-4, 1980.
- D.2. Santti R., Suominen J. and Toppari J.: Tuki- ja liikuntaelimestön opiskelun tavoitteet ja tavoitteiden mukaisia tehtäviä (The aims for studying of the locomotor system and corresponding exercises; in Finnish). University of Turku, 1979.
- D.3. Santti R., Suominen J. and Toppari J.: Tuki- ja liikuntaelimestön opiskelun tavoitteet ja tavoitteiden mukaisia tehtäviä (The aims for studying of the locomotor system and corresponding exercises; in Finnish). University of Turku, 1982.
- D.4. Sillanpää M. and Toppari J.: Ensimmäinen epileptinen kohtaus - aloittaako lääkitys vai ei? (The first epileptic seizure - should the antiepileptic medication be started?; in Finnish) *Suomen Lääkärilehti* 47: 2995-3000, 1992.
- D.5. Toppari J.: Synopsis on the Fourth Joint Lawson Wilkins Pediatric Endocrine Society/European Society for Paediatric Endocrinology Meeting, June 3-7, 1993, San Francisco, California. *Contenta Serono* 2: 1-2, 1993.
- D.6. Toppari J.: Ympäristö ja terveyst. (Environment and health; in Finnish). *Alumni Medicinae Aboensis* 6: 20-21, 1999.
- D.7. Näntö-Salonen K. and Toppari J.: Pituuden, painon ja murrosiän kehityksen seuranta (The follow-up of the length, weight, and pubertal development; in Finnish). In: *Kouluterveydenhuolto (School Health Care; in Finnish)*. Ed. by P. Terho, E.-L. Ala-Laurila, J. Laakso, H. Krogius, and M. Pietikäinen, Duodecim, Helsinki, Finland, pp. 153-164, 2000.
- D.8. Toppari J. and Näntö-Salonen K.: Kasvu ja fyysinen kehitys (Growth and physical development; in Finnish). In: *Kouluterveydenhuolto (School Health Care; in Finnish)*. Ed. by P. Terho, E.-L. Ala-Laurila, J. Laakso, H. Krogius, and M. Pietikäinen, Duodecim, Helsinki, Finland, pp. 104-107, 2000.
- D.9. Skakkebaek N.E., Rajpert-De Meyts E. and Toppari J.: Testicular cancer: Pathogenesis, diagnosis, endocrine aspects. Internet publication, versions 2001-2010 (constantly updated chapter), edited by L. De Groot, www.endotext.org
- D.10. Näntö-Salonen K. and Toppari J.: Pituuden, painon ja murrosiän kehityksen seuranta (The follow-up of the length, weight, and pubertal development; in Finnish). In: *Kouluterveydenhuolto (School Health Care; in Finnish)*. Ed. by P. Terho, E.-L. Ala-Laurila, J. Laakso, H. Krogius, and M. Pietikäinen, Duodecim, Helsinki, Finland, pp. 170-180, 2002. (2nd revised edition)
- D.11. Toppari J. and Näntö-Salonen K.: Kasvu ja fyysinen kehitys (Growth and physical development; in Finnish). In: *Kouluterveydenhuolto (School Health Care; in Finnish)*. Ed. by P. Terho, E.-L. Ala-Laurila, J. Laakso, H. Krogius, and M. Pietikäinen, Duodecim, Helsinki, Finland, pp. 110-113, 2002. (2nd revised edition)
- D.12. Toppari J.: Celebrating 25 years of the International Journal of Andrology. *Int. J. Androl.* 26:1, 2003.

- D.13. Boisen K.A., Kaleva M., Main K.M., Virtanen H., Haavisto A.M., Schmidt, M. Chellakooty I.M., Damgaard I.N., Mau C., Reunanen M., Skakkebaek N.E. and Toppari J.: Høj og stigende forekomst af kryptorkisme in Danmark. *Ugeskr Læger* 166/48: 4372-4375, 2004.
- D.14. Grandjean P. and Toppari J.: Possible effects of phthalate exposure in doses relevant for humans. *Int. J. Androl.* 29:181-5, 2006. (general discussion)
- D.15. Jørgensen N., Grigor K.M., Toppari J. and Skakkebaek N.E.: Proceedings of the 3rd Copenhagen workshop on environment, reproductive health and fertility, 15-18 January 2005. *Int. J. Androl.* 29:1, 2006. (preface)
- D.16. Meyts E.R., Grigor K.M., Toppari J. and Skakkebaek N.E.: Proceedings of the 6th Copenhagen workshop on carcinoma in situ testis and germ cell cancer, 26-28 October 2006. *Int J Androl.* 30:191, 2007 (preface)
- D.17. Toppari J.: Huiput ovat harvassa. Uusi biometrinen mittari tutkijoiden arviointiin: h-indeksi. *Duodecim* 123:1-2, 2007. (column)
- D.18. Tuomisto J. and Toppari J.: Altistus ympäristötekijöille ennen syntymää. (Exposure to environmental factors before birth) In: *Ympäristöterveyden käsikirja (Handbook of environmental health)*. Ed. by H. Mussalo-Rauhamaa, W. Paile, J. Tuomisto, and H.-S. Vuorinen. *Duodecim*, Helsinki, Finland, pp. 133-143, 2007.
- D.19. Toppari J.: Bibliometria puhuttaa. *Duodecim* 123:695-696, 2007. (letter)
- D.20. Andersson A.M., Bay K., Grigor K.M., Toppari J. and Skakkebaek N.E.: Proceedings of the 4th Copenhagen Workshop on Endocrine Disrupters, 28-31 May 2007. *Int J Androl.* 31:73, 2008. (preface)
- D.21. Main K.M. and Toppari J.: PBDEs and Cryptorchidism: Main et al. *Respond. Environ Health Perspect.* 116:A194-195, 2008.
- D.22. Main K.M. and Toppari J.: Cryptorchidism: Main et Al. *Respond. Environ Health Perspect.* 116:A195-196, 2008.
- D.23. Main K.M., Skakkebaek N.E. and Toppari J.: Re: The True Incidence of Cryptorchidism in Denmark: D. Cortes, E. M. Kjellberg, M. Breddam and J. Thorup *J Urol.* 2008; **179**: 314–318. (letter-to-editor) *J Urol.* 181(2):922-4, 2009.
- D.24. Andersson AM, Bay K, Grigor KM, Toppari J, Skakkebaek NE. Proceedings of the 5th Copenhagen Workshop on endocrine disrupters: ubiquitous endocrine disrupters and possible human health effects. Preface. *Int J Androl.* 33:251, 2010.
- D.25. Olea N, Sharpe R, Jegou B, Toppari J, Skakkebaek NE, Schlatt S, Heindel J (2010) Male reproductive health. *Science Policy Briefing* 40, European Science Foundation, September 2010, WWW.esf.org
- D.26. Rajpert-De Meyts E, Toppari J. European Academy of Andrology revives the International Journal of Andrology Award and Lecture. *Int J Androl* 34:1, 2011.
- D.27. Huhtaniemi I, Toppari J. Male reproductive endocrinology. Preface. *Best Pract Res Clin Endocrinol Metab* 25(2):vii, 2011.
- D.28. Skakkebaek NE, Andersson AM, Juul A, Jensen TK, Almstrup K, Toppari J, Jørgensen N. Commentary: sperm counts, data responsibility, and good scientific practice. *Epidemiology* 22:620-1, 2011.
- D.29. Jørgensen N, Vierula M, Perheentupa A, Virtanen HE, Skakkebaek NE, Toppari J. Recent adverse trends in semen quality and testis cancer incidence of Finnish men: reply to Bonde et al., *IJA* 2012. *Int J Androl.* 2012 Mar 19. doi:10.1111/j.1365-2605.2012.01262.x.
- D.30. Toppari J. Showcase for endocrine disruption. *Mol Cell Endocrinol.* 355: 191, 2012.
- D.31. Rajpert-De Meyts E, Eliasson R, Comhaire FH, Skakkebaek NE, Sharpe RM, Toppari J: Goodbye International Journal of Andrology, welcome Andrology! *Int J Androl.* 35: 769-774, 2012.

- D.32. Bergman A, Heindel JJ, Kasten T, Kidd KA, Jobling S, Neira M, Zoeller RT, Becher G, Bjerregaard P, Bornman R, Brandt I, Kortenkamp A, Muir D, Brune Drisse MN, Ochieng R, Skakkebaek NE, Sundén Byléhn A, Iguchi T, Toppari J, Woodruff TJ: The Impact of Endocrine Disruption: A Consensus Statement on the State of the Science. *Environmental Health Perspectives* 121: A104-6, 2013
- D.33. Bergman A, Andersson AM, Becher G, van den Berg M, Blumberg B, Bjerregaard P, Bornehag CG, Bornman R, Brandt I, Brian JV, Casey SC, Fowler PA, Frouin H, Giudice LC, Iguchi T, Hass U, Jobling S, Juul A, Kidd KA, Kortenkamp A, Lind M, Martin OV, Muir D, Ochieng R, Olea N, Norrgren L, Ropstad E, Ross PS, Rudén C, Scheringer M, Skakkebaek NE, Söder O, Sonnenschein C, Soto A, Swan S, Toppari J, Tyler CR, Vandenberg LN, Vinggaard AM, Wiberg K, Zoeller RT. Science and policy on endocrine disruptors must not be mixed: a reply to a "common sense" intervention by toxicology journal editors. *Environ Health*. 2013 Aug 27;12(1):69. [Epub ahead of print] PubMed PMID: 23981490.
- D.34. Damsgaard J, Joensen UN, Carlsen E, Erenpreiss J, Jensen MB, Matulevicius V, Zilaitiene B, Olesen IA, Perheentupa A, Punab M, Salzbrunn A, Toppari J, Virtanen HE, Juul A, Skakkebaek NE, Jørgensen N. Reply to Eugenio Ventimiglia, Francesco Montorsi, and Andrea Salonia's Letter to the Editor re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. *Eur Urol*. <http://dx.doi.org/10.1016/j.eururo.2016.06.044>. *Eur Urol*. 2016 Sep 13. pii: S0302-2838(16)30585-1. doi: 10.1016/j.eururo.2016.09.002.
- D.35. Mäkinen M, Mykkänen J, Koskinen M, Simell V, Veijola R, Hyöty H, Ilonen J, Knip M, Simell O, Toppari J. Seerumin D-vitamiinipitoisuus ei liity tyypin 1 diabeteksen kehittymiseen lapsilla. *Duodecim* 2016;132(4):321 duo12985 (012.985)
- D.36. Kantola K, Hedman L, Tanner L, Simell V, Mäkinen M, Partanen J, Sadeghi M, Veijola R, Knip M, Ilonen J, Hyöty H, Toppari J, Simell O, Hedman K, Söderlund-Venermo M. Correction: B-Cell Responses to Human Bocaviruses 1-4: New Insights from a Childhood Follow-Up Study. *PLoS One*. 2017 Feb 8;12(2):e0172078. doi: 10.1371/journal.pone.0172078. eCollection 2017. PubMed PMID: 28178324; PubMed Central PMCID: PMC5298275.
- D.37. Jaakko J, Koskeniemi JJ, Koskeniemi AR, Virtanen HE, Toppari J. Kiveksen kehityshäiriö ja kivessyövän etiologia. (Developmental disorder of the testis and the etiology of testicular cancer; in Finnish). *Duodecim* 2017;133:1273–82.
- D.38. Huhtaniemi I, Toppari J. Miehen ehkäisyvalmisteet. In: *Lääketieteellinen farmakologia ja toksikologia*. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. *Duodecim* 2019
- D.39. Huhtaniemi I, Toppari J. Miehen lisääntymistoimintojen säätely. In: *Lääketieteellinen farmakologia ja toksikologia*. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. *Duodecim* 2019
- D.40. Huhtaniemi I, Toppari J. Androgeenien käyttö. In: *Lääketieteellinen farmakologia ja toksikologia*. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. *Duodecim* 2019
- D.41. Huhtaniemi I, Toppari J. Testosteronivalmisteet. In: *Lääketieteellinen farmakologia ja toksikologia*. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi,

- E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. Duodecim 2019
- D.42. Huhtaniemi I, Toppari J. Anabolis-androgeeniset valmisteet. In: Lääketieteellinen farmakologia ja toksikologia. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. Duodecim 2019
- D.43. Huhtaniemi I, Toppari J. Antiandrogeenit. In: Lääketieteellinen farmakologia ja toksikologia. Ed. by H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. Duodecim 2019
- D.44. Huhtaniemi I, Toppari J. Eturauhasen liikakasvun hoidossa käytettävät α_1 -adrenoreseptori-antagonistit. In: Lääketieteellinen farmakologia ja toksikologia. Ed. by P H. Ruskoaho, J. Hakkola, R. Huupponen, A. Kantele, E. Korpi, E. Moilanen, P. Piepponen, E. Savontaus, O. Tenhunen, K. Vähäkangas. Duodecim 2019

E. Publications intended for the general public

- E.1. Toppari J.: Piilokives pitää hoitaa. (Cryptorchidism must be treated; in Finnish). Hyvä Terveys 5: 20-21, 2000
- E.2. Toppari J.: Ympäristö ja miehen lisääntymisterveys. (Environment and male reproductive health; in Finnish). Ympäristö ja Terveys-lehti. Supplementtinumero: Ympäristöterveys 2002: 51-55, 2002.
- E.3. Toppari J: Preface in: Nysten A.: Kemikaalikirjasto. Kustannusosakeyhtiö Teos, Helsinki, Finland 2008.

F. Public artistic and design activities

G. Thesis

Toppari J. Rat spermatogenesis in vitro. Studies on differentiation of seminiferous tubule segments at defined stages of the epithelial cycle. Ph.D. thesis, University of Turku, Turku, Finland, 1986.

H. Patents and invention disclosures

I. Audiovisual material, ICT software

- I.1. Parvinen M., Vihko K.K. and Toppari J.: Studies on spermatogenesis Transillumination-assisted microdissection of seminiferous tubules with some applications. U-Matic and VHS PAL video, 20 min. Department of Anatomy and the Audiovisual Unit, University of Turku, Turku, Finland, 1985.
- I.2. Toppari J.: Lihaskudos (Muscle tissue, in Finnish). U-Matic and VHS PAL video, 20 min. Department of Anatomy and the Audiovisual Unit, University of Turku, Turku, Finland, 1985.

- I.3. Parvinen M., Toppari J. and Latvala M.: Aivohermojen tutkimus (Examination of cranial nerves, in Finnish). U-Matic and VHS PAL video, 25 min. Department of Anatomy and the Audiovisual Unit, University of Turku, Turku, Finland, 1986.
- I.4. Parvinen M., Alanen A. and Toppari J.: Ultraäänitutkimuksen perusteet (Basics of ultrasound diagnosis, in Finnish). U-Matic and VHS PAL video, 35 min. Department of Anatomy and the Audiovisual Unit, University of Turku, Turku, Finland, 1988.