

June 27, 2024

Publications
Mika Koivisto

Peer-reviewed publications

Filimonov, D., Tanskanen, S., Revonsuo, A., & Koivisto, M. (2024). Is auditory awareness graded or dichotomous: Electrophysiological correlates of consciousness at different depths of stimulus processing. *Consciousness and Cognition*, *123*, 103720. <https://doi.org/10.1016/j.concog.2024.103720>

Koivisto, M., Koskinen, J., Jokiaho, S., Vahanne, T., Pohjola, M. & Kontio, E. (2024), A short simulated nature experience as an effective way to promote restoration from work-related stress. *Scandinavian Journal of Psychology*. <https://doi.org/10.1111/sjop.13044>

Koivisto, M., & Grassini, S. (2024). The restorative effects of mental imagery of nature: A study on subjective and physiological responses. *Journal of Environmental Psychology*, *96*, 102346. <https://doi.org/10.1016/j.jenvp.2024.102346>

Koivisto, M., & Pallaris, C. (2024). Cognitive flexibility moderates the relationship between openness-to-experience and perceptual reversals of Necker cube. *Consciousness and Cognition*, *122*, 103698. <https://doi.org/10.1016/j.concog.2024.103698>

Grassini, S., & Koivisto, M. (2024). Artificial Creativity? Evaluating AI Against Human Performance in Creative Interpretation of Visual Stimuli. *International Journal of Human-Computer Interaction*, 1–12. <https://doi-org.ezproxy.utu.fi/10.1080/10447318.2024.2345430>

Grassini, S., & Koivisto, M. (2024). Understanding how personality traits, experiences, and attitudes shape negative bias toward AI-generated artworks. *Scientific Reports*, *14*, 4113. <https://doi.org/10.1038/s41598-024-54294-4>

Koivisto M., & Grassini, S. (2023). Best humans still outperform artificial intelligence in a creative divergent thinking task. *Scientific Reports*, *13*, 13601. <https://doi.org/10.1038/s41598-023-40858-3>

Koivisto M., & Grassini S. (2023). Mental imagery of nature induces positive psychological effects. *Current Psychology*, *42*, 30348–30363. <https://doi.org/10.1007/s12144-022-04088-6>

Koivisto, M., Virkkala, M., Puustinen, M., & Aarnio, J. (2023). Open and empathic personalities see two things at the same time: the relationship of big-five personality traits and cognitive empathy with mixed percepts during binocular rivalry. *Current Psychology*, *42*, 9552–9562. <https://doi.org/10.1007/s12144-021-02249-7>

Koivisto M., & Grassini, S. (2022). Affective responses to urban but not to natural scenes depend on inter-individual differences in childhood nature exposure.

Journal of Environmental Psychology, 82, 101840.
<https://doi.org/10.1016/j.jenvp.2022.101840>

Rashid Izullah, F., Koivisto, M., Nieminen, V., Luimula, M., & Hämäläinen, H. (2022). Aging and sleep deprivation affect different neurocognitive stages of spatial information processing during a virtual driving task – An ERP study (2022) *Transportation Research Part F: Traffic Psychology and Behaviour*, 89, 399-40.
<https://doi.org/10.1016/j.trf.2022.07.001>

Filimonov, D., Railo, H., Revonsuo, A., & Koivisto, M. (2022). Modality-specific and modality-general electrophysiological correlates of visual and auditory awareness: Evidence from a bimodal ERP experiment. *Neuropsychologia*, 166, 108154.
<https://doi.org/10.1016/j.neuropsychologia.2022.108>

Koivisto, M., Jalava, E., Kuusisto, L., Railo, H., & Grassini, S. (2022). Top-Down Processing and Nature Connectedness Predict Psychological and Physiological Effects of Nature. *Environment and Behavior*, 54(5), 917-945.
<https://doi.org/10.1177/00139165221107535>

Grassini, S., Segurini, G. V., & Koivisto, M. (2022). Watching Nature Videos Promotes Physiological Restoration: Evidence From the Modulation of Alpha Waves in Electroencephalography. *Frontiers in Psychology*, 13, 871143.
<https://doi.org/10.3389/fpsyg.2022.871143>

Izullah Rashid, F., af Schulten, A., Koivisto, M., Nieminen, V., Luimula, M., & Hämäläinen, H. (2021). Differential interactions of age and sleep deprivation in driving and spatial perception by male drivers in a virtual reality environment. *Scandinavian Journal of Psychology*, 62, 787–797

Jimenez, M., Poch, C., Villalba-Garcia, C., Sabater, L., Hinojosa, J. A., Montoro, P. R., & Koivisto, M. (2021). The Level of Processing Modulates Visual Awareness: Evidence from Behavioral and Electrophysiological Measures. *Journal of Cognitive Neuroscience* 33(7), 1295–1310. https://doi.org/10.1162/jocn_a_01712

Koivisto, M., Leino, K., Pekkarinen, A., Karttunen, J., Railo, H., & Hurme, M. (2021). Transcranial magnetic stimulation (TMS)-induced Blindsight of Orientation is Degraded Conscious Vision. *Neuroscience*, 475, 206–219.
<https://doi.org/10.1016/j.neuroscience.2021.08.025>

Grassini, S., Sikka, P., Revonsuo, A., & Koivisto, M. (2020). Subjective ratings of fear are associated with frontal late positive potential asymmetry, but not with early brain activity over the occipital and centro-parietal cortices. *Psychophysiology*, 57. DOI: 10.1111/psyp.13665

- Koivisto, M., & Neuvonen, S. (2020). Masked blindsight in normal observers: Measuring subjective and objective responses to two features of each stimulus. *Consciousness & Cognition*, *81*, 102929.
- Förster, J., Koivisto, M., & Revonsuo, A. (2020). ERP and MEG correlates of visual consciousness: The second decade. *Consciousness & Cognition*, *80*, 102917.
- Hurme, M., Koivisto, M., Henriksson, L., & Railo, H. (2020). Neuronavigated TMS of early visual cortex eliminates unconscious processing of chromatic stimuli. *Neuropsychologia*, *136*, 107266.
- Grassini, S., Valli, K., Souchet, J., Aubret, F., Segurini, G. V., Revonsuo, A., & Koivisto, M. (2019). Pattern matters: Snakes exhibiting triangular and diamond-shaped skin patterns modulate electrophysiological activity in human visual cortex. *Neuropsychologia*, *131*, 62-72.
- Salminen-Vaparanta, N., Koivisto, M., Vorobyev, V., Alakurtti, K., & Revonsuo, A. (2019). Does TMS on V3 block conscious visual perception? *Neuropsychologia*, *128*, 223-231.
- Grassini, S., Railo, H., Valli, K., Revonsuo, A., & Koivisto, M. (2019). Visual features and perceptual context modulate attention towards evolutionarily relevant threatening stimuli: electrophysiological evidence. *Emotion*, *19*, 348-364.
- Grassini, S., Revonsuo, A., Castellotti, S., Petrizzo, I., Benedetti, V., & Koivisto, M. (2019). Processing of natural scenery is associated with lower attentional and cognitive load compared with urban ones. *Journal of Environmental Psychology* *62*, 1-11.
- Hurme, M. J., Koivisto, M., Revonsuo, A., & Railo, H. (2019). V1 activity during feedforward and early feedback processing is necessary for both conscious and unconscious motion perception. *Neuroimage*, *185*, 313-321.
- Jimenez, M., Grassini, S., Montoro, P. R., Luna, D., & Koivisto, M. (2018). Neural correlates of visual awareness at stimulus low vs. high-levels of processing. *Neuropsychologia*, *121*, 144-152.
- Koivisto, M., Ruohola, M., Vahtera, A., Lehmusvuo, T., & Intaite, M. (2018). The effects of working memory load on visual awareness and its electrophysiological correlates. *Neuropsychologia*, *120*, 86-96.
- Koivisto, M., & Grassini, S. (2018). Unconscious response priming during continuous flash suppression. *PlosOne*, *13*(2):e0192201. DOI10.1371/journal.pone.0192201
- Hämäläinen, H., Rashid Izullah, F., Koivisto, M., Takio, F., & Luimula, M. (2018). The right-side perceptual bias in aging determined in a laboratory setting and during a virtual driving task. *Scandinavian Journal of Psychology*, *59*(1), 32-40

- Kallio, S., Koivisto, M., & Kaakinen, J. (2017). Synaesthesia-type associations and perceptual changes induced by hypnotic suggestion. *Scientific Reports*, 7:17310. DOI:10.1038/s41598-017-16174-y
- Koivisto, M., Grassini, S., Hurme, M., Salminen-Vaparanta, N., Railo, H., Vorobyev, V., Tallus, J., Paavilainen, T., & Revonsuo, A. (2017). TMS-EEG reveals hemispheric asymmetries in top-down influences of posterior intraparietal cortex on behavior and visual event-related potentials. *Neuropsychologia*, 107, 94-101.
- Koivisto, M., Harjuniemi, I., Railo, H., Salminen-Vaparanta, I., & Revonsuo, A. (2017). Transcranial magnetic stimulation of early visual cortex suppresses conscious representations in a dichotomous manner without gradually decreasing their precision. *Neuroimage*, 158, 308-318.
- Koivisto, M., Grassini, S., Salminen-Vaparanta, N., & Revonsuo, A. (2017). Different electrophysiological correlates of visual awareness for detection and identification. *Journal of Cognitive Neuroscience*, 29, 1621–1631.
- Hurme, M., Koivisto, M., Revonsuo, A., & Railo, H. (2017). Early processing in primary visual cortex is necessary for conscious and unconscious vision while late processing is necessary only for conscious vision in neurologically healthy humans. *Neuroimage*, 150, 230-238.
- Koivisto, M., & Kahila, E. (2017). Top-down preparation modulates visual categorization but not subjective awareness of objects presented in natural backgrounds. *Vision Research*, 133, 73-80.
- Luimula, M., Hämäläinen, H., Izullah, F.R., Aho, A., Koivisto, M., Laine, T., Qvist, P., Peltola, A., & Pitkäkangas, P. (2017). Neurocar virtual driving environment: simultaneous evaluation of driving skills and spatial perceptual-attentional capacity. *Acta Technica Jaurinensis* 10 (1), 21-34
- Grassini, S., Holm, S., Railo, H., & Koivisto, M. (2016). Who is afraid of the invisible snake? Subjective visual awareness modulates posterior brain activity for evolutionarily threatening stimuli. *Biological Psychology*, 121, 53-61.
- Koivisto, M., Grassini, S., Salminen-Vaparanta, N., & Revonsuo, A. (2016). Subjective visual awareness emerges prior to P3. *European Journal of Neuroscience*, 43, 1601-1611.
- Kallio, S., & Koivisto, M. (2016). Seeing Blue As Red: A Hypnotic Suggestion Can Alter Visual Awareness of Colors. *International Journal of Clinical and Experimental Hypnosis*, 64:3, 261-284. DOI: 10.1080/00207144.2016.1171088
- Koivisto, M., & Grassini, S. (2016). Neural processing around 200 ms after stimulus-onset correlates with subjective visual awareness. *Neuropsychologia*, 84, 235-243.

Koivisto, M., & Rientamo, E. (2016). Unconscious vision spots the animal but not the dog: Masked priming of natural scenes. *Consciousness and Cognition*, *41*, 10-23.

Railo, H., Karhu, V.-M., Mast, J., Pesonen, H., & Koivisto, M. (2016). Rapid and accurate processing of multiple objects in briefly presented scenes. *Journal of Vision*, *16*(3):8, 1-11.

Lähteenmäki, M., Sormunen, E., Koivisto, M., Railo, H., & Tuominen, L. (2015). TMS-induced seizure following focal single-pulse IPS stimulation. *Brain Stimulation*, *8*(6): 1238.

Railo, H., Revonsuo, A., & Koivisto, M. (2015). Behavioral and electrophysiological evidence for fast emergence of visual consciousness. *Neuroscience of Consciousness*, doi: 10.1093/nc/niv004

Perämäki, T., & Koivisto, M. (2015). Psykoterapian vaikutukset aivot toimintoihin masennustilassa. *Suomen Lääkärilehti*, *70*, 1157-1163.

Lähteenmäki, M., Hyönä, J., Koivisto, M., & Nummenmaa, L. (2015). Affective Processing Requires Awareness. *Journal of Experimental Psychology: General*, *144*, 339-365.

Takio, F., Koivisto, M., & Hämäläinen, H. (2014). The influence of executive functions on spatial biases varies during the lifespan. *Developmental Cognitive Neuroscience*, *10*, 170-180.

De Graaf, T.A., Koivisto, M., Jacobs, C., & Sack, A.T. (2014). The chronometry of visual perception: Review of occipital TMS masking studies. *Neuroscience and Biobehavioral Reviews*, *45*, 295-304.

Railo, H., Andersson, E., Kaasinen, V., Laine, T., & Koivisto, M. (2014). Unlike in clinical blindsight patients, unconscious processing of chromatic information depends on early visual cortex in healthy humans. *Brain Stimulation*, *7*, 415-420.

Intaite, M., Koivisto, M., & Castelo-Branco, M. (2014). Event-related potential responses to perceptual reversals are modulated by working memory load. *Neuropsychologia*, *56*, 428-438.

Intaite, M., Koivisto, M., & Castelo-Branco, M. (2014). The linear impact of concurrent working memory load on dynamics of Necker cube perceptual reversals. *Journal of Vision*, *14*(1):13, 1-9.

Koivisto, M., Kastrati, G., & Revonsuo, A. (2014). Recurrent processing enhances visual awareness but is not necessary for fast categorization of natural scenes. *Journal of Cognitive Neuroscience*, *26*, 223-231.

- Koivisto, M., Lähteenmäki, M., Kaasinen, V., Parkkola, R., & Railo, H. (2014). Overlapping activity periods in early visual cortex and posterior intraparietal area in conscious shape perception: a TMS study. *Neuroimage*, *84*, 765-774.
- Kallio, S., & Koivisto, M. (2013). Posthypnotic suggestion alters conscious color perception in an automatic manner. *International Journal of Clinical and Experimental Hypnosis*, *61*(4), 371-387, 2013
- Koivisto, M., Kirjanen, S., Revonsuo, A., & Kallio, S. (2013). A Preconscious Neural Mechanism of Hypnotically Altered Colors: A Double Case Study. *PLoS ONE* *8*(8): e70900. doi:10.1371/journal.pone.0070900
- Intaite, M., Koivisto, M., & Revonsuo, A. (2013). Perceptual reversals of Necker stimuli during intermittent presentation with limited attentional resources. *Psychophysiology*, *50*, 82-96.
- Takio, F., Koivisto, M., Tuominen, T., Laukka, S.J., & Hämäläinen, H. (2013). Visual rightward spatial bias varies as a function of age. *Laterality*, *18*, 44-67.
- Koivisto, M. (2012). Is reentry critical for visual awareness of object presence? *Vision Research*, *63*, 43-49.
- Koivisto, M., Henriksson, L., Revonsuo, A., & Railo, H. (2012). Unconscious response priming by shape depends on geniculostriate visual projection. *European Journal of Neuroscience* *35*, 623-633.
- Koivisto, M., & Silvanto, J. (2012). Visual feature binding: the critical time windows of V1/V2 and parietal activity. *Neuroimage* *59*, 1608-1614.
- Railo, H., & Koivisto, M. (2012). Two means of suppressing visual awareness: A direct comparison of visual masking and transcranial magnetic stimulation. *Cortex*, *48*, 333-343.
- Railo, H., Salminen-Vaparanta, N., Henriksson, L., Revonsuo, A., & Koivisto, M. (2012). Unconscious and conscious processing of color rely on activity in early visual cortex: A transcranial magnetic stimulation study. *Journal of Cognitive Neuroscience*, *24*, 819-829.
- Salminen-Vaparanta, N., Koivisto, M., Noreika, V., Vanni, S., & Revonsuo, A. (2012). Neuronavigated transcranial magnetic stimulation suggests that area V2 is necessary for visual awareness. *Neuropsychologia*, *50*, 1621-1627.
- Salminen-Vaparanta, N., Noreika, V., Revonsuo, A., Koivisto, M., & Vanni, S. (2012). Is selective primary visual cortex stimulation achievable with TMS? *Human Brain Mapping*, *33*, 652-665.

Koivisto, M., Railo, H., Revonsuo, A., Vanni, S., & Salminen-Vaparanta, N. (2011). Recurrent processing in V1/V2 contributes to categorization of natural scenes. *Journal of Neuroscience*, **31**, 2488-2492.

Koivisto, M., Railo, H., & Salminen-Vaparanta, N. (2011). Transcranial magnetic stimulation of early visual cortex interferes with subjective visual awareness and objective forced-choice performance. *Consciousness & Cognition* **20**, 288-298.

Koivisto, M., & Silvanto, J. (2011). Relationship between binding, reentry and awareness. *Consciousness & Cognition* **20**, 1293-1303.

Railo, H., Koivisto, M., & Revonsuo, A. (2011). Tracking the processes behind conscious perception: A review of event-related potential correlates of visual consciousness. *Consciousness & Cognition*, **20**, 972-983.

Takio, F., Koivisto, M., Laukka, S.J., & Hämäläinen, H. (2011). Auditory rightward spatial bias varies as a function of age. *Developmental Neuropsychology*, **36**, 367-387.

Intaite, M., Koivisto, M., Ruksenas, O., & Revonsuo, A. (2010). Reversal negativity and bistable stimuli: Attention, awareness, or something else? *Brain & Cognition*, **74**, 24-34

Koivisto, M., Mäntylä, T., & Silvanto, J. (2010). The role of early visual cortex (V1/V2) in conscious and unconscious visual perception. *Neuroimage*, **34**, 922-934.

Koivisto, M., & Revonsuo, A. (2010). Event-related brain potential correlates of visual awareness. *Neuroscience and Biobehavioral Reviews*, **34**, 922-934.

Revonsuo, A., & Koivisto, M. (2010). Electrophysiological evidence for phenomenal consciousness. *Cognitive Neuroscience*, **3**, 225-227.

Koivisto, M., Kainulainen, P., & Revonsuo, A. (2009). The relationship between awareness and attention: evidence from ERP responses. *Neuropsychologia*, **47**, 2891-2899.

Koivisto, M., & Revonsuo, A. (2009). The effects of perceptual load on semantic processing under inattention. *Psychonomic Bulletin & Review*, **16**, 864-868.

Railo, H., & Koivisto, M. (2009). The electrophysiological correlates of stimulus visibility and metacontrast masking. *Consciousness & Cognition* **18**, 794-803.

Railo, H., & Koivisto, M. (2009). Reply to Bachmann on ERP correlates of visual awareness. *Consciousness & Cognition* **18**, 809-810.

- Santtila, P., Mokros, A., Viljanen, K., Koivisto, M., Sandnabba, N.K., Zappala, A. & Osterheider, M. (2009). Assessment of sexual interest using a choice reaction time task and priming: a feasibility study. *Legal and Criminological Psychology*, **14**, 65-82.
- Takio, F., Koivisto, M., Jokiranta, L., Rashid, F., Kallio, J., Tuominen, T., Laukka, S.J., & Hämäläinen, H. (2009). The effect of age on attentional modulation in dichotic listening. *Developmental Neuropsychology*, **34**, 225-239..
- Koivisto, M., Lähteenmäki, M., Soerensen, T.A., Vangkilde, S., Overgaard, M., & Revonsuo, A. (2008). The earliest electrophysiological correlate of visual consciousness? *Brain & Cognition* **66**, 91-103.
- Koivisto, M., & Revonsuo, A. (2008). The role of selective attention in visual awareness of stimulus features: electrophysiological studies. *Cognitive, Affective, & Behavioral Neuroscience* **8**, 195-210.
- Koivisto, M., & Revonsuo, A. (2008). The role of unattended distractors in sustained inattention blindness. *Psychological Research* **72**, 39-48.
- Koivisto, M., & Revonsuo, A.. (2008). Comparison of event-related potentials in attentional blink and repetition blindness. *Brain Research* **1189**, 115-126.
- Kwon, M.S., Koivisto, M., Laine, M., Hämäläinen, H. (2008). Perception of the electromagnetic field emitted by a mobile phone. *Bioelectromagnetics* **29**, 154-159.
- Railo, H., Koivisto, M., Revonsuo, A. Hannula, M.M (2008). The Role of Attention in Subitizing. *Cognition*, **107**, 82-104.
- Haarala, C, Takio, F., Rintee, T., Laine, M., Koivisto, M., Revonsuo, A., & Hämäläinen H. (2007) Pulsed and Continuous Wave Mobile Phone Exposure Over Left and Right Hemisphere: Effects on Human Cognitive Function. *Bioelectromagnetics* **28**, 289-295.
- Koivisto, M., & Revonsuo, A. (2007). Electrophysiological correlates of visual consciousness and selective attention. *NeuroReport* **18**, 753-756.
- Koivisto, M., & Revonsuo, A. (2007). How meaning shapes seeing. *Psychological Science* **18**, 845-849.
- Hyönä, J., & Koivisto, M. (2006). The role of eye movements in lateralized word recognition. *Laterality* **11**, 155-169.
- Koivisto, M., Revonsuo, A., & Lehtonen, M. (2006). Independence of visual awareness from the scope of attention: an electrophysiological study. *Cerebral Cortex* **16**, 415-424..
- Krause, C.M., Haarala Björnberg, C., Pesonen, M., Hulten, A., Liesivuori, T., Koivisto, M., Revonsuo, A., Laine, M., & Hämäläinen, H. (2006). Mobile phone effects on

children's event-related oscillatory EEG during an auditory memory task. *International Journal of Radiation Biology* **82**, 443-450.

Overgaard, M., Koivisto, M., Soerensen, T.A., Vangkilde, S., & Revonsuo, A. (2006). Electrophysiology of introspection. *Consciousness & Cognition* **15**, 662-672.

Haarala, C., Bergman, M., Laine, M., Revonsuo, A., Koivisto, M., & Hämäläinen, H. (2005). The electromagnetic field emitted by 920 MHz mobile phones shows no effects on children's cognitive function. *Bioelectromagnetics Suppl 7*: 144-150.

Koivisto, M., & Revonsuo, A. (2005). Prechange event-related potentials predict change blindness in various attention conditions. *NeuroReport* **16**, 869-873.

Koivisto, M., Revonsuo, A. & Salminen, N. (2005). Independence of visual awareness from attention at early processing stages. *NeuroReport* **16**, 817-821.

Haarala, C., Ek, M., Björnberg, L., Laine, M., Revonsuo, A., Koivisto, M., & Hämäläinen, H. (2004). 902 MHz mobile phone does not affect short term memory in humans. *Bioelectromagnetics* **25**, 452-456.

Koivisto, M., Hyönä, J., & Revonsuo, A. (2004). The effects of eye movements, spatial attention, and stimulus features on inattention blindness. *Vision Research* **44**, 3211-3221.

Koivisto, M., & Revonsuo, A. (2004). Preconscious analysis of global structure: evidence from masked priming. *Visual Cognition* **11**, 105-127.

Krause, C.M., Haarala, C., Sillanmäki, L., Koivisto, M., Alanko, K., Revonsuo, A., Laine, M., & Hämäläinen, H. (2004). Effects of electromagnetic field emitted by cellular phones on the EEG during an auditory memory task: A double blind replication study. *Bioelectromagnetics* **25**, 33-40.

Haarala, C., Björnberg, L., Ek, M., Laine, M., Revonsuo, A., Koivisto, M., & Hämäläinen, H. (2003). Effect of a 902 MHz electromagnetic field emitted by mobile phones on human cognitive function: a replication study. *Bioelectromagnetics* **24(4)**: 283-288.

Koivisto, M. & Revonsuo, A. (2003). An ERP study of Change Detection, Change Blindness and Visual Awareness. *Psychophysiology* **40**, 423-429.

Koivisto, M. & Revonsuo, A. (2003). Interhemispheric categorization of pictures and words. *Brain and Cognition* **52**, 181-191.

Koivisto, M., & Revonsuo, A. (2003). Object recognition in the cerebral hemispheres as revealed by visual field experiments. *Laterality* **8**, 135-153.

Koivisto, M., & Hämäläinen, H. (2002). Hemispheric semantic priming in the single word presentation task. *Neuropsychologia* **40**, 978-985.

Seinelä, A., Hämäläinen, P., Koivisto, M., & Ruutiainen, J. (2002). Conscious and unconscious uses of memory in multiple sclerosis. *Journal of the Neurological Sciences* **198**, 79-85.

Koivisto, M., Haarala, C., Krause, C.M., Revonsuo, A., Laine, M., & Hämäläinen, H. (2001). GSM phone signal does not produce subjective symptoms. *Bioelectromagnetics* **22**, 212-215.

Koivisto, M. & Revonsuo, A. (2001). Cognitive representations underlying the N400 priming effect. *Cognitive Brain Research* **12**, 487-490.

Koivisto, M. (2000). Interhemispheric interaction in semantic categorization of pictures. *Cognitive Brain Research* **9**, 45-51.

Koivisto, M., Krause, C.M., Revonsuo, A., Laine, M., & Hämäläinen H. (2000). The effects of electromagnetic field emitted by GSM phones on working memory. *NeuroReport* **11**, 1641-1643.

Koivisto, M., & Laine, M. (2000). Hemispheric dissociations in activation and integration of categorical information. *Laterality* **5**, 1-21.

Koivisto, M., & Laine, M. (2000). What is right and what is left in semantic processing: A reply to Chiarello. *Laterality* **5**, 29-33.

Koivisto, M., & Revonsuo, A. (2000). Semantic priming by pictures and words in the cerebral hemispheres. *Cognitive Brain Research* **10**, 91-98.

Koivisto, M., Revonsuo, A., Krause, C., Haarala, C., Sillanmäki, L., Laine, M., Hämäläinen, H. (2000). Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans. *NeuroReport* **11**, 413-415.

Krause, C.M., Sillanmäki, L., Koivisto, M., Häggqvist, A., Saarela, C., Revonsuo, A., Laine, M., & Hämäläinen, H. (2000). Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task. *NeuroReport* **11**, 761-764.

Krause, C.M., Sillanmäki, L., Koivisto, M., Häggqvist, A., Saarela, C., Revonsuo, A., Laine, M., & Hämäläinen, H. (2000). Effects of Electromagnetic Field Emitted by Cellular Phones on the Electroencephalogram During a Visual Working Memory Task. *International Journal of Radiation Biology* **76**, 1659-1667.

Krause, C.M., Sillanmäki, L., Koivisto, M., Saarela, C., Häggqvist, A., Laine, M., & Hämäläinen, H. (2000). The effects of memory load on event-related desynchronization and synchronization. *Clinical Neurophysiology* **111**, 2071-2078.

Koivisto, M. (1999). Hemispheric dissociations in controlled lexical-semantic processing. *Neuropsychology* **13**, 488-497.

Koivisto, M., & Laine, M. (1999). Strategies of semantic categorization in the cerebral hemispheres. *Brain and Language* **66**, 341-357.

Koivisto, M. (1998). Backward priming and post-lexical processing in the right hemisphere. *Laterality* **3**, 21-40.

Koivisto, M. (1998). Categorical priming in the cerebral hemispheres: Automatic in the left hemisphere, postlexical in the right hemisphere? *Neuropsychologia* **36**, 661-668.

Koivisto, M., Portin, R., Seinelä, A., & Rinne, J.O. (1998). Automatic influences of memory in Alzheimer's disease. *Cortex* **34**, 209-219.

Laine, M., & Koivisto, M. (1998). Lexical access to inflected words as measured by lateralized visual lexical decision. *Psychological Research* **61**, 220-229.

Koivisto, M. (1997). Time course of semantic activation in the cerebral hemispheres. *Neuropsychologia* **35**, 497-504.

Koivisto, M. (1996). Form-specific priming and functional brain asymmetries in perceptual identification. *Cortex* **32**, 527-536.

Koivisto, M., Portin, R., & Rinne, J.O. (1996). Perceptual priming in Alzheimer's and Parkinson's diseases. *Neuropsychologia* **34**, 449-457.

Koivisto, M. (1995). On functional brain asymmetries in perceptual priming. *Brain & Cognition* **29**, 36-53.

Koivisto, M., & Laine, M. (1995). Lateralized free-association priming: Implications for the hemispheric organization of semantic memory. *Neuropsychologia* **33**, 115-124.

Editorias in international peer-reviewed journals:

Maier, M., Blakemore, C., & Koivisto, M. (2000). The health hazards of mobile phones: the only established risk is of using one while driving. *British Medical Journal* **320**, 1288-1289.