

Original peer-reviewed scientific publications in international journals

1. Rinne UK, Koskinen V, Laaksonen H, Tenovuo O. Angiotensin converting enzyme in the parkinsonian brain. *Annals of Neurology* 1978;4:483.
2. Rinne UK, Rinne JK, Rinne JO, Laakso K, Tenovuo O, Lönnberg P, Koskinen V. Brain enkephalin receptors in Parkinson's disease. *Journal of Neural Transmission* 1983;19:163-71.
3. Tenovuo O, Rinne UK, Viljanen MK. Substance P immunoreactivity in the post-mortem parkinsonian brain. *Brain Research* 1984;303:113-6.
4. Tenovuo O, Kolhinen O, Laihin A, Rinne UK. Brain substance P receptors in Parkinson's disease. *Advances in Neurology* 1990;53:145-8.
5. Jääskeläinen SK, Forssell H, Tenovuo O. Abnormalities of the blink reflex in burning mouth syndrome. *Pain* 1997;73:455-60.
6. Jääskeläinen SK, Forssell H, Tenovuo O. Electrophysiological testing of the trigeminofacial system: aids to the diagnosis of atypical facial pain. *Pain* 1999;80:191-200.
7. Jääskeläinen SK, Rinne JO, Forssell H, Tenovuo O, Kaasinen V, Sonninen P, Bergman J. Role of the dopaminergic system in chronic pain – a fluorodopa-PET study. *Pain* 2001;91:257-60.
8. Brunila T, Lincoln N, Lindell A, Hämäläinen H, Tenovuo O. Experiences of combined visual treatment and arm activation in rehabilitation of unilateral visual neglect: a clinical study. *Neuropsychological Rehabilitation* 2002;12:27-40.
9. Koponen S, Taiminen T, Portin R, Himanen L, Isoniemi H, Heinonen H, Hinkka S, Tenovuo O. Axis I and II psychiatric disorders after traumatic brain injury: a 30-year follow-up study. *American Journal of Psychiatry* 2002;159:1315-21.
10. Forssell H, Jääskeläinen S, Tenovuo O, Hinkka S. Sensory dysfunction in burning mouth syndrome. *Pain* 2002;99:41-7.
11. Jalas MJ, Lindell AB, Brunila T, Tenovuo O, Hämäläinen H. Initial rightward orienting bias in clinical tasks: normal subjects and right hemispheric stroke patients with and without neglect. *Journal of Clinical and Experimental Neuropsychology* 2002;24:479-90.
12. Julkunen L, Tenovuo O, Jääskeläinen S, Hämäläinen H. Rehabilitation of chronic post-stroke visual field defect with computer-assisted training – a clinical and neurophysiological study. *Restorative Neurology and Neuroscience* 2003;21:19-28.
13. Brunila T, Jalas M, Lindell AJ, Tenovuo O, Hämäläinen H. The two-part picture in detection of visuospatial neglect. *The Clinical Neuropsychologist* 2003;17:45-53.
14. Forssell H, Tasmuth T, Tenovuo O, Hampf G, Kalso E. Venlafaxine in the treatment of atypical facial pain. *Journal of Orofacial Pain* 2004;18:131-7.
15. Jääskeläinen SK, Teerijoki-Oksa T, Virtanen A, Tenovuo O, Forssell H. Sensory regeneration following intraoperatively verified trigeminal nerve injury. *Neurology* 2004;62:1951-7.
16. Koponen S, Taiminen T, Kairisto V, Portin R, Isoniemi H, Hinkka S, Tenovuo O. ApoE ε4 predicts dementia but not other psychiatric disorders after traumatic brain injury. *Neurology* 2004;63:749-51.
17. Himanen L, Portin R, Isoniemi H, Helenius H, Kurki T, Tenovuo O. Cognitive functions in relation to MRI findings 30 years after traumatic brain injury. *Brain Injury* 2005;19:93-100.

18. Tenovuo O. Central acetylcholinesterase inhibitors in the treatment of chronic traumatic brain injury – clinical experience in 111 patients. *Progress in Neuro-Psychopharmacology & Biological Psychiatry* 2005;29:65-9.
19. Julkunen L, Tenovuo O, Jääskeläinen S, Hämäläinen H. Recovery of somatosensory deficits in acute stroke. *Acta Neurologica Scandinavica* 2005;111:366-72.
20. Koponen S, Taiminen T, Honkalampi K, Joukamaa M, Viinamäki H, Kurki T, Portin R, Himanen L, Isoniemi H, Hinkka S, Tenovuo O. Alexithymia after traumatic brain injury: its relation to magnetic resonance imaging findings and psychiatric disorders. *Psychosomatic Medicine* 2005;67:807-12.
21. Himanen L, Portin R, Isoniemi H, Helenius H, Kurki T, Tenovuo O. Longitudinal cognitive changes in traumatic brain injury: a 30 year follow-up study. *Neurology* 2006;66:187-92.
22. Koponen S, Taiminen T, Kurki T, Portin R, Isoniemi H, Himanen L, Hinkka S, Salokangas RK, Tenovuo O. MRI findings and axis I and II psychiatric disorders after traumatic brain injury: a 30-year retrospective follow-up study. *Psychiatry Research: neuroimaging* 2006;146:263-70.
23. Julkunen L, Tenovuo O, Vorobyev V, Hiltunen J, Teräs M, Jääskeläinen SK, Hämäläinen H. Functional brain imaging, clinical and neurophysiological outcome of visual rehabilitation in a chronic stroke patient. *Restorative Neurology and Neuroscience* 2006;24:123-32.
24. Brandstack N, Kurki T, Tenovuo O, Isoniemi H. MR imaging of head trauma: visibility of contusions and other intraparenchymal injuries in early and late stage. *Brain Injury* 2006;20:409-16.
25. Isoniemi H, Kurki T, Tenovuo O, Portin R, Kairisto V. Hippocampal volume, brain atrophy, and ApoE genotype after traumatic brain injury. *Neurology* 2006;67:756-760.
26. Isoniemi H, Tenovuo O, Portin R, Himanen L, Kairisto V. Outcome of traumatic brain injury after three decades - relationship to ApoE genotype. *Journal of Neurotrauma* 2006;23:1600-1608.
27. Lindell AB, Jalas MJ, Tenovuo O, Brunila T, Voeten MJM, Hämäläinen H. Clinical assessment of hemispatial neglect: evaluation of different measures and dimensions. *The Clinical Neuropsychologist* 2007;21:479-97.
28. Forssell H, Tenovuo O, Silvoniemi P, Jääskeläinen SK. Differences and similarities between atypical facial pain and trigeminal neuropathic pain. *Neurology* 2007;69:1451-9.
29. Hiekkanen H, Kurki T, Brandstack N, Kairisto V, Tenovuo O. MRI changes and *APOE* genotype, a prospective one-year follow-up of traumatic brain injury: a pilot study. *Brain Injury* 2007;21:1307-14.
30. Tenovuo O, Kemppainen N, Aalto S, Nägren K, Rinne JO. Posterior cortical atrophy: a rare form of dementia with in vivo evidence of amyloid-beta accumulation. *Journal of Alzheimer's Disease* 2008;15:351-5.
31. Himanen L, Portin R, Tenovuo O, Taiminen T, Koponen S, Hiekkanen H, Helenius H. Attentional and depressive symptoms in chronic phase after traumatic brain injury. *Brain Injury* 2009;23:220-7.
32. Hiekkanen H, Kurki T, Brandstack N, Kairisto V, Tenovuo O. Association of injury severity, MRI results and ApoE genotype with one-year outcome in traumatic brain injury. *Brain Injury* 2009;23:396-402.
33. Tenovuo O, Alin J, Helenius H. A randomized controlled trial of rivastigmine for chronic sequels of traumatic brain injury – what it showed and taught? *Brain Injury* 2009;23:548-58.

34. Laalo JP, Kurki TJ, Sonninen PH, Tenovuo OS. Reliability of diagnosis of traumatic brain injury by computed tomography in acute phase. *Journal of Neurotrauma* 2009;26:2169-78.
35. Jääskeläinen SJ, Forssell H, Tenovuo O, Parkkola R. Difficult diagnosis of facial pain - A case report and mini-review. *Scandinavian Journal of Pain* 2010;1:179-83.
36. Himanen L, Portin R, Hämäläinen P, Hurme S, Hiekkanen H, Tenovuo O. Risk factors for reduced survival after traumatic brain injury: a 30-year follow-up study. *Brain Injury* 2011;25:443-52.
37. Brandstack N, Kurki T, Hiekkanen H, Tenovuo O. Diffusivity of normal appearing tissue in acute traumatic brain injury. *Clinical Neuroradiology* 2011;21:75-82.
38. Östberg A, Virta J, Rinne JO, Oikonen V, Luoto P, Någren K, Arponen E, Tenovuo O. Cholinergic dysfunction after traumatic brain injury – preliminary findings from a PET study. *Neurology* 2011;76:1046-50.
39. Koponen S, Taiminen T, Hiekkanen H, Tenovuo O. Axis I and II psychiatric disorders in patients with traumatic brain injury: a 12-month follow-up study. *Brain Injury* 2011;25:1029-34.
40. Taiminen T, Kuusalo L, Lehtinen L, Forssell H, Hagleberg N, Tenovuo O, Luutonen S, Pertovaara A, Jääskeläinen S. Psychiatric (axis I) and personality (axis II) disorders in patients with burning mouth syndrome or atypical facial pain. *Scandinavian Journal of Pain* 2011;2:155-60.
41. Tallus J, Lioumis P, Hämäläinen H, Kähkönen S, Tenovuo O. Long-lasting TMS motor threshold elevation in mild traumatic brain injury. *Acta Neurologica Scandinavica* 2012;126:178-82.
42. Olesen J, Gustavsson A, Svensson M, Wittchen HU, Jönsson B; CDBE 2010 study group; European Brain Council. The economic cost of brain disorders in Europe. *European Journal of Neurology* 2012;19:155-62.
43. Tuominen R, Joelsson P, Tenovuo O. Treatment costs and productivity losses caused by traumatic brain injuries. *Brain Injury* 2012;26:1697-701.
44. Pöyry T, Luoto TM, Kataja A, Brander A, Tenovuo O, Iverson GL, Öhman J. Acute assessment of brain injuries in ground-level falls. *Journal of Head Trauma Rehabilitation* 2013;28:89-97.
45. Luoto TM, Tenovuo O, Kataja A, Brander A, Öhman J, Iverson G. Who gets recruited in mild traumatic brain injury research? *Journal of Neurotrauma* 2013;30:11-6.
46. Brandstack N, Kurki T, Tenovuo O. Quantitative diffusion tensor tractography of long association tracts in patients with traumatic brain injury without findings in routine MRI. *Radiology* 2013;267:231-9.
47. Tallus J, Lioumis P, Hämäläinen H, Kähkönen S, Tenovuo O. Transcranial magnetic stimulation – electroencephalography responses in recovered and symptomatic mild traumatic brain injury. *Journal of Neurotrauma* 2013;30:1270-7.
48. Laalo J, Kurki T, Tenovuo O. Interpretation of MRI in the chronic phase of traumatic brain injury – What is missed in the original reports? *Brain Injury* 2014;28:66-70.
49. Östberg A, Tenovuo O. Smoking and outcome of traumatic brain injury. *Brain Injury* 2014;28:155-60.
50. Luoto TM, Silverberg ND, Kataja A, Brander A, Tenovuo O, Öhman J, Iverson GL. Sport Concussion Assessment Tool (SCAT2) in a Civilian Trauma Sample with Mild Traumatic Brain Injury. *Journal of Neurotrauma* 2014;31:728-38.
51. Kurki T, Himanen L, Vuorinen E, Myllyniemi A, Saarenketo A-R, Kauko T, Tenovuo O. Diffusion tensor tractography-based analysis of the cingulum: clinical utility and findings in traumatic brain injury. *Neuroradiology* 2014;56:833-41.

52. Luoto TM, Iverson GL, Losoi H, Wäljas M, Tenovuo O, Kataja A, Brander A, Lehtimäki T, Öhman J. Clinical significance of retrograde amnesia in mild traumatic brain injury. *Brain Injury* 2015;29:565-72.
53. Lloyd J, Wilson ML, Tenovuo O, Saarijärvi S. Outcomes from mild and moderate traumatic brain injuries among children and adolescents: A systematic review of studies from 2008 – 2013. *Brain Injury* 2015;29:539-49.
54. Brandstack N, Kurki T, Laalo J, Kauko T, Tenovuo O. Reproducibility of tract-based and region of interest DTI analysis of long association tracts. *Clinical Neuroradiology* 2016;26:199-208.
55. Takala RS, Posti JP, Runtti H, Newcombe VF, Outtrim J, Katila AJ, Frantzén J, Ala-Seppälä H, Kyllönen A, Maanpää HR, Tallus J, Hossain MI, Coles JP, Hutchinson P, van Gils M, Menon DK, Tenovuo O. GFAP and UCH-L1 as outcome predictors in traumatic brain injury. *World Neurosurg* 2016;87:8-20.
56. Välimäki M, Korkeila J, Kauppi K, Kaakinen JK, Holm S, Vahlo J, Tenovuo O, Hämmäläinen H, Sarajuuri J, Rantanen P, Orenius T, Koponen A. 2016. Digital Gaming for Improving the Functioning of People With Traumatic Brain Injury: Protocol of a Feasibility Study. *JMIR Res Protoc* 2016;5(1):e6.
57. Posti JP, Katila AJ, Takala RSK, Runtti H, Newcombe V, Outtrim J, Frantzén J, Ala-Seppälä H, Coles JP, Hossain MI, Kyllönen A, Maanpää H-R, Tallus J, Hutchinson PJ, van Gils M, Menon DK, Tenovuo O; TBICare investigators. The levels of GFAP and UCH-L1 during the first week after a traumatic brain injury: correlations with clinical and imaging findings. *Neurosurgery* 2016;79:456-64.
58. Puhakka A, Forssell H, Soinila S, Virtanen A, Röyttä M, Laine M, Tenovuo O, Teerijoki-Oksa T, Jääskeläinen S. Peripheral nervous system involvement in primary burning mouth syndrome – results of a pilot study. *Oral Diseases* 2016;22:338-44.
59. Åstrand R, Rosenlund C, Undén J, for the Scandinavian Neurotrauma Committee (SNC). Scandinavian guidelines for initial management of minimal, mild and moderate head injury in children. *BMC Medicine* 2016;14:33.
60. Orešič M, Posti JP, Kamstrup-Nielsen MH, Takala RSK, Lingsma HS, Mattila I, Jäntti S, Katila AJ, Carpenter KLH, Ala-Seppälä H, Kyllönen A, Maanpää H-R, Tallus J, Coles JP, Heino J, Frantzén J, Hutchinson PJ, Menon DK, Tenovuo O, Hyötyläinen T. Human serum metabolites associate with severity and patient outcomes in traumatic brain injury. *EBioMedicine* 2016;12:118-26.
61. Ala-Seppälä H, Heino I, Frantzén J, Takala RSK, Katila AJ, Kyllönen A, Maanpää H-R, Posti JP, Tallus J, Tenovuo O. Injury profiles, demography and representativeness of 203 TBI patients. *Brain Injury* 2016;30:1062-7.
62. Mohammadian M, Roine T, Hirvonen J, Kurki T, Ala-Seppälä H, Frantzén J, Katila A, Kyllönen A, Maanpää HR, Posti J, Takala R, Tallus J, Tenovuo O. High angular resolution diffusion-weighted imaging in mild traumatic brain injury. *Neuroimage Clinical* 2016;13:174-180.
63. Cnossen MC, Polinder S, Lingsma HF, Maas AI, Menon D, Steyerberg EW; CENTER-TBI Investigators and Participants. Variation in Structure and Process of Care in Traumatic Brain Injury: Provider Profiles of European Neurotrauma Centers Participating in the CENTER-TBI Study. *PLoS One* 2016;11:e0161367.
64. Lieder H, Mattila J, Lingsma H, Lötjönen J, Menon D, Tenovuo O, van Gils M. Prediction of Outcome after Traumatic Brain Injury: Comparison of Disease State Index and IMPACT Calculator. *Studies in Health Technology and Informatics* 2016;224:175-80.

65. Wilson ML, Tenovuo O, Mattila V, Gisler M, Celedonia KL, Impinen A, Saarijärvi S. Pediatric TBI in Finland: an examination of hospital discharges (1998-2012). *European Journal of Pediatric Neurology* 2017;21:374-81.
66. Posti JP, Hossain MI, Takala RSK, Lienes H, Newcombe V, Outtrim J, Katila AJ, Frantzén J, Ala-Seppälä H, Coles JP, Kyllönen A, Maanpää H-R, Tallus J, Hutchinson PJ, van Gils M, Menon DK, Tenovuo O. GFAP and UCH-L1 are not specific biomarkers for mild CT-negative traumatic brain injury. *Journal of Neurotrauma* 2017 Jan 27. doi: 10.1089/neu.2016.4442. [Epub ahead of print]
67. Cnossen MC, Lingsma HF, Tenovuo O, Maas AIR, Menon D, Steyerberg EW, Ribbers GM, Polinder S, CENTER-TBI investigators. Rehabilitation after traumatic brain injury: A survey in 70 European neurotrauma centers participating in the CENTER-TBI study. *Journal of Rehabilitation Medicine* 2017;49:395-401.
68. Foks KA, Cnossen MC, Dippel DWJ, Maas A, Menon D, van der Naalt J, Steyerberg EW, Lingsma H, Polinder S, CENTER-TBI investigators. Management of mild traumatic brain injury at the emergency department and hospital admission in Europe: A survey of 71 neurotrauma centers participating in the CENTER-TBI study. *Journal of Neurotrauma* 2017 Apr 11 (Epub ahead of print).
69. Huijben JA, van der Jagt M, Cnossen MC, Kruip MJHA, Haitsma I, Stocchetti N, Maas A, Menon D, Ercole A, Maegele M, Stanworth SJ, Citerio G, Polinder S, Steyerberg EW, Lingsma H, CENTER-TBI investigators. Variation in blood transfusion and coagulation management in Traumatic Brain Injury at the Intensive Care Unit: A survey in 66 neurotrauma centers participating in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) study. *Journal of Neurotrauma* 2017 Nov 21 [Epub ahead of print]
70. Cnossen MC, Huijben JA, van der Jagt M, Volovici V, van Essen T, Polinder S, Nelson D, Ercole A, Stocchetti N, Citerio G, Peul WC, Maas AIR, Menon D, Steyerberg EW, Lingsma HF; CENTER-TBI investigators. Variation in monitoring and treatment policies for intracranial hypertension in traumatic brain injury: a survey in 66 neurotrauma centers participating in the CENTER-TBI study. *Critical Care* 2017;21:233.
71. Ledig C, Kamnitsas K, Glocker B, Posti JP, Takala R, Katila A, Frantzén J, Ala-Seppälä H, Kyllönen A, Maanpää H-R, Tallus J, Tenovuo O, Rueckert D. Brain morphometry of patients with traumatic brain injury based on acute and chronic-phase MR imaging data. *PloS One* 2017 Nov 28;12(11):e0188152.
72. Taiminen T, Kuusalo L, Lehtinen L, Forssell H, Hagelberg N, Tenovuo O, Luutonen S, Pertovaara A, Jääskeläinen S. Psychiatric (axis I) and personality (axis II) disorders in patients with burning mouth syndrome or atypical facial pain. *Scandinavian Journal of Pain* 2017;2:155-60.
73. Jääskeläinen SK, Forssell H, Tenovuo O, Parkkola R. Difficult diagnosis of facial pain: A case report and mini-review. *Scandinavian Journal of Pain* 2017;1:179-183.
74. Östberg A, Virta J, Rinne JO, Oikonen V, Luoto P, Nägren K, Arponen E, Tenovuo O. Brain cholinergic function and response to rivastigmine in patients with chronic sequels of traumatic brain injury – a PET study. *Journal of Head Trauma Rehabilitation* 2018;33:25-32.
75. Tolonen A, Särkelä MOK, Takala RSK, Katila A, Frantzén J, Posti JP, Müller M, van Gils M, Tenovuo O. Quantitative EEG features for prediction of outcome in severe traumatic brain injury. *Clinical EEG & Neuroscience* 2018;49:248-57.
76. Välimäki M, Mishina K, Kaakinen JK, Holm SK, Vahlo J, Kirjonen M, Pekurinen V, Tenovuo O, Korkeila J, Hämäläinen H, Sarajuuri J, Rantanen P, Orenius T, Koponen A. Digital Gaming for Improving the Functioning of People with Traumatic Brain

- Injury: A Randomized Clinical Feasibility Study. *Journal of Medical Internet Research* 2018;20:e77.
77. Posti J, Yli-Olli M, Heikanen L, Aitasalo KMJ, Rinne J, Vuorinen V, Serlo W, Tenovuo O, Vallittu PK, Piitulainen JM. Cranioplasty after severe traumatic brain injury: effects of trauma and patients recovery on cranioplasty outcome. *Frontiers in Neurology* 2018;9:223.
 78. Dickens A, Posti J, Takala R, Ala-Seppälä H, Mattila I, Coles J, Frantzén J, Hutchinson P, Katila A, Kyllönen A, Maanpää H-R, Newcombe V, Outtrim J, Tallus J, Carpenter K, Menon D, Hyötyläinen T, Tenovuo O, Orešič M. Serum metabolites associate with CT findings following TBI. *Journal of Neurotrauma* 2018;35:2673-83.
 79. Tarvonen-Schröder S, Tenovuo O, Kaljonen A, Laimi K. Usability of World Health Organization Disability Assessment Schedule (WHODAS 2.0) in chronic traumatic brain injury. *Journal of Rehabilitation Medicine* 2018;50:514-8.
 80. Tverdal CB, Howe EI, Røe C, Helseth E, Lu J, Tenovuo O, Andelic N. Traumatic brain injury: Patient experience and satisfaction with discharge from trauma hospital. *Journal of Rehabilitation Medicine* 2018;50:505-13.
 81. Hujiben JA, Volovici V, Cnossen MC, Haitsma IK, Stocchetti N, Maas AIR, Menon DK, Ercole A, Citerio G, Nelson D, Polinder S, Steyerberg EW, Lingsma HF, van der Jagt M; CENTER-TBI investigators and participants. Variation in general supportive and preventive intensive care management of traumatic brain injury: a survey in 66 neurotrauma centers in participating in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) study. *Critical Care* 2018;22:90.
 82. Velt KB, Cnossen M, Rood PPM, Steyerberg EW, Polinder S, Lingsma HF; CENTER-TBI investigators. Emergency department overcrowding: a survey among European neurotrauma centres. *Emerg Med J* 2018;35:447-448.
 83. Tarvonen-Schröder S, Tenovuo O, Kaljonen A, Laimi K. Comparing disability between traumatic brain injury and spinal cord injury using the 12-item WHODAS 2.0 and the WHO Minimal Generic Set. *Clinical Rehabilitation* 2018;32:1676-83.
 84. Uski J, Lamusuo S, Teperi S, Löyttyniemi E, Tenovuo O. Mortality after traumatic brain injury and the effect of posttraumatic epilepsy. *Neurology* 2018;91:e878-e883.
 85. van Veen E, van der Jagt M, Cnossen MC, Maas AIR, de Beaufort ID, Menon DK, Citerio G, Stocchetti N, Rietdijk WJR, van Dijk JTJM, Kompanje EJO; CENTER-TBI investigators and participants. Brain death and postmortem organ donation: report of a questionnaire from the CENTER-TBI study. *Critical Care* 2018;22:306.
 86. Cnossen MC, van der Brande R, Lingsma HF, ym. Prehospital Trauma Care among 68 European Neurotrauma Centers: Results of the CENTER-TBI Provider Profiling Questionnaires. *Journal of Neurotrauma* 2018 Jul 24 [Epub ahead of print]
 87. Zeiler FA, Ercole A, Cabeleira M, et al. Comparison of performance of different optimal cerebral perfusion pressure parameters for outcome prediction in adult traumatic brain injury: A collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) study. *Journal of Neurotrauma* 2019;36:1505-17.
 88. Wilson M, Tenovuo O, Gissler M, Saarijärvi S. Association between parent mental health and pediatric TBI: Epidemiological observations from the 1987 Finnish Birth Cohort. *Injury Prevention* 2019;25:283-9.
 89. Umer A, Mattila J, Liedes H, Koikkalainen J, Kulju M, Lötjönen J, van Gils M, Tenovuo O, Menon D. A Decision Support System for Diagnostics and Treatment Planning in Traumatic Brain Injury. *IEEE Journal of Biomedical and Health Informatics* 2019;23:1261-8.

90. Hossain I, Mohammadian M, Takala RSK, Tenovuo O, Lagerstedt L, Ala-Seppälä H, Frantzén J, van Gils M, Hutchinson P, Katila AJ, Maanpää H-R, Menon DK, Newcombe VF, Tallus J, Blennow K, Sanchez J-C, Zetterberg H, Posti JP. Early levels of GFAP and NF-L in predicting the outcome of mild traumatic brain injury. *Journal of Neurotrauma* 2019;36:1551-60.
91. Vande Vyvere T, Wilms G, Claes L, et al. Central versus local radiological reading of acute computed tomography characteristics in multi-center traumatic brain injury research. *Journal of Neurotrauma* 2019;36:1080-92.
92. Volovici V, Ercole A, Citerio G, et al. Variation in guideline implementation and adherence regarding severe traumatic brain injury treatment: a CENTER-TBI survey study in Europe. *World Neurosurgery* 2019;125:e515-20
93. Posti JP, Takala RSK, Lagerstedt L, Dickens AM, Hossain I, Mohammadian M, Ala-Seppälä H, Frantzén J, van Gils M, Hutchinson PJ, Katila AJ, Maanpää H-R, Menon DK, Newcombe VF, Tallus J, Hrusovsky K, Wilson DH, Gill J, Sanchez J-C, Tenovuo O, Zetterberg H, Blennow K. Correlation of blood biomarkers with traumatic findings on computed tomography after traumatic brain injury. *Journal of Neurotrauma* 2019;36:2178-89.
94. Jourdan C, Bahrami S, Azouvi P, Tenovuo O. Practitioners' opinions on traumatic brain injury care pathways in Finland and France: different organizations, common issues. *Brain Injury* 2019;33:205-11.
95. Heino I, Frantzén J, Rinne J, Girard R, Cao Y, Sajanti A, Katila AJ, Posti JP, Takala RSK, Tenovuo O, Koskimäki J. Risk factors for recurrent hematomas after surgery for acute traumatic subdural hematoma. *World Neurosurgery* 2019 Jan 10 (Epub ahead of print)
96. van Essen TA, den Boogert HF, Cnossen MC et al. Variation in neurosurgical management of traumatic brain injury: a survey in 68 centers participating in the CENTER-TBI study. *Acta Neurochirurgica (Wien)* 2019;161:451-55.
97. Huijben JA, Wiegers EJA, de Keizer NF, et al. Development of a quality indicator set to measure and improve quality of ICU care for patients with traumatic brain injury. *Critical Care* 2019;23:95.
98. Iverson GL, Preethi R, Posti J, Tenovuo O, Öhman J, Zetterberg H, Blennow K, Luoto T. Serum Neurofilament Light is Elevated Differentially in Older Adults with Uncomplicated Mild Traumatic Brain Injuries. *Journal of Neurotrauma* 2019;36:2400-6.
99. Zeiler FA, Ercole A, Cabeleira M, et al. Univariate comparison of performance of different cerebrovascular reactivity indices for outcome association in adult TBI: a CENTER-TBI study. *Acta Neurochirurgica (Wien)* 2019;161:1217-27.
100. Zeiler FA, Ercole A, Cabeleira M, et al. Compensatory-reserve-weighted intracranial pressure versus intracranial pressure for outcome association in adult traumatic brain injury: a CENTER-TBI validation study. *Acta Neurochir (Wien)* 2019;161:1275-84.
101. Steyerberg EW, Wiegers E, Sewalt C, et al. The contemporary landscape of traumatic brain injury in Europe: Case-mix, care pathways, and outcomes from the CENTER-TBI study. *Lancet Neurology* 2019;18:923-34.
102. Zeiler FA, Ercole A, Beqiri E, et al. Cerebrovascular reactivity is not associated with therapeutic intensity in adult traumatic brain injury: a CENTER-TBI analysis. *Acta Neurochirurgica (Wien)* 2019;161:1955-64.
103. Zeiler FA, Ercole A, Cabeleira M, et al. Patient-specific ICP epidemiologic thresholds in adult traumatic brain injury: A CENTER-TBI validation study. *Journal of Neurosurgery and Anaesthesiology* 2019 Jun 18 (Epub ahead of print)

104. Voormolen DC, Haagsma JA, Polinder S, et al. Post-Concussion Symptoms in Complicated vs. Uncomplicated Mild Traumatic Brain Injury Patients at Three and Six Months Post-Injury: Results from the CENTER-TBI Study. *Journal of Clinical Medicine* 2019;8:1921.
105. Zeiler FA, Ercole A, Beqiri E, ym. Association between Cerebrovascular Reactivity Monitoring and Mortality is preserved when adjusting for baseline admission characteristics in Adult TBI: A CENTER-TBI Study. *Journal of Neurotrauma* 2020;37:1233-41.
106. Gravesteijn B, Sewalt C, Ercole A, ym. Toward a new multidimensional classification of traumatic brain injury: a CENTER-TBI study. *Journal of Neurotrauma* 2020;37:1002-10.
107. Gravesteijn BY, Sewalt CA, Ercole A, et al. Variation in the practice of tracheal intubation in Europe after traumatic brain injury: a prospective cohort study. *Anaesthesia* 2020;75:45-53.
108. Hossain I, Mohammadian M, Takala RSK, Tenovuo O, et al. Admission levels of total tau and β -amyloid isoforms 1-40 and 1-42 in predicting the outcome of mild traumatic brain injury. *Frontiers in Neurology* 2020;11:325.
109. Lagerstedt L, Azurmendi L, Tenovuo O, et al. Interleukin 10 and heart fatty-acid binding protein as early outcome predictors in patients with traumatic brain injury. *Frontiers in Neurology* 2020;11:376.
110. Vande Vyvere T, de la Rosa E, Wilms G, Nieboer D, Steyerberg EW, Maas A, Verheyden J, van den Hauwe L, Parizel PM, CENTER-TBI Investigators and Participants. Prognostic Validation of the NINDS Standardized Pathoanatomic Terms and Definitions for the Reporting of Acute Traumatic Brain Injuries: A CENTER-TBI study. *Journal of Neurotrauma* 2020;37:1269-82.
111. Thomas I, Dickens A, Posti J, Mohammadian M, Ledig C, Takala R, Hyötyläinen T, Tenovuo O, Oresic M. Integrative analysis of circulating metabolite profiles and magnetic resonance imaging metrics in patients with traumatic brain injury. *International Journal of Molecular Sciences* 2020;21:E1395
112. Robba C, Galimberti S, Graziano F, Wiegers EJA, Lingsma HF, Iaquaniello C, Stocchetti N, Menon D, Citerio G; CENTER-TBI ICU Participants and Investigators. Tracheostomy practice and timing in traumatic brain-injured patients: a CENTER-TBI study. *Intensive Care Medicine* 2020;46:983-94.
113. Zeiler FA, Aries M, Cabeleira M, et al. Statistical cerebrovascular reactivity signal properties after secondary decompressive craniectomy in traumatic brain injury: A CENTER-TBI pilot analysis. *Journal of Neurotrauma* 2020;37:1556-65.
114. Hujiben JA, Wiegers EJA, Lingsma HF, et al. Changing care pathways and between-center practice variations in intensive care for traumatic brain injury across Europe: a CENTER-TBI analysis. *Intensive Care Medicine* 2020;46:995-1004.
115. Huijben JA, Wiegers EJA, Ercole A, et al. Quality indicators for patients with traumatic brain injury in European intensive care units: a CENTER-TBI study. *Critical Care* 2020;24:78.
116. Gravesteijn BY, Nieboer D, Ercole A, Lingsma HF, Nelson D, van Calster B, Steyerberg EW; CENTER-TBI collaborators. Machine learning algorithms performed no better than regression models for prognostication in traumatic brain injury. *Journal of Clinical Epidemiology* 2020;122:95-107.
117. Huie JR, Mondello S, Lindsell CJ, et al. Biomarkers for traumatic brain injury: data standards and statistical considerations. *J Neurotrauma* 2020 Apr 1 (Epub ahead of print)

118. Feng J, van Veen E, Yang C, Huijben JA, Lingsma HF, Gao G, Jiang J, Maas AIR; Collaborative European Neuro Trauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Investigators and Participants. Comparison of Care System and Treatment Approaches for Patients with Traumatic Brain Injury in China versus Europe: A CENTER-TBI Survey Study. *J Neurotrauma* 2020 Apr 28 [Epub ahead of print]
119. Zeiler FA, Mathieu F, Monteiro M, Glocker B, Ercole A, Beqiri E, Cabeleira M, Stocchetti N, Smielewski P, Czosnyka M, Newcombe V, Menon DK; CENTER-TBI High-Resolution ICU (HR ICU) Sub-Study Participants and Investigators. Diffuse Intracranial Injury Patterns Are Associated with Impaired Cerebrovascular Reactivity in Adult Traumatic Brain Injury: A CENTER-TBI Validation Study. *J Neurotrauma* 2020;37:1597-1608.
120. Zeiler FA, Beqiri E, Cabeleira M, Hutchinson PJ, Stocchetti N, Menon DK, Czosnyka M, Smielewski P, Ercole A; Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) High-Resolution ICU (HR ICU) Sub-Study Participants and Investigators. Brain Tissue Oxygen and Cerebrovascular Reactivity in Traumatic Brain Injury: A Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury Exploratory Analysis of Insult Burden. *J Neurotrauma* 2020 May 4 [Epub ahead of print]
121. van Veen E, van der Jagt M, Citerio G, Stocchetti N, Epker JL, Gommers D, Burdorf L, Menon DK, Maas AIR, Lingsma HF, Kompanje EJO; CENTER-TBI investigators and participants. End-of-life practices in traumatic brain injury patients: Report of a questionnaire from the CENTER-TBI study. *J Crit Care* 2020;58:78-88.
122. Mathieu F, Guting H, Gravesteijn B, Monteiro MAB, Glocker B, Kornaropoulos EN, Kamnitsas K, Robertson CS, Levin H, Whitehouse DP, Das T, Lingsma HF, Maegele M, Newcombe V, Menon D. Impact of antithrombotic agents on radiological lesion progression in acute traumatic brain injury: A CENTER-TBI propensity-matched cohort analysis. *J Neurotrauma* 2020;37:2069-80.
123. Zeiler FA, Cabeleira M, Hutchinson P, Stocchetti N, Czosnyka M, Smielewski P, Ercole A; CENTER-TBI High-Resolution ICU (HR ICU) Sub-Study Participants and Investigators. Evaluation of the relationship between slow-waves of intracranial pressure, mean arterial pressure and brain tissue oxygen in TBI: a CENTER-TBI exploratory analysis. *J Clin Monit Comput* 2020 May 16 [Epub ahead of print]
124. van Wijk RPJ, van Dijck JTJM, Timmers M, van Veen E, Citerio G, Lingsma HF, Maas AIR, Menon DK, Peul WC, Stocchetti N, Kompanje EJO; CENTER-TBI investigators and participants. Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. *J Crit Care* 2020;59:6-15.
125. Hossain I, Mohammadian M, Takala RSK, Tenovuo O, Azurmendi Gil L, Frantzén J, van Gils M, Hutchinson PJ, Katila AJ, Maanpää HR, Menon DK, Newcombe VF, Tallus J, Hrusovsky K, Wilson DH, Gill J, Blennow K, Sanchez JC, Zetterberg H, Posti JP. Admission Levels of Total Tau and β -Amyloid Isoforms 1-40 and 1-42 in Predicting the Outcome of Mild Traumatic Brain Injury. *Front Neurol*. 2020;11:325
126. Carroll EL, Manktelow AE, Outtrim JG, Chatfield D, Forsyth F, Hutchinson PJA, Tenovuo O, Posti JP, Wilson L, Sahakian BJ, Menon DK, Newcombe VFJ. Influence of Concomitant Extracranial Injury on Functional and Cognitive Recovery From Mild Versus Moderate to Severe Traumatic Brain Injury. *J Head Trauma Rehabil*. 2020 May 27. Online ahead of print.

127. Riemann L, Beqiri E, Smielewski P, Czosnyka M, Stocchetti N, Sakowitz O, Zweckberger K, Unterberg A, Younsi A; CENTER-TBI High Resolution ICU (HR ICU) Sub-Study Participants and Investigators. Low-resolution pressure reactivity index and its derived optimal cerebral perfusion pressure in adult traumatic brain injury: a CENTER-TBI study. *Crit Care* 2020;24:266.
128. Timmers M, van Dijck JTJM, van Wijk RPJ, Legrand V, van Veen E, Maas AIR, Menon DK, Citerio G, Stocchetti N, Kompanje EJO; CENTER-TBI investigators and participants. How do 66 European institutional review boards approve one protocol for an international prospective observational study on traumatic brain injury? Experiences from the CENTER-TBI study. *BMC Med Ethics*. 2020;21:36.
129. Czeiter E, Amrein K, Gravesteijn BY, Lecky F, Menon DK, Mondello S, Newcombe VFJ, Richter S, Steyerberg EW, Vyvere TV, Verheyden J, Xu H, Yang Z, Maas AIR, Wang KKW, Büki A; CENTER-TBI Participants and Investigators. Blood biomarkers on admission in acute traumatic brain injury: Relations to severity, CT findings and care path in the CENTER-TBI study. *EBioMedicine* 2020;56:102785.
130. Carroll EL, Outtrim JG, Forsyth F, Manktelow AE, Hutchinson PJA, Tenovuo O, Posti JP, Wilson L, Sahakian BJ, Menon DK, Newcombe VFJ. Mild traumatic brain injury recovery: a growth curve modelling analysis over 2 years. *Journal of Neurology* 2020 Jun 13 Online ahead of print.
131. Voormolen DC, Polinder S, von Steinbuechel N, Feng Y, Wilson L, Oppe M, Haagsma JA; CENTER-TBI participants and investigators. Health-related quality of life after traumatic brain injury: deriving value sets for the QOLIBRI-OS for Italy, The Netherlands and The United Kingdom. *Quality of Life Research* 2020 Jul 15 Online ahead of print.
132. Andelic N, Røe C, Brunborg C, Zeldovich M, Løvstad M, Løke D, Borgen IM, Voormolen DC, Howe EI, Forslund MV, Dahl HM, von Steinbuechel N; CENTER-TBI participants investigators. Frequency of fatigue and its changes in the first 6 months after traumatic brain injury: results from the CENTER-TBI study. *Journal of Neurology* 2020 Jul 16 Online ahead of print.
133. Mohammadian M, Roine T, Hirvonen J, Kurki T, Posti JP, Katila AJ, Takala RS, Tallus J, Maanpää HR, Frantzen J, Hutchinson PJ, Newcombe V, Menon DK, Tenovuo O. Alterations in microstructure and local fiber orientation of the white matter are associated with outcome following mild traumatic brain injury. *Journal of Neurotrauma* 2020 Jul 21 Online ahead of print.
134. Zeiler FA, Ercole A, Cabeleira M, Stocchetti N, Hutchinson PJ, Smielewski P, Czosnyka M; CENTER-TBI High Resolution (HR ICU) Sub-Study Participants and Investigators. Descriptive analysis of low versus elevated intracranial pressure on cerebral physiology in adult traumatic brain injury: a CENTER-TBI exploratory study. *Acta Neurochir (Wien)* 2020 Sep 4 Online ahead of print.
135. Jacob L, Cogné M, Tenovuo O, Røe C, Andelic N, Majdan M, Ranta J, Ylen P, Dawes H, Azouvi P. Predictors of access to rehabilitation in the year following traumatic brain injury: A European prospective and multicenter study. *Neurorehabil Neural Repair* 2020;34:814-30.
136. Gravesteijn BY, Sewalt CA, Nieboer D, Menon DK, Maas A, Lecky F, Klimek M, Lingsma HF; CENTER-TBI collaborators. Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. *Br J Anaesth* 2020;125:505-17.
137. Östberg A, Ledig C, Katila A, Maanpää HR, Posti JP, Takala R, Tallus J, Glocker B, Rueckert D, Tenovuo O. Volume change in frontal cholinergic structures after traumatic brain injury and cognitive outcome. *Frontiers in Neurology* 2020;11:832.

138. Zeiler FA, Ercole A, Placek MM, Hutchinson PJ, Stocchetti N, Czosnyka M, Smielewski P, CENTER-TBI High-Resolution ICU (HR-ICU) Sub-Study Participants and Investigators. Association between physiological signal complexity and outcomes in moderate and severe traumatic brain injury: A CENTER-TBI exploratory analysis of multi-scale entropy. *J Neurotrauma* 2020 Sep 23 (Online ahead of print)
139. Carra G, Güiza F, Depreitere B, Meyfroidt G, CENTER-TBI High-Resolution ICU (HR-ICU) Sub-Study Participants and Investigators. Prediction model for intracranial hypertension demonstrates robust performance during external validation on CENTER-TBI dataset. *Intensive Care Med* 2020 Oct 1 (Online ahead of print)
140. Posti JP, Takala R, Raj R, Luoto TM, Azurmendi L, Lagerstedt L, Mohammadian M, Hossain I, Gill JM, Frantzén J, Van Gils M, Hutchinson PJ, Katila AJ, Koivikko P, Maanpää H-R, Menon DK, Newcombe V, Tallus J, Blennow K, Tenovuo O, Zetterberg H, Sanchez J-C. Admission Levels of Interleukin 10 and Amyloid β 1-40 Improve the Outcome Prediction Performance of the Helsinki Computed Tomography Score in Traumatic Brain Injury. *Front Neurol* (accepted for publication)
141. Mikolić A, Polinder S, Steyerberg EW, Retel Helmrich IRA, Giacino JT, Maas AIR, van der Naalt J, Voormolen DC, von Steinbüchel N, Wilson L, Lingsma HF, van Klaveren D, the CENTER-TBI Participants and Investigators. Prediction of global functional outcome and post-concussive symptoms after mild traumatic brain injury: external validation of prognostic models in the CENTER-TBI study. *J Neurotrauma* 2020 Oct 19 (Online ahead of print)
142. Mikolić A, van Klaveren D, Oude Groeniger J, Wiegers EJA, Lingsma HF, Zeldovich M, von Steinbüchel N, Maas AIR, Roeters van Lennep JE, Polinder S; CENTER-TBI Participants and Investigators. Differences between men and women in treatment and outcome after traumatic brain injury. *J Neurotrauma* 2020 Oct 19 (Online ahead of print)
143. Zeiler FA, Mathieu F, Monteiro MAB, Glocker B, Ercole A, Cabeleira M, Stocchetti N, Smielewski P, Czosnyka M, Newcombe V, Menon D, CENTER-TBI Participants and Investigators. Systemic markers of injury and injury response are not associated with impaired cerebrovascular reactivity in adult TBI: A CENTER-TBI study. *J Neurotrauma* 2020 Oct 23 (Online ahead of print)

Reviews in peer-reviewed international journals

1. Rinne UK, Rinne JO, Rinne JK, Laakso K, Tenovuo O. Neurotransmitters and neuropeptides in the parkinsonian brain. *Developments in Neuroscience* 1983;16:503-14.
2. Tenovuo O. Cholinergic treatment of traumatic brain injury. *Current Drug Therapy* 2006;1:187-209.
3. Tenovuo O. Pharmacological enhancement of cognitive and behavioral deficits after traumatic brain injury. *Curr Opin Neurol* 2006;19:528-33.
4. Tenovuo O. Central pain after brain trauma – a neglected problem in neglected victims. *Pain* 2007;131:241-2.
5. Tosetti P, Hicks RR, Theriault E, Phillips A, Koroshetz W, Draghia-Akli R; Workshop Participants. Toward an international initiative for traumatic brain injury research. *Journal of Neurotrauma* 2013;30:1211-22.
6. Saltychev M, Eskola M, Tenovuo O, Laimi K. Return to work after traumatic brain injury: a systematic review. *Brain Injury* 2013;27:1526-27.

7. Maas AIR, Menon DK, Steyerberg EW, et al. Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI): A Prospective Longitudinal Observational Study. *Neurosurgery* 2015;76:67-80.
8. Uteshev VV, Tenovuo O, Gaidhani N. The cholinergic potential, the vagus nerve and challenges in treatment of traumatic brain injury. *Current Pharmaceutical Design* 2016;22:2083-92.
9. Posti JP, Dickens AM, Orešič M, Hyötyläinen T, Tenovuo O. Metabolomics profiling as a diagnostic tool in severe traumatic brain injury. *Frontiers in Neurology* 2017;8:398.
10. Maas AIR, Menon D, Adelson PD ym. Traumatic brain injury – integrated approaches to improving clinical care and research. *Lancet Neurology* 2017;16:987-1048.
11. Zetterberg H, Winblad B, Bernick C, Yaffe K, Majdan M, Johansson G, Newcombe V, Nyberg L, Sharp D, Tenovuo O, Blennow K. Head trauma in sports – clinical characteristics, epidemiology and biomarkers. *Journal of Internal Medicine* 2019;36:1551-60.
12. Røe C, Buaas Tverdal C, Howe EI, Tenovuo O, Azouvi P, Andelic N. Randomized controlled trials of rehabilitation services in the post-acute phase of moderate and severe traumatic brain injury. *Frontiers of Neurology* 2019;10:557.

Original peer-reviewed scientific publications in national journals

1. Joelsson P, Tenovuo O, Tuominen R. Treatments costs and productivity losses caused by traumatic brain injuries. *Finnish Medical Journal* 2011;66:2771-5. (in Finnish)

Reviews in peer-reviewed national journals

1. Tenovuo O, Alaranta H, Kaipio M-L, Malmivaara A, Nybo T, Ojala M, Salonen O, Turkka J, Wallin M, Öhman J. Traumatic brain injuries in adults – An evidence-based recommendation. *Duodecim* 2003;119:654-81. (in Finnish)
2. Tenovuo O. Can you recognize and assess an acute traumatic brain injury? *Finnish Medical Journal* 2004;59:4973-8. (in Finnish)
3. Tenovuo O, Vataja R, Salonen O, Laaksonen R. Diagnosing and assessing the sequels of traumatic brain injury. *Finnish Medical Journal* 2007;62:3859-66. (in Finnish)
4. Luoto T, Tenovuo O. Head injuries – Scandinavian evidence-based recommendation. *Finnish Medical Journal* 2016;71:2584-6. (in Finnish)

International textbooks and chapters in international textbooks

1. Tenovuo O, Bullock RM, Zafonte R. International systems of care and research agendas. In: Zasler ND, Katz DI, Zafonte RD (eds). *Brain Injury Medicine*, 2nd Ed. Demos Medical, 2013.
2. Majdan M, Ingebrigtsen T, Tenovuo O. Epidemiology. In: Sundstrom T, Grände P-O, Luoto T, Rosenlund C, Undèn J, Wester KG (eds). *Management of Severe Traumatic Brain Injury. Evidence, tricks, Pitfalls*. 2nd ed. Springer 2020.
3. Tenovuo O, Andelic N, Sigurdardottir S. Long-term follow-up. In: Sundstrom T, Grände P-O, Luoto T, Rosenlund C, Undèn J, Wester KG (eds). *Management of Severe Traumatic Brain Injury. Evidence, tricks, Pitfalls*. 2nd ed. Springer 2020.
4. Andelic N, Sigurdardottir S, Tenovuo O. Rehabilitation after severe TBI. In: Sundstrom T, Grände P-O, Luoto T, Rosenlund C, Undèn J, Wester KG (eds).

Management of Severe Traumatic Brain Injury. Evidence, tricks, Pitfalls. 2nd ed. Springer 2020.

5. Tenovuo O, Andelic N, Majdan M. Socioeconomic consequences. In: Sundstrom T, Grände P-O, Luoto T, Rosenlund C, Undèn J, Wester KG (eds). Management of Severe Traumatic Brain Injury. Evidence, tricks, Pitfalls. 2nd ed. Springer 2020.
6. Marklund N, Tenovuo O. Pathophysiology of severe TBI. In: Sundstrom T, Grände P-O, Luoto T, Rosenlund C, Unden J, Wester K. Management of severe traumatic brain injury: Evidence, tricks, and pitfalls. 2nd Ed. Springer 2020.

National textbooks and chapters in national textbooks

1. Tenovuo O. Cognitive disorders in neurological disease. Traumatic brain injuries. In: Erkinjuntti T, Rinne J, Alhainen K, Soininen H (eds.). Memory disorders and dementia. Kustannus Oy Duodecim, Helsinki 2001, 2006 ja 2010. (In Finnish)
2. Tenovuo O. Classification and acute care of traumatic brain injuries. In: Rehabilitation of traumatic brain injuries. Kustannus Oy Duodecim 2013 (In Finnish)
3. Tenovuo O. The role of pharmacological interventions in rehabilitation. In: Rehabilitation of traumatic brain injuries. Kustannus Oy Duodecim 2013 (In Finnish)

Other publications

1. Tenovuo O. Substance P in Parkinson's and Alzheimer's disease. Acta Univ. Turkuensis, 1992 (Academic dissertation)
2. Tenovuo O. Should we be worried about the epidemiology of traumatic brain injuries? Finnish Medical Journal 2008;63:1155-6. (in Finnish)
3. Kurki T, Tenovuo O. Dignostics of traumatic brain injuries is improving. Finnish Medical Journal 2014;69:451. (in Finnish)

Abstracts

> 60 abstracts in scientific international congresses

Patents

One patent for brain injury biomarkers